



Min Flow Rate: 126m <sup>3</sup> /h (555 GPM)		Project: Filtration																	
Max Flow Rate: 205m <sup>3</sup> /h (903 GPM)		Subject: HYDROCYCLONES																	
Pressure: 10bar (145 PSI)		SAP Code / Item Description: <b>71990-000332 / NET. HYDROCYCLONE 6" S VIC+TANK 240L NPT</b>																	
Sheet Size: A4	Scale: 1:10	<b>General Tolerance According to ISO 2768-</b> <b>LINEAR DIMENSIONS</b> Permissible deviations in mm for ranges in nominal lengths <table border="1"> <tr> <td>≥ 0.5</td> <td>&gt; 3</td> <td>&gt; 6</td> <td>&gt; 30</td> <td>&gt; 120</td> <td>&gt; 400</td> <td>&gt; 1000</td> <td>&gt; 2000</td> </tr> <tr> <td>≤ 3</td> <td>≤ 6</td> <td>≤ 30</td> <td>≤ 120</td> <td>≤ 400</td> <td>≤ 1000</td> <td>≤ 2000</td> <td>≤ 4000</td> </tr> </table>		≥ 0.5	> 3	> 6	> 30	> 120	> 400	> 1000	> 2000	≤ 3	≤ 6	≤ 30	≤ 120	≤ 400	≤ 1000	≤ 2000	≤ 4000
≥ 0.5	> 3			> 6	> 30	> 120	> 400	> 1000	> 2000										
≤ 3	≤ 6	≤ 30	≤ 120	≤ 400	≤ 1000	≤ 2000	≤ 4000												
3-D Proj. 		<b>ANGULAR DIMENSIONS</b> Permissible deviations in degrees and minutes for ranges in nominal lengths <table border="1"> <tr> <td>≤ 10</td> <td>&gt; 10</td> <td>&gt; 50</td> <td>&gt; 120</td> <td>&gt; 400</td> </tr> <tr> <td>≤ 50</td> <td>≤ 120</td> <td>≤ 400</td> <td></td> <td></td> </tr> </table>		≤ 10	> 10	> 50	> 120	> 400	≤ 50	≤ 120	≤ 400								
≤ 10	> 10	> 50	> 120	> 400															
≤ 50	≤ 120	≤ 400																	

<p><b>NETAFIM™</b>          PROPRIETARY AND CONFIDENTIAL          THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF NETAFIM. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF NETAFIM IS PROHIBITED.</p>		
Designed By	KEREM K.	05.09.2022
Drawn By	KEREM K.	05.09.2022
Sheet:	8	Of: 12
Rev:		B