



Min Flow Rate: 12.5m ³ /h (55 GPM)		Project: Filtration		 PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF NETAFIM. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF NETAFIM IS PROHIBITED.																	
Max Flow Rate: 20m ³ /h (88 GPM)		Subject: HYDROCYCLONE																			
Pressure: 10bar (145 PSI)		SAP Code / Item Description: 71990-000101 / NET. HYDROCYCLONE 2" NPT+TANK 12L NPT		Designed By	KEREM K. 05.09.2022																
Sheet Size: A4	Scale: 1:10	General Tolerance According to ISO 2768- LINEAR DIMENSIONS Permissible deviations in mm for ranges in nominal lengths <table border="1"> <tr> <td>≥ 0.5</td><td>> 3</td><td>> 6</td><td>> 30</td><td>> 120</td><td>> 400</td><td>> 1000</td><td>> 2000</td></tr> <tr> <td>≤ 3</td><td>≤ 6</td><td>≤ 30</td><td>≤ 120</td><td>≤ 400</td><td>≤ 1000</td><td>≤ 2000</td><td>≤ 4000</td></tr> </table>		≥ 0.5	> 3	> 6	> 30	> 120	> 400	> 1000	> 2000	≤ 3	≤ 6	≤ 30	≤ 120	≤ 400	≤ 1000	≤ 2000	≤ 4000	Drawn By	KEREM K. 05.09.2022
≥ 0.5	> 3			> 6	> 30	> 120	> 400	> 1000	> 2000												
≤ 3	≤ 6	≤ 30	≤ 120	≤ 400	≤ 1000	≤ 2000	≤ 4000														
3-D Proj. 		ANGULAR DIMENSIONS Permissible deviations in degrees and minutes for ranges in nominal lengths <table border="1"> <tr> <td>≤ 10</td><td>> 10</td><td>> 50</td><td>> 120</td><td>> 400</td></tr> <tr> <td>≤ 50</td><td>≤ 120</td><td>≤ 400</td><td></td><td></td></tr> </table>		≤ 10	> 10	> 50	> 120	> 400	≤ 50	≤ 120	≤ 400			Sheet:	2 Of: 4 Rev. B						
≤ 10	> 10	> 50	> 120	> 400																	
≤ 50	≤ 120	≤ 400																			