DIGITAL FARMING PRICE LIST

UPDATED: MAY 20, 2025





TABLE OF CONTENTS



These Terms and Conditions ("Terms") shall apply to the sale of all products supplied ("Products") by Netafim Irrigation Inc. ("Netafim USA") to a purchaser (the "Buyer"). These Terms shall govern such sale of Products and together with the Freight Terms, the product warranty, and Netafim USA's written order confirmation and/or Netafim USA's invoice (together, the "Commercial Documents") shall constitute the entire Agreement ("Agreement") between the Parties for the purpose of such sale. Any additional, different, or conflicting terms are hereby rejected, unless otherwise agreed in a signed contract by Netafim USA.

PRICING

All prices shown are recommended retail prices. Wholesale prices are net prices discounted from list prices. All prices are subject to change without notice. No prices are firm until Netafim USA sends Buyer an order confirmation or invoice. Notwithstanding the preceding sentence, Netafim reserves the right to re-price Products to the then-current price when Products ship if: (1) Buyer schedules delivery of the Products more than 90 days from the date of order confirmation, (2) Buyer does not take delivery of the Products within 15 days of the originally requested shipping date and the Products are available for delivery, (3) Buyer does not take delivery within 15 days of the date the Buyer is notified that the Products are available for delivery, or (4) a Force Majeure Event substantially increases the cost or decreases the availability of a Product or a material input for that Product. Prices do not include taxes, freight or handling, or other surcharges. If appropriate, such charges will be billed separately on the invoice.

PRODUCT CLASSIFICATION

Netafim USA's Digital Farming Price List represents our most commonly ordered Products as well as some reference to options, which may be available. If you have a product requirement for something you do not see listed, please call Customer Service for availability, price, and delivery times.

PAYMENT TERMS

All invoices are payable in United States Dollars at net thirty (30) days from the date of invoice, unless otherwise agreed in writing. All past due balances will be assessed a monthly finance charge of eight-tenths of one percent (0.8%), or the highest amount allowed by law, whichever is less. All Payments made by the Buyer under these Terms shall be made in full without any deduction, set-off or counterclaim whatsoever. Any check or remittance received from or for the account of Buyer may be accepted and applied by Netafim USA against any debt owed by Buyer to Netafim USA without prejudice to or the discharge of the remainder of such indebtedness of any condition, provision, statement, legend, or notation appearing on or referring to or accompanying such check or remittance. Netafim USA will not accept any payment less than the entire debt as accord and satisfaction of such indebtedness except upon Netafim USA's signed, written agreement.

ACCOUNT STATUS

All orders are subject to credit review. Order processing and/or shipments may be held until Buyer's account is current.

MINIMUM ORDER

The minimum order amount for standard (stocked) products is one hundred dollars (\$100). A twenty-dollar (\$20) per order charge will be assessed on all Product orders less than the one-hundred-dollar (\$100) minimum. Non-standard items such as extruded products with special flows or pricing, or Products with unusual features, may have different minimum order requirements. See the price list for order minimums.

SPECIAL ORDERS

We will work with you on any Special Order, Make-to-Order, or Custom requests. In the case of Special Orders or Custom requests, prices and delivery will be quoted, and the order may not be eligible for cancellation or return. Also, Special Orders or Custom requested products, manufactured or ordered to "non- standard" specifications, at Netafim USA's discretion, may be shipped immediately upon availability. If accepted by Netafim USA, an order for Make-to-Order Products will not be produced until Buyer has provided a delivery date and shipping location to Netafim USA. Once the Product is manufactured, Buyer must authorize shipment of the Product within 15 days from the date originally requested for shipment. Returns of Make-to-Order Products are handled as listed below.

ORDER CANCELLATIONS

Buyer may not cancel an order unless such cancellation is expressly agreed to in writing by Netafim USA. Netafim has no obligation to cancel an order for Non-Standard, Make-to-Order, Custom or Special-Order Products after the Products have been manufactured, or received from a vendor, or a non-cancellable purchase commitment has been entered into with a vendor. If Netafim, at its sole discretion, agrees to cancel such an order, upon cancellation the Buyer may be charged 50% or more of the order value based on how saleable the Products are.

PRODUCT CHANGES

Netafim USA reserves the right to redesign, alter, or modify its Products at any time, without notice. Any catalog, design manual, price sheets, and/or other written material are subject to withdrawal or change at any time without prior notice. Possession of the current catalog or price sheets does not constitute an offer to sell.

PRODUCT INSTALLATION

Unless otherwise agreed by Netafim USA, Netafim USA does not provide advice or assistance in the installation of the Products by the Buyer or any third party.

BAGGED PRODUCTS

Netafim USA has a number of Products that are packaged and sold in bagged or case quantities. Bagged parts are designated by placing a "-B" at the end of the product number. The quantities have been developed to provide the best value for the most standard quantities ordered and are intended for sale in the quantities listed. Order quantities will be rounded up to the nearest bag or case quantity at Netafim's discretion. Buyer can verify part numbers and quantities being ordered by using the Netafim Dealer Portal or the Netafim price list. Netafim USA shall not be held liable for the impact of Buyer mistakes in order quantities due to incorrect part numbers or quantities not matching bagged or case quantities.

ACCEPTANCE

The Buyer acknowledges its responsibility for inspecting all Products shipped by Netafim USA to determine whether said Products are in conformity with Buyer's order, including whether all Products listed on the packing list have been shipped and whether the shipment contains any damaged Products. The Buyer agrees that fourteen (14) days from receipt of each shipment is a reasonable time in which to perform the inspection and notify Netafim USA of any nonconformity. If Netafim USA has not received a written notice of nonconformity within fourteen (14) days of the Buyer's receipt of the shipment, the Buyer hereby agrees that the Products shall be deemed to be accepted by the Buyer, as that term is defined by the California Commercial Code. To avoid any doubt, the Buyer's right to reject the shipment will be terminated. Also, if a written notice of nonconformity is not received within fourteen (14) days of the Buyer's receipt of the shipment, Netafim USA will be relieved of any obligation concerning the shipment, other than warranty obligations, and the Buyer will pay for the shipment in full. The Buyer shall bear the complete cost of the inspection in all circumstances. The Buyer agrees that Netafim USA will have an opportunity to cure any nonconforming shipment. The Buyer further agrees that, in the event that a notice of nonconformity is received by Netafim USA, the time for Netafim USA's performance under the Agreement will be extended for a reasonable time to allow Netafim USA to tender conforming Products or make reasonable repairs.

ORDER CANCELLATIONS

Buyer may not cancel an order unless such cancellation is expressly agreed to in writing by Netafim USA. Netafim has no obligation to cancel an order for Non-Standard, Make-to-Order, Custom or Special-Order Products after the Products have been manufactured, or received from a vendor, or a non-cancellable purchase commitment has been entered into with a vendor. If Netafim, at its sole discretion, agrees to cancel such an order, upon cancellation the Buyer may be charged 50% or more of the order value based on how saleable the Products are.

PRODUCT CHANGES

Netafim USA reserves the right to redesign, alter, or modify its Products at any time, without notice. Any catalog, design manual, price sheets, and/or other written material are subject to withdrawal or change at any time without prior notice. Possession of the current catalog or price sheets does not constitute an offer to sell.

PRODUCT INSTALLATION

Unless otherwise agreed by Netafim USA, Netafim USA does not provide advice or assistance in the installation of the Products by the Buyer or any third party.

BAGGED PRODUCTS

Netafim USA has a number of Products that are packaged and sold in bagged or case quantities. Bagged parts are designated by placing a "-B" at the end of the product number. The quantities have been developed to provide the best value for the most standard quantities ordered and are intended for sale in the quantities listed. Order quantities will be rounded up to the nearest bag or case quantity at Netafim's discretion. Buyer can verify part numbers and quantities being ordered by using the Netafim Dealer Portal or the Netafim price list. Netafim USA shall not be held liable for the impact of Buyer mistakes in order quantities due to incorrect part numbers or quantities not matching bagged or case quantities.

ACCEPTANCE

The Buyer acknowledges its responsibility for inspecting all Products shipped by Netafim USA to determine whether said Products are in conformity with Buyer's order, including whether all Products listed on the packing list have been shipped and whether the shipment contains any damaged Products. The Buyer agrees that fourteen (14) days from receipt of each shipment is a reasonable time in which to perform the inspection and notify Netafim USA of any nonconformity. If Netafim USA has not received a written notice of nonconformity within fourteen (14) days of the Buyer's receipt of the shipment, the Buyer hereby agrees that the Products shall be deemed to be accepted by the Buyer, as that term is defined by the California Commercial Code. To avoid any doubt, the Buyer's right to reject the shipment will be terminated. Also, if a written notice of nonconformity is not received within fourteen (14) days of the Buyer's receipt of the shipment, Netafim USA will be relieved of any obligation concerning the shipment, other than warranty obligations, and the Buyer will pay for the shipment in full. The Buyer shall bear the complete cost of the inspection in all circumstances. The Buyer agrees that Netafim USA will have an opportunity to cure any nonconforming shipment. The Buyer further agrees that, in the event that a notice of nonconformity is received by Netafim USA, the time for Netafim USA's performance under the Agreement will be extended for a reasonable time to allow Netafim USA to tender conforming Products or make reasonable repairs.

RETURNS – STANDARD PRODUCTS

No Products may be returned without Netafim USA's written consent and authorization. Requests to return Products must be made within 120 days of receipt of shipment from Netafim USA and reference the Netafim USA invoice number. Any approved return must be accompanied by a return goods authorization (RGA) issued by Netafim USA, clearly marked on the exterior of the parcel, and shipped freight prepaid within 30 days of the RGA issue date. All Products must be new, in original packaging, and in salable condition. All approved returns may be subject to a restocking fee. Buyer will bear the costs of return freight. Any shipment not meeting these criteria will not be accepted. The intent to return Products does not relieve the Buyer of the obligation to pay for the Products per the terms of the original invoice. Credit will be given only after the authorized return is received and accepted at Netafim.

RETURNS – NON-STANDARD PRODUCTS

Non-Standard, Make-to-Order, Custom or Special-Order Products may not be eligible for return. Netafim USA may, at its sole discretion, deny the return of such non-standard products. If Netafim USA agrees to the return of such Products, the Products must be new, in original packaging, and in a saleable condition. The repurchase price offered for the return may be discounted 50% or more, based on how saleable the Products are. The intent to return Products does not relieve the Buyer of the obligation to pay for the Products per the terms of the original invoice. Credit will be given after the authorized return is received and accepted by Netafim USA.

RETURN OF DEFECTIVE PRODUCTS

Netafim USA will be responsible for the return shipping of Products that are defective upon arrival, other than Products damaged in transport by the carrier. A Notice of Defect must be received by Netafim USA within fourteen (14) days of Buyer's receipt of said Products. The Buyer agrees that failure to give a Notice of Defect within such time is a waiver of any defect. Prior approval from the Buyer's District Sales Manager and an RGA must accompany all returns. Credit will not be given until the Product has been received by Netafim USA and approved for warranty.

PARTIAL SHIPMENTS/COMPLETE SHIPMENTS

Netafim USA's goal is to ship Buyer orders complete and within the requested delivery time. Netafim USA may ship orders from any available warehouse, to meet requested delivery dates, unless otherwise specified by the Buyer. Partial shipments may be made at the request of the Buyer, at the sole discretion of Netafim USA. On orders where partial shipments are requested by the Buyer, Netafim USA at its discretion may ship and backorder open items on the order. Netafim may charge additional shipping and handling costs to Buyer incurred by partial shipments of an order.

DELIVERY PERFORMANCE

Netafim USA will use commercially reasonable efforts to meet the delivery dates, specifications, and quantities set forth in an order confirmation. Netafim USA will not be liable for nonconformity, losses, damages, or delays suffered by the Buyer or any third party for any failure to meet the delivery dates, specifications, and quantities. If Netafim USA cannot meet the delivery date, it will notify the Buyer and use reasonable endeavors to make delivery within a reasonable time. Buyer must accept delivery and pay the Price thereof irrespective of such delay. In the absence of a delivery time set forth in the order confirmation, or subsequently provided by Netafim USA, the delivery date will be within ninety (90) days of the order confirmation.

STANDARD FREIGHT TERMS

FOB Origin, per the Uniform Commercial Code (UCC) definition. Standard shipping method is Netafim USA's choice of carrier, shipped prepaid and added to the Buyer invoice. Shipments will be made within a one hundred fifty (150) mile radius of an authorized Buyer's store.

FREIGHT POLICY

In consideration for the Buyer placing orders that meet minimum thresholds, as defined in the Freight Policy Statements (see FREIGHT CHARGES below), Netafim will provide freight allowances that may completely or partially reimburse the cost of freight. Unless otherwise agreed, the allowances will be applied against the cost of Transportation. For the purposes of this policy, "Transportation" is defined as the cost of basic freight plus fuel surcharges, using preferred carriers, with standard trucks (closed box trailer without lift gate), standard loading methods, and no accessorial charges, i.e., Best Method Transportation. Buyer requests for non-standard Transportation that results in additional costs, may be invoiced to the Buyer. Accessorial Services (non-standard services such as Lift Gates, Pallet Jacks, Driver Assist, etc.) may be charged separately on the invoice. If non-standard Transportation or Accessorial Services are billed to the Buyer, "Freight Free" shall mean that Transportation costs only will be fully reimbursed.

FREIGHT CHARGES

Netafim USA's method for charging freight, including freight allowances and order thresholds, will be communicated separately to Buyers in separate Freight Policy Statements.

FREIGHT DAMAGES

The Buyer acknowledges that risk of loss during transport is on the Buyer. Netafim USA is not liable for damage or loss occurring during shipment. Claims for such damages must be filed with the freight carrier directly. Freight damage and obvious box or pallet count shortages must be noted on the bill of lading at the time of goods receipt. Failure to do so will forfeit any remedy for such claims.

EXPORT COMPLIANCE

The "Products" sold or distributed by Netafim (i.e., commodities, technology, or software) when exported from the United States are subject to the Export Administration Regulations ("EAR") administered by the U.S. Department of Commerce. Buyer hereby certifies that it understands its obligations to comply with U.S. export controls and trade sanctions. These include the EAR and the laws and regulations implemented by the U.S. Department of the Treasury, Office of Foreign Assets Control ("OFAC"). Buyer agrees to obtain any necessary authorization to transfer the Products outside the U.S. (and to non-U.S. persons within the U.S.) including to any (i) country/territory, (ii) end-user (i.e., individual or entity), or (iii) end-use subject to U.S. trade/economic sanctions under the EAR or by OFAC. Diversion of the Products by foreign persons contrary to U.S. law is prohibited.

FORCE MAJEURE

Except for any obligation of the Buyer to pay any money due to Netafim USA, neither party will be liable for any delay or failure to perform any obligation hereunder caused by a Force Majeure Event. The Party claiming the Force Majeure Event will (A) promptly notify the other Party in writing of the Force Majeure Event and its likely duration, and (B) will take reasonable steps to overcome the delay or stoppage. "Force Majeure Event" means an event, condition, or circumstance beyond a party's reasonable control including, without limitation: industrial disputes, strikes, lockouts, accident, breakdown, import or export restrictions, acts of God, fire, inclement weather, earthquake, epidemic, or pandemic (including COVID-19 or similar), acts or threats or terrorism, war, criminal acts (including but not limited to cybercrimes), failure of public infrastructure, or other similar circumstances.

INTELLECTUAL PROPERTY

The Buyer acknowledges that any and all Intellectual Property associated with the Products is exclusively owned by Netafim USA or its affiliates. The Buyer shall not take any action that will impair the ownership and rights of Netafim USA in and to the Intellectual Property. Buyer undertakes that it will not obliterate, remove, conceal, or modify any Intellectual Property appearing on or in any Products, nor will it append any additional marks thereto. The Buyer shall not copy, modify, publish, transmit, transfer, sell, reproduce, create derivative works from, distribute, perform, display, or in any way exploit any of the Intellectual Property. The Buyer may not use Seller's name, logos or trademarks or any other Intellectual Property on any website. "Intellectual Property" shall mean for the purposes herein any patent, copyright, industrial design, trademark, tradename or other industrial or intellectual property right in respect of the Products and applications for any of the foregoing.

CHANGE OF CONTROL OR OWNERSHIP

Prior to the occurrence of a Change of Control event, the Buyer shall notify Netafim USA in writing at least 14 days prior to the occurrence of such Change of Control. In the event of a Change of Control in Buyer. Netafim USA may, at its sole discretion, terminate the engagement with the Buyer under the Agreement. "Change of Control" means, with respect to the Buyer (i) any merger or consolidation with or into any other entity or any other similar transaction, whether in a single transaction or a series of related transactions, (ii) a transaction or series of related transactions in which 50% or more of Buyer's voting power is transferred to any person or entity, or (iii) the sale or transfer of all or substantial amount of the Buyer's assets.

COMPLIANCE WITH LAWS, ANTI-CORRUPTION AND BRIBERY

Buyer further represents and warrants to Netafim USA that:

- a. It will conduct itself in accordance with all applicable laws and regulations in carrying out his duties under these Terms.
- b. It and its applicable stakeholders, including, inter alia, any owner, shareholder (direct or beneficial), officer, director, employee, agent, third party representative, subcontractor, contractor, or other individual with any direct or indirect beneficial interest, shall comply with Anti-Corruption Laws (defined below) and shall not cause Netafim USA, its subsidiaries or affiliates to be in violation of any Anti-Corruption Law. "Anti-Corruption Laws" mean collectively all applicable foreign and domestic anti-bribery and anti-corruption laws, regulations, orders, judicial decisions, conventions and international financial institution rules regarding domestic or international corruption, bribery, ethical business conduct, money laundering, political contributions, gifts and gratuities, or lawful expenses to public officials and private persons, agency relationships, commissions, lobbying, books and records, and financial controls.
- c. Neither it nor any of its affiliates or representatives have, directly or indirectly, taken any action that would cause them to be in violation of any Anti-Corruption Laws.
- d. It, its owners, directors, employees and its agents, have not and will not pay, offer, or promise to pay any money, financial benefit or thing of value to any government, or party official, candidate or employee at any level, including employees of state owned or controlled enterprises ("Government Officials") (i) for the purpose of influencing any act or decision of such person or party in order to obtain or retain business, or to direct business to any person; or (ii) with regards to Government Officials and/or private individuals, induce that person to or reward that person not to perform its functions in connection with that person's employment or engagement.
- e. The Buyer represents and warrants that no owner, shareholder (direct or beneficial), officer, director, employee, agent, third party representative, subcontractor, contractor, or other individual with any direct or indirect beneficial interest in Buyer (collectively, "Interested Persons"), is a Public Official or Entity. A "Public Official or Entity" means (i) an officer, employee, agent, contractor or representative of any government or military, including, but not limited to, a customs official; (ii) any department, agency, corporate entity, instrumentality or political subdivision of any government or military; (iii) any person or commercial entity acting in an official capacity for or on behalf of any government or military; (iv) any candidate for political office, any political party or any official of a political party. Buyer shall notify Netafim USA immediately if it learns at any time that (i) an Interested Person becomes a Public Official or Entity, or (ii) a Public Official or Entity acquires an ownership, voting, or economic interest in Buyer.
- f. It is neither a governmental entity, agency, or instrumentality, nor is it owned by a governmental entity, agency, or instrumentality; and no owner, shareholder (direct or beneficial), officer, director, employee, agent, third party representative, subcontractor, contractor, or other individual with any direct or indirect beneficial interest in Buyer is a foreign Public Official or Entity.
- g. In the event of a breach of the obligations contained in this clause, the sale under these Terms is void.

- h. The Buyer (a) is not a Sanctioned Person, (b) has not, in the past five (5) years engaged in, has any plan or commitment to engage in, direct or indirect dealings with any Sanctioned Person or in any Sanctioned Country, or (c) has in the past five (5) years violated, or engaged in any conduct sanctionable under, any Sanctions Law, nor been the subject of an investigation or allegation of such a violation or sanctionable conduct. The Buyer shall conduct itself in accordance with Sanction Laws for the performance of its obligations under these Terms.
- Definitions
- i. "Sanctioned Person" means, at any time, (a) any person listed in any sanctions-related list of designated persons maintained by the Office of Foreign Assets Control of the U.S. Department of the Treasury, the U.S. Department of State, or by the United Nations Security Council, the European Union or any European Union member state, (b) any person operating, organized or resident in a Sanctioned Country or (c) any person owned or controlled by any such person or persons described in the foregoing clauses (a) or (b).
- j. "Sanctioned Country" means at any time, a country or territory which is the subject or target of any economic or financial sanctions or trade embargoes.
- k. "Sanction Laws" means laws and executive orders of the United States of America, the United Nations Security Council, the European Union the United Kingdom, and the applicable laws of the jurisdictions under which the Buyer operates, imposing economic or financial sanctions or trade embargoes, and regulations implementing such laws and executive orders.

NOTICES

Notices or other communications provided for in these Terms shall be in writing and shall be delivered, given or otherwise provided (i) by hand, in which case, will be effective upon delivery, (ii) email, in which case, on the date sent if sent during normal business hours of the recipient, and on the next business day if sent after normal business hours of the recipient, or (iii) by overnight delivery by an internationally recognized courier service, prepaid for next day delivery, in which case, it will be effective two (2) business days after being deposited with such courier service.

NO WAIVER OF NETAFIM USA'S RIGHTS

Neither Netafim USA's failure or delay to exercise any power or privilege under these Terms or failure to insist upon strict compliance by the Buyer with any obligation herein, nor any custom or practice of Netafim USA or Buyer shall constitute any waiver of any of Netafim USA's rights hereunder. Waiver by Netafim USA of any default of the Buyer must be in writing and shall not affect or impair Netafim USA's rights in respect of any subsequent or future default.

ASSIGNMENT

Buyer shall not assign any of its rights or obligations hereunder to any other entity, without the Seller's prior written consent. These Terms shall inure to the benefit of the Parties hereto and their permitted successors and assigns.

SEVERABILITY

If anything in these Terms shall be held unenforceable, illegal, or void by a court of competent jurisdiction then it shall be severed, and the rest of these Terms shall remain in full force to the extent possible.

GOVERNING LAWS AND JURISDICTION

These Terms shall be governed by the laws of the State of California. The parties submit to the exclusive venue and jurisdiction of the state and federal courts of Fresno County, California.

PRODUCT WARRANTY

NETAFIM USA'S DIGITAL FARMING WARRANTY INFORMATION

(A) BASIC MANUFACTURER'S LIMITED WARRANTY

Except as to products described in Subsections (B), (C), (D), products sold and/or manufactured by Netafim Irrigation, Inc. (Netafim USA) are warranted to be free from original defects in material and workmanship for a period of one (1) year from the date of delivery to the buyer unless (a) otherwise specified by and subject to the terms and conditions of any Warranty Supplements pertaining to specific products or, (b) expressly disclaimed in writing by Netafim USA. Within the warranty period, Netafim USA at its sole discretion shall have the option to repair or replace part or all of a defective product, or refund part or all of the original purchase price, if any part proves to be defective in material or workmanship after return of such product at Buyer's expense and after such return has been authorized in writing by Netafim USA. THIS BASIC MANUFACTURER'S LIMITED WARRANTY IS SUBJECT TO THE TERMS AND PROVISIONS IN SUBSECTION (i), (LIMITATION OF REMEDIES AND DISCLAIMER OF WARRANTIES) SET FORTH BELOW IN THE EVENT OF ANY INCONSISTENCY BETWEEN SUBSECTION (A) AND SUBSECTION (i) OF THIS PRODUCT WARRANTY, THE PROVISIONS OF SUBSECTION (i) SHALL PREVAIL.

B) LIMITED WARRANTY FOR NMC JR PRO, NMC PRO AND NMC DC SYSTEM MANAGERS (IRRIGATION CONTROLLERS)

Netafim NMC Junior Pro, NMC Pro and NMC DC System Managers are warranted to be free from original defects in materials and workmanship for a period of two (2) years from the date of shipment from Netafim USA.

(C) LIMITED WARRANTY FOR NMC AIR+ REMOTE CONTROL AND MONITORING SYSTEMS

Netafim NMC Air+ Remote Control and Monitoring Systems are warranted to be free from original defects in materials and workmanship for a period of two (2) years from the date of shipment from Netafim USA.

(D) LIMITED WARRANTY FOR GROWSPHERE OS DEVICES

Netafim GrowSphere™ OS Devices are warranted to be free from original defects in materials and workmanship for a period of (18) months from the date of shipment from Netafim USA.

(E) LIMITED WARRANTY ON SINGLENET SINGLE CABLE AND RADIONET WIRELESS VALVE CONTROL SYSTEMS

Netafim SingleNet Single Cable Control System and RadioNet Wireless Valve Control System components are warranted to be free from original defects in materials and workmanship for a period of two (2) years from the date of shipment from Netafim USA.

LIMITATION OF REMEDIES AND DISCLAIMER OF WARRANTIES

EXCEPT AS EXPRESSLY PROVIDED HEREIN, ALL WARRANTIES EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR USE, ARE HEREBY EXCLUDED AND DISCLAIMED. THE REMEDIES PROVIDED HEREIN SHALL BE THE EXCLUSIVE AND SOLE REMEDY OF THE BUYER. NO OTHER EXPRESS WARRANTY IS GIVEN AND NO AFFIRMATION BY NETAFIM USA, BY WORDS OR ACTION, WILL CONSTITUTE A WARRANTY. NO OTHER EXPRESS WARRANTY NOR ANY OTHER REMEDY SHALL BE AVAILABLE TO THE BUYER AND NETAFIM USA SHALL NOT BE RESPONSIBLE OR LIABLE FOR ANY DAMAGES, INCLUDING ANY LOSS OF PROFIT, LOST SAVINGS, LOSS OF SALES, OR OTHER DIRECT, INDIRECT, INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES, INJURY OR DAMAGES TO ANY PERSON OR PROPERTY ARISING OUT OF THE USE OR INABILITY TO USE THE PRODUCTS OR THE BREACH OF ANY EXPRESS WARRANTY, EVEN IF NETAFIM USA HAS BEEN ADVISED OF THE POSSIBILITY OF THOSE DAMAGES OR CLAIMS. NETAFIM USA SHALL NOT BE RESPONSIBLE FOR THE AFORESAID DAMAGES, CLAIMS OR LOSSES DUE TO LATE DELIVERY OR DELIVERY OR NON-DELIVER, OR OTHERWISE. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION AS SET FORTH HEREIN. IF NETAFIM USA SHALL FURNISH TECHNICAL ADVICE OR ASSISTANCE WITH RESPECT TO THE PRODUCTS SOLD HEREUNDER, IT SHALL BE GIVEN WITHOUT CHARGE TO BUYER AND SHALL BE GIVEN AND ACCEPTED AT BUYER'S SOLE RISK WITHOUT ANY EXPRESS OR IMPLIED WARRANTY AND NETAFIM USA SHALL NOT BE RESPONSIBLE OR LIABLE FOR THE ADVICE OR THE RESULTS THEREOF BUYER ASSUMES ALL RISK AND LIABILITY RESULTING FROM USE OF THE PRODUCT PURCHASED.

PRODUCT WARRANTY

The warranty listed above is effective only if a claim is made by written notice within the applicable warranty period and postmarked within fourteen (14) days after discovery of the defect on which the claim is based. Such notice shall be delivered to Netafim USA at the following address:

5470 E. HOME AVENUE, FRESNO, CA 93727 ATTN: PRODUCT MANAGEMENT

The buyer shall, together with its notice of claim, offer Netafim USA in writing promptly opportunity to examine the defective product and correct the defect, if possible. This warranty shall be void unless buyer delivers the defective product to Netafim USA at buyer's sole cost and in accordance with Netafim USA's instructions.

ORDERING INFORMATION

Netafim USA appreciates your business, and we maintain a policy of continued product improvement. For any ordering or pricing questions, contact our Customer Service Representatives at:

NETAFIM USA CUSTOMER SERVICE

888-638-2346 (888-NETAFIM)

ORDERS FAX 800-695-4753

SUPPORT FAX 866-253-2550

INTERNET ORDERS: netafimorders@process.esker.net

GENERAL CUSTOMER SERVICE E-MAIL: us.customerservice@netafim.com

5:00 AM - 5:00 PM PST

PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.

ORDERING GUIDELINES

The Netafim Dealer Portal is the most convenient way to place orders and obtain order status information. The Checkout page of the Netafim Dealer Portal will guide you to enter all required fields. Using the portal provides a greater chance of order accuracy. An accurate order is generally easier and quicker to process.

Use the following guidelines when placing an order by Fax or E-Mail with Netafim USA to ensure all the necessary information is provided.

- 1. Company Name and Netafim Account Number
- 2. Name of Person Placing Order and Phone Number
- 3. Shipping Information

Name of Company or Individual Job Name or Reference (optional)

Address (no PO Boxes) Contact Name and Phone Number (optional for parcels) City, State, Zip Code

- 4. Purchase Order Number
- 5. Requested Ship Date

If the required ship date is not known, provide an approximate date. In the absence of a delivery time set forth in the order confirmation, or subsequently provided by Netafim USA, the delivery date will be within ninety (90) days of the order confirmation. If you have requested a ship date, we will make every effort to target that date and time. If a specific date is given, the order will ship automatically, and you will not receive a call prior to pulling/packing/loading. For truck loads, the driver will call for an appointment. Please let us know if we are required to hold the order until we are notified to ship. Any changes to the original ship date must be communicated to Netafim Customer Service 48 hours prior to shipping. NOTE: Held orders are subject to restrictions and/ or may incur extra fees.

6. Ship Method

If no preferences are specified, the order will ship best method at Netafim's discretion.

- 7. Netafim Item or Model Number for Products Needed
 - Use the correct item or model number and do not use a number with a different description. Consult the Netafim Dealer Portal or your price list for the appropriate number or call Customer Service for assistance.
- 8. Specials or Price Quotes
 - If any specials or price quotes apply to the order, include this information on the purchase order, or in the appropriate field of the shopping cart of the Netafim Dealer Portal. Special requests can also be added to the order comments section of the Netafim Dealer Portal.
- 9. Ship Order Complete
 - Indicate if the order is to ship complete. If not indicated on the order, ship-complete will be the preferred order fulfillment method, but at Netafim's discretion, partial shipments are allowed.
- 10. Combining Orders

If order is to be combined with other orders for shipping, indicate the other order numbers.

ADDITIONAL GUIDELINES FOR TRUCKLOAD ORDERS

- 1. Ship to Address or Nearest City
 - Is a delivery map required? If yes, map is required 24 hours prior to loading.
- 2. Provide Requested Delivery Date and Time of Arrival for Delivery Site
- 3. Provide Contact Name and Phone Number

GROWSPHERE™ ONE



MONITOR







Weather Station





GROWSPHERE ONE

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|--------------------|--|------------|
| 74715-000014 | 31GSONEREMOTEPANEL | GROWSPHERE ONE 3 Analog Inputs, 2 Digital Inputs, and 1 Serial (RS232) Inputs. Remote Solar panel and antenna with 15 foot cable. | 1,000.00 |
| 74715-000013 | 31GSONESOLARPANEL | GROWSPHERE ONE 3 Analog Inputs, 2 Digital Inputs, and 1 Serial (RS232) Inputs. Integrated Solar panel and antenna | 975.00 |









GROWSPHERE™ MAX





GROWSPHERE MAX - CONTROL AND MONITORING

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|--------------------|--|------------|
| 74702-000080 | 31GSMAX6D012DICNFG | GrowSphere MAX Controller: includes touch screen display, 110VAC power supply, CPU PM5052 Module, 6 expansion slots, Double Door enclosure. CPU PM5052 Module includes, 6 x Digital Outputs, 12 Digital Inputs, 1 x RS232 module and 1 x RS485 module. | 7,227.00 |

GROWSPHERE MAX EXPANSION OPTIONS

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|--------------------|--|----------------|
| 74743-000098 | 31GSMAXD0573-160UT | GrowSphere D0573 Output Module: includes 16 Normally Open 24VAC digital outputs. 2.0A per Output. 2×8 Output Isolation Groups, 10.0A per group. Shared common. Visual LED operation indicator. | 378.00 |
| 74743-000099 | 31GSMAXD0572-80UT | GrowSphere D0572 Dosing Module: includes 8 Normally Open 24VAC TRIAC digital outputs. 2.0A per Output. 2.0A fuse per Output. 1 x 8 Output Isolation Groups, 10.0A per group. Visual LED operation indicator. | 378.00 |
| 74743-000100 | 31GSMAXAI561-4AI | GrowSphere Al561 Analog Input Module: includes 4 Analog Inputs, 24VDC Feed Voltage, 0-20mA, 4-20mA, 12 Bit, 2500hm resistance. | 378.00 |
| 74743-000101 | 31GSMAXDI562-16DI | GrowSphere DI562 Digital Input Module: includes 16 Digital Inputs, 2 x 8 Input Isolation Groups. Shared common. | Call for Quote |

GROWSPHERE™ SENSORS



GROWSPHERE WEATHER STATION (DAVIS)

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|------------------|---|------------|
| 74730-000050 | 31GSWSDIRECTWIRE | Davis Vantage Pro2™ Weather Station - Includes all required accessories to connect the Weather Station via RS232 to a compatible GrowSphere OS Device | 2,077.00 |










GROWSPHERE SENSOR OPTIONS

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|-------------------|---|------------|
| 70261-011000 | 36FM.75RG.1 | Fertilizer flow meter, ¾" Polyproylene, 0.1 USG/pulse | 504.00 |
| 70261-011030 | 36FM.75RG1 | Fertilizer flow meter, ¾" Polyproylene, 1 USG/pulse | 504.00 |
| 70261-011300 | 36FM1RG1 | Fertilizer flow meter, 1" PVC, 1 USG/pulse | 1,281.00 |
| 00107-014020 | 31PT200-4-20MA | Pressure transducer, 200 psi, 4-20 mA, 1/4 MIPT, M12 Male connector | 574.00 |
| 00107-014021 | 31PTCABLE2M | Pressure transducer cable, 6 ft, M12 Female connector | 33.00 |
| 74730-000001 | 31NBIRROMETERMS30 | Irrometer tensiometer, most soils, 30 cm (12 in) | 392.00 |
| 74730-000002 | 31NBIRROMETERMS60 | Irrometer tensiometer, most soils, 60 cm (24 in) | 407.00 |
| 74730-000003 | 31NBIRROMETERMS90 | Irrometer tensiometer, most soils, 90 cm (36 in) | 425.00 |
| 74730-000004 | 31NBIRROMETERSS30 | Irrometer tensiometer, sandy soils, 30 cm (12 in) | 392.00 |
| 74730-000005 | 31NBIRROMETERSS60 | Irrometer tensiometer, sandy soils, 60 cm (24 in) | 407.00 |
| 74730-000006 | 31NBIRROMETERSS90 | Irrometer tensiometer, sandy soils, 90 cm (36 in) | 425.00 |
| 74730-000010 | 31NBDTSM150T | Delta-T SM150T Kit: includes sensor & cable | 454.00 |
| 74740-000300 | 31NBDTSM150TEXT | Delta-T SM150T extension cable, 25 m (82 ft) | 271.00 |

GROWSPHERE™ SENSORS

GROWSPHERE PROFILE SOIL MOISTURE PROBE

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|--------------------|----------------------------|------------|
| 74730-000007 | 31NETACAPSMP8INCH | 8 INCH NETACAP SOIL PROBE | 576.00 |
| 74730-000013 | 31NETACAPSMP12INCH | 12 INCH NETACAP SOIL PROBE | 629.00 |
| 74730-000008 | 31NETACAPSMP16INCH | 16 INCH NETACAP SOIL PROBE | 687.00 |
| 74730-000009 | 31NETACAPSMP24INCH | 24 INCH NETACAP SOIL PROBE | 731.00 |
| 74730-000011 | 31NETACAPSMP32INCH | 32 INCH NETACAP SOIL PROBE | 731.00 |
| 74730-000021 | 31NETACAPSMP47INCH | 47 INCH NETACAP SOIL PROBE | 848.00 |
| 74730-000022 | 31NETACAPSMP59INCH | 59 INCH NETACAP SOIL PROBE | 940.00 |
| 74730-000023 | 31NETACAPSMP71INCH | 71 INCH NETACAP SOIL PROBE | 1,026.00 |



RADIONET

RADIONET - HOST AND BASE

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|-----------------|---|------------|
| 74360-007600 | 31RNHBKIT | RadioNet Host Kit, for use with GrowSphere MAX controller, includes host, base, battery, battery charger, antenna with 33' cable, PoleNet programming cable, screwdriver, mounting hardware | 5,316.00 |
| 74330-012000 | 31RNH0ST | RadioNet Host, for use with NMC Pro/DC controllers | 1,635.00 |
| 74330-012100 | 31RNBASE | RadioNet Base Radio, 450 to 470 MHz, 100mW | 817.00 |
| 74330-003010 | 31RN3BATCHARGER | RadioNet Host Battery Charger, 110VAC to 12VDC | 247.00 |
| 00107-008101 | 31RNBATT12VDC | Rechargeable Battery, 12VDC 24AH SLA | 244.00 |
| 00035-014780 | 31POLENETCABLE | Polenet USB RJ45 Programming Cable | 194.00 |

RADIONET - 2X2 RTU

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|--------------|---|------------|
| 74330-012195 | 31RNRTU2X2 | RadioNet 2x2 RTU, 2 latching outputs, 2 digital inputs, not expandable, can act as a repeater | 638.00 |

RADIONET - EXPANDABLE RTU

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|--------------|--|------------|
| 74330-012200 | 31RNRTU | RadioNet Expandable RTU, 1 latching output, 2 digital inputs, 4 expansion slots, expandable to 9 latching outputs and 10 digital inputs, can act as a repeater | 673.00 |
| 74330-013140 | 31RNEXPCARD | RadioNet RTU Expansion Card, 2 latching outputs, 2 digital inputs, limit 4 per expandable RTU | 86.00 |

RADIONET - DCP RTU (CONTROL AND MONITORING)

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|-------------------|---|------------|
| 74330-012230 | 31RNDCP | R-Net DCP RTU 1XAI 3XDI Exclude Cap Card | 755.00 |
| 74330-012240 | 31RNRTUCAP | R-Net DCP Capacitor Card | 140.00 |
| 74370-003300 | 31RNDCPAIEXP | R-Net DCP Expansion Card 2 X AI | 258.00 |
| 00035-013150 | 31RNSERIALEXPCARD | R-Net Serial Expansion Card RS232/485/SDI12 | 214.00 |
| 74330-012250 | 31RNDFMEXPCARD | NetaCap Probe I/F Kit Cable and 3.5V Reg | 160.00 |

RADIONET - RTU ACCESSORIES

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|------------------|--|------------|
| 74330-005760 | 31RNS0LARPAN3W | RadioNet Solar Panel Kit, 9V 3W, includes solar panel, mounting bracket, charging regulator, requires rechargeable battery | 388.00 |
| 74330-003025 | 31RNRECHARBATT6V | RadioNet RTU Rechargeable Battery, 6VDC SLA, requires solar panel kit | 46.00 |
| 74330-002960 | 31RNSOLCHGREG | RadioNet solar panel charging regulator | 183.00 |
| 74330-010200 | 31RTULITHBATT | RadioNet RTU Lithium Metal Battery pack, 7.2VDC 8.5 AH, non-rechargeable | 162.00 |
| 74330-005020 | 31RNANTG10FT | Antenna with 10' cable | 267.00 |
| 74330-005060 | 31RNANG19FT | Antenna with 19' cable | 313.00 |
| 74330-005120 | 31RNANTG33FT | Antenna with 33' cable | 176.00 |

SINGLENET

SINGLENET - HOST

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|----------------|---|------------|
| 00035-001760 | 31SCSCW0PW | SingleNet Host, for use with GrowSphere MAX controller, requires 12VDC 2A power supply | 2,001.00 |
| 77100-050320 | 31DCPOWER12V2A | SingleNet Host Power Supply, 115VAC to 12VDC 2A, Wall Plug, Screw Terminal, No Wire | 79.00 |
| 00035-008350 | 31SCRS | SingleNet Host card, for use with GrowSphere MAX controller, requires enclosure and 12VDC 2A power supply | 1,385.00 |
| 00035-014780 | 31POLENETCABLE | PoleNet USB RJ45 Programming Cable | 142.00 |
| 00035-008300 | 31SCLPM | SingleNet Host Lightning Suppression Module | 776.00 |

SINGLENET 2-WIRE CABLE

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|----------------|---|------------|
| 00107-007980 | 31SC0016C-1000 | SingleNet RTU Cable, 1000' spool, ½" PE Conduit | 1,633.00 |
| 00107-007990 | 31SC0016C-2500 | SingleNet RTU Cable, 2500' spool, ½" PE Conduit | 4,082.00 |
| 00107-007960 | 31SC0016CLTC | SingleNet RTU Cable Liquid Tight Connector | 13.00 |

SINGLENET RTU

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|--------------|--|------------|
| 74340-014900 | 31SCRTU2 | SingleNet RTU, 2 DC latching outputs, 2 digital inputs | 611.00 |
| 74340-015000 | 31SCRTU4 | SingleNet RTU, 4 DC latching outputs, 4 digital inputs | 1,086.00 |
| 74340-015400 | 31SCRTU2PL | SingleNet RTU with Lightning Protection, 2 DC latching outputs, 2 digital inputs | 835.00 |
| 74340-015500 | 31SCRTU4PL | SingleNet RTU with Lightning Protection, 4 DC latching outputs, 2 digital inputs | 1,372.00 |

SINGLENET RTU ACCESSORIES

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|--------------|---|------------|
| 00035-008150 | 31SRTU2LAT2D | SingleNet RTU card, 2 DC latching outputs, 2 digital inputs, requires enclosure | 490.00 |
| 00035-008200 | 31SCRTULP | SingleNet RTU Lightning Protection card, no enclosure | 152.00 |
| 74340-016000 | 31SCEMPTYB0X | SingleNet RTU box, metal backplate, empty | 311.00 |
| 35500-003260 | 31SCRTUBRKT1 | SingleNet RTU bracket (not pictured) | 51.45 |

NetRTU

NetRTU REPLACEMENT PARTS

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|-------------------|---|------------|
| 74710-000003 | 31NBRTU2D0 | NetBeat RTU 2D0: 915 MHz, 2 digital inputs, 3 analog inputs, 2 digital outputs, includes wall mount bracket | 525.00 |
| 74710-000012 | 31NBRTU8D0 | NetBeat RTU 8DO: 915 MHz, 2 digital inputs, 3 analog inputs, 8 digital outputs, includes wall mount bracket | 840.00 |
| 74710-000009 | 31NBRTU16D0 | NetBeat RTU 16DO: 915 MHz, 2 digital inputs, 3 analog inputs, 16 digital outputs, includes wall mount bracket | 1,260.00 |
| 74740-000350 | 31NBRTUSOLAR | NetBeat RTU Solar Panel Kit: includes solar panel & mounting bracket | 233.00 |
| 74740-000150 | 31NBANTKIT5M | NetBeat LoRa Remote Antenna Kit 5 m: includes antenna, mounting bracket, 5 m (16 ft) coax cable | 237.00 |
| 74740-000135 | 31NBANTKIT10M | NetBeat LoRa Remote Antenna Kit 10 m: includes antenna, mounting bracket, 10 m (33 ft) cable | 365.00 |
| 74740-000028 | 31NBLORAHIGAINKIT | NETMCU/RTU 8DBI HIGH GAIN ANTENNA KIT | 1,200.00 |
| 74740-000110 | 31NBMCULORAANT | LoRa Antenna 915MHz | 53.00 |
| 74740-000111 | 31NBLORACABLE10M | LoRa Antenna Cable 10 m (33 ft) (not pictured) | 284.00 |
| 74740-000114 | 31NBLORACABLE5M | LoRa Antenna Cable 5 m (16 ft) (not pictured) | 178.00 |
| 74740-000120 | 31NBANTHOLD | Remote Antenna Bracket (not pictured) | 4.70 |


EC/pH Monitoring



EC/PH MONITORING

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|---------------|--|----------------|
| 74360-007901 | | EC/pH transmitter, panel mount/wall mount AWT420 | 2,423.00 |
| 74360-007970 | | EC replacement module for AWT420 | Call for Quote |
| 74360-007971 | | pH replacement module for AWT420 | Call for Quote |
| 45000-006692 | 31PHSENS4GBNC | pH sensor, JUMO 12mm, glass, BNC connector | 345.00 |
| 45000-006705 | 31ECSENSABB4G | EC & temperature sensor, JUMO 12mm, bare wire | 638.00 |


FERTIONE PLUS



FERTIONE PLUS

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|----------------|---|------------|
| 33250-000600 | 31FTO+50PSI | FertiOne Plus Low Pressure: suitable for mainlines with operating pressure between 29 and 58 psi; includes 2 fertilizer/diluted acid channels at 158 GPH, 440VAC three phase booster pump (MTX5-2 60Hz 0.95 kW 1.28 HP) electrical control box with manual starter, contactor, Manual-Off-Auto selector switch, SCH 80 NPT PVC fittings | 5,258.00 |
| 33250-000601 | 31FTO+80PSI | FertiOne Plus High Pressure: suitable for mainlines with operating pressure between 58 and 87 psi; includes 2 fertilizer/diluted acid channels at 158 GPH, 440VAC three phase booster pump (MTX5-3 60Hz 1.35 kW 1.81 HP) electrical control box with manual starter, contactor, Manual-Off-Auto selector switch, SCH 80 NPT PVC fittings | 5,337.00 |
| 33250-000603 | 31FTO+50PSI1PH | "FertiOne Plus Low Pressure Single Phase: suitable for mainlines with operating pressure between 29 and 58 psi; includes 2 fertilizer/diluted acid channels at 158 GPH, 220VAC single phase booster pump (MTX5-2 60Hz 0.9 kW 1.2 HP), electrical control box with manual starter, contactor, Manual-Off-Auto selector switch, SCH 80 NPT PVC fittings" | 5,224.00 |
| 33250-000602 | 31FT0+80PSI1PH | "FertiOne Plus High Pressure Single Phase: suitable for mainlines with operating pressure between 58 and 87 psi; includes 2 fertilizer/diluted acid channels at 158 GPH, 220VAC single phase booster pump (MTX5-3 60Hz 1.3 kW 1.8 HP), electrical control box with manual starter, contactor, Manual-Off-Auto selector switch, SCH 80 NPT PVC fittings" | 5,337.00 |

FERTIONE PLUS



FERTIONE PLUS

| KEY | ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|-----|--------------|------------------|--|----------------|
| 1 | 45000-040720 | - | FTOUS Aluminum Frame | 416.00 |
| 2 | 77800-025525 | 31FT0+PUMPMXT5-2 | Pump MTX 5-2T6 3x220/440 60 Hz | 895.00 |
| | 77800-025515 | 31FTO+PUMPMXT5-3 | Pump MTX 5-3T6 3x220/440 60 Hz | 1,028.00 |
| | 77800-025520 | 31FKPUMPE52T6 | Pump MTX 5-2T6/0.9m 1x220 6.3A 60 Hz | 986.00 |
| | 77800-023250 | 31FKPUMPE53T6 | Pump MTX 5-3T6/1.3M 1x220 7.7A 60Hz | 1,183.00 |
| 3 | 77210-003350 | - | FTOUS Switchbox MTX 5-2T6 60 Hz | Call for Quote |
| | 77210-003360 | - | FTOUS Switchbox MTX 5-3T6 60 Hz | Call for Quote |
| | 77210-003370 | - | FTOUS Switchbox MTX 1x220V 6.3-10A 0.9-1.3KW | Call for Quote |
| 3.1 | 77120-003350 | - | Overload 1.6-2.5 A for FertiOne, GV2ME01, MTX 5-2 3x440 2.2A | 134.00 |
| | 77120-003360 | - | Overload 2.5-4 A for FertiOne, GV2ME08, MTX 5-2 3x440 2.9A | 134.00 |
| | 77100-011935 | - | Overload 4-6.3 A for FertiOne, GV2ME10, MTX 5-2 3x220 4A, MTX 5-3 3x220 5.3A | 134.00 |
| 4 | 33241-000699 | - | FTOUS Inlet to Dosing Booster Set | 415.00 |
| 5 | 33241-000704 | - | FTOUS Dosing Booster Outlet | 170.00 |
| 6 | 33241-000698 | - | FTOUS Suction Manifold Set | 868.00 |
| 7 | 33241-000705 | 31FTO+DOSCHNVERT | FTOUS Assembled Dosing Channel 160 GPH SCH80 | 746.00 |
| 8 | 33241-000697 | - | FTOUS Inlet to Venturi Set | 501.00 |
| 9 | 77540-003400 | - | Pressure Gauge 250 GLZ 145 psi 1/4" BSP | 24.00 |
| 10 | 70561-003730 | 65ARIS075-PP | Air Valve 3/4" DG-010 NPT | 178.00 |
| | 77540-008470 | 31FTO+DOSVLVS12 | Dosing Valve FIP S12 24VAC 50/60H Z 3/8" | 328.00 |
| | 76420-007955 | 31FTO+CHKVLV | Line Check Valve 3/4" *3/4" EPDM | 68.00 |
| | 76400-011376 | 31FTO+NEEDLEVLV | Needle Valve 1/2" High Flow | 43.00 |
| | 77540-007590 | 31FTO+ROTOMETER | STUBBE Rotometer DFM 185 16-160 GPH ASTM | 155.00 |

FERTIKIT 5G







FERTIKIT 5G WITH GROWSPHERE MAX

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|------------------------|---|------------|
| 74722-000082 | 31FK5GSP2F351AC13GSMAX | "FertiKit 5G SP NPT Low Flow, includes 4 dosing channel slots, 2 Fertilizer Dosing Channels at 35 GPH, 1 Acid Dosing Channel at 13 GPH, and 1 expansion slot for dosing channel slot (13 GPH or 35 GPH only), 220VAC single phase booster pump (MTX5-3 60Hz), electrical control box with disconnect, pump breaker, and Hand-Off-Auto selector switch, SCH 80 NPT PVC fittings. | 24,079.00 |
| | | EC/pH Monitoring Kit, includes AWT420 Monitor (24VAC, wall mount), 1 EC sensor, 1 pH sensor, calibration fluid packets (5 each of pH 7.0, pH 4.0, EC 1.41), PVC unions. | |
| | | GrowSphere MAX Irrigation Controller, 115VAC power supply, 100VA 24VAC transformer, includes PM5052 Main Module with 12 Digital Inputs (1 used by FertiKit) and 6x24VAC outputs (1 used by FertiKit), D0572 Dosing Module with 8x24VAC TRIAC outputs (4 used by the Fertkit), Al561 Analog Input Module with 4x4-20mA inputs (2 used by EC/pH Monitoring Kit), HMI Screen, Cellular Router with Global FloLive SIM card, 6 expansion slots, double door enclosure. | |
| 74722-000078 | 31FK5GSP2F901AC13GSMAX | "FertiKit 5G SP NPT High Flow, includes 4 dosing channel slots, 2 Fertilizer Dosing Channels at 90 GPH, 1 Acid Dosing Channel at 13 GPH, and 1 expansion slot for dosing channel slot (13, 35, or 90 GPH dosing channel), 440VAC three phase booster pump (CM15-2), electrical control box with disconnect, pump breaker, and Hand-Off-Auto selector switch, SCH 80 NPT PVC fittings. | 25,440.00 |
| | | EC/pH Monitoring Kit, includes AWT420 Monitor (24VAC, wall mount), 1 EC sensor, 1 pH sensor, calibration fluid packets (5 each of pH 7.0, pH 4.0, EC 1.41), PVC unions. | |
| | | GrowSphere MAX Irrigation Controller, 115VAC power supply, 100VA 24VAC transformer, includes PM5052 Main Module with 12 Digital Inputs (1 used by FertiKit) and 6x24VAC outputs (1 used by FertiKit), D0572 Dosing Module with 8x24VAC TRIAC outputs (4 used by the Fertkit), Al561 Analog Input Module with 4x4-20mA inputs (2 used by EC/pH Monitoring Kit), HMI Screen, Cellular Router with Global FloLive SIM card, 6 expansion slots, double door enclosure." | |

FERTIKIT 5G SP NPT EXPANSION OPTIONS

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|-----------------|--|------------|
| 33241-009210 | 31FKNPT13GPHCHN | FertiKit 5G SP NPT Acid Dosing Channel 13 GPH, complete, Baccara Solenoid, SCH80 | 1,216.00 |
| 33241-009200 | 31FKNPT35GPHCHN | FertiKit 5G SP NPT Fertilizer Dosing Channel 35 GPH, complete, FIP S12 Solenoid, SCH80 | 1,218.00 |
| 33241-009220 | 31FKNPT90GPHCHN | FertiKit 5G SP NPT Fertilizer Dosing Channel 90 GPH, complete, FIP S12 Solenoid, SCH80 | 1,368.00 |


FERTIKIT 5G

FERTIKIT 5G SP NPT SPARE PARTS

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|--------------------|--|----------------|
| 33241-009040 | 31FKNPTINMTX53 | FertiKit 5G SP NPT Inlet to MTX5-3 60Hz pump, SCH80 | 386.00 |
| 33241-009030 | 31FKNPTINCM152 | FertiKit 5G SP NPT Inlet to CM15-2 60Hz pump, SCH80 | 401.00 |
| 33241-009060 | 31FKNPTOUTMTX53 | FertiKit 5G SP NPT Outlet from MTX5-3 60Hz pump, SCH80 | 355.00 |
| 33241-009050 | 31FKNPTOUTCM152 | FertiKit 5G SP NPT Outlet from CM15-2 60Hz pump, SCH80 | 386.00 |
| 33241-009080 | 31FKNPTUPPERMAN | FertiKit 5G SP NPT Upper manifold, SCH80 | 708.00 |
| 33241-000002 | 31FKNPTVENTOUT | FertiKit 5G SP NPT Venturi outlet, 1" MIPT SCH80 | 160.00 |
| 33241-009110 | 31FK3SNPTVENT13GPH | FertiKit 5G SP NPT Venturi, PVDF (Viton), 13 GPH, SCH80 | 258.00 |
| 33241-009100 | 31FK3SNPTVENT40GPH | FertiKit 5G SP NPT Venturi, polypropylene, 40 GPH, SCH80 | 180.00 |
| 33241-009090 | 31FK3SNPTVENT90GPH | FertiKit 5G SP NPT Venturi, polypropylene, 90 GPH, SCH80 | 255.00 |
| 33241-009210 | 31FKNPT13GPHCHN | FertiKit 5G SP NPT Acid dosing channel 13 GPH, complete, Baccara solenoid, SCH80 | 1,216.00 |
| 33241-009200 | 31FKNPT35GPHCHN | FertiKit 5G SP NPT Fertilizer dosing channel 35 GPH, complete, FIP S12 solenoid, SCH80 | 1,218.00 |
| | 31FK3SNPTVERT40GPH | FertiKit 5G SP NPT Fertilizer dosing channel, Vertical Part, 4-40 GPH, SCH80 | 267.00 |
| | 31FK3SNPTHRZNFS12 | FertiKit 5G SP NPT Fertilizer dosing channel, Horizontal Part FIP S12 solenoid, SCH80 | 468.00 |
| 33241-009220 | 31FKNPT90GPHCHN | FertiKit 5G SP NPT Fertilizer dosing channel, complete, FIP S12 solenoid, SCH80 | 1,368.00 |
| | 31FK3SNPTVERT90GPH | FertiKit 5G SP NPT Fertilizer dosing channel, Vertical Part, 10-90 GPH, SCH80 | 263.00 |
| | 31FK3SNPTHRZNFS12 | FertiKit 5G SP NPT Fertilizer dosing channel, Horizontal Part FIP S12 solenoid, SCH80 | 468.00 |
| 76400-011375 | 31FKNDLEVLVORNG | FertiKit 5G SP NPT Sampling valve | 43.00 |
| 70561-003730 | 65ARIS075-PP | Continuous air vent, ¾" MIPT (DG-010) | 178.00 |
| 77800-023250 | 31FKPUMPE53T6 | MTX5-3 60Hz 220VAC 7.7A Single phase pump, 1.3kW | 1,183.00 |
| 77800-002996 | 31FKPUMPCM15-2 | CM15-2 60Hz 220VAC 14.8A / 440VAC 7.2A Three phase pump, 4kW | 2,775.00 |
| 45000-008759 | 31FK3ALMFRMPUMP | Aluminum frame set for pump | 181.00 |
| - | - | Aluminum frame (not available as a spare part) | 0.00 |
| 33220-001300 | 31FKNPTSWBDMTRX | Pump switchboard for MTX5-3 | 1,886.00 |
| 77100-013640 | 31FKLUCBC12B | Pump switchboard contactor for MTX5-3 | 410.00 |
| 33220-001450 | 31FKNPTSWBDCM15 | Pump switchboard for CM15-2 | 1,759.00 |
| 77100-013620 | 31FKLUCBC18B | Pump switchboard contactor for CM15-2 | 371.00 |
| 74360-007901 | | EC/pH transmitter, panel mount/wall mount AWT420 | 2,423.00 |
| 33240-000026 | | Aluminum frame for Grow Sphere Max controller with-Front plate | Call for Quote |
| 33240-000028 | | EC/pH transmitter mounting KIT | Call for Quote |
| 77400-027100 | 31PLUG.75 | Plug, ¾" MIPT SCH80 | 4.40 |
| 77540-003400 | 31FKPRESGAUGE145P | Pressure gauge, 145 psi (10 bar), ¼" BSP male | 24.00 |
| 45000-006692 | 31PHSENS4GBNC | pH sensor, JUMO 12mm, glass, BNC connector | 345.00 |
| 45000-006705 | 31ECSENSABB4G | EC & temperature sensor, JUMO 12mm, bare wire | 638.00 |
| 33120-008500 | 31SNSUNION | EC/pH sensor union set, ¾" MIPT | 95.00 |
| 77800-002180 | 31FKPRESSWITCH | Pressure switch, 14 to 45 psi (1 to 3 bar), ¼" BSP male | 230.00 |
| 77800-000019 | 31FKEMTXSEALKIT | Ebara Matrix 5 Seal Kit | 110.00 |
| 77800-025566 | 31FKEMTXSCREWKIT | Ebara Matrix 5 Drain Tank Screw Kit | 34.00 |

FERTIKIT

FERTIKIT 3G SP METRIC



FERTIKIT

FERTIKIT 3G SP METRIC SPARE PARTS

| KEY | ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|-----|--------------|--------------------|---|------------|
| 1 | 33240-025000 | - | FertiKit 3G SP Inlet | 230.00 |
| 1a | 33240-005670 | 31FKPUMPEOUTKIT | Pump inlet & outlet for MTX5-3 | 146.00 |
| | 33240-002666 | 31FK3BPADP2 | Pump inlet for CM15-2 | 73.00 |
| 2 | 33240-005670 | 31FKPUMPEOUTKIT | Pump inlet & outlet for MTX5-3 | 146.00 |
| | 33240-000018 | 31FK3BPACM15-20UT | Pump outlet for CM15-2 | 57.00 |
| 2a | 77300-025045 | 31FK3CHCKVLV50 | FertiKit 3G check valve, 50mm | 99.00 |
| 3 | 33240-002100 | 31FKIT3GMANIF | FertiKit 3G SP Upper manifold | 380.00 |
| 3a | 33240-002251 | 31FK3PVCRED50-05 | Reducer, DN50 x 1/2" | 50.00 |
| 4 | 33220-002110 | 31FK3GSPL0WERMANIF | FertiKit 3G SP Lower manifold (with separation discs) | 457.00 |
| 4a | 33240-002252 | 31FK3PVCRED50-75 | Reducer, DN50 x 3/4" | 50.00 |
| 4b | 33240-004100 | 31FK3ELB0W | Elbow for gauge | 30.00 |
| 5 | 33240-003200 | 31FK3SVENT13GPH | Venturi for Concentrated Acid, 13 GPH | 280.00 |
| | 33240-002300 | 31FK3SVENT35GPH | Venturi for Fertilizer, 35 GPH | 131.00 |
| | 33240-002320 | 31FK3SVENT65GPH | Venturi for Fertilizer, 95 GPH | 321.00 |
| 6 | 33230-002000 | 31FK3GDCH13GPHAB | FertiKit 3G Acid Channel 13 GPH Complete (Baccara Solenoid) | 1,000.00 |
| | 33230-001550 | 31FK3GDCH40GPHF | FertiKit 3G Dosing Channel 35 GPH Complete (FIP S12 Solenoid) | 1,044.00 |
| | 33230-001670 | 31FK3GDCH95GPHF | FertiKit 3G Dosing Channel 95 GPH Complete (FIP S12 Solenoid) | 1,170.00 |
| | 33240-006010 | 31FK3GDCH95GPHVNCV | NFXSP-Dosing Channel- 400L No Check Valve | 761.00 |
| 6a | 33230-004150 | 31BURKETKITMTRC | FertiKit 3G SP Acid dosing channel, horizontal part, Burkert solenoid, metric | 1,843.00 |
| 7 | 76400-011375 | 31FKNDLEVLVORNG | FertiKit 3G SP NPT Sampling valve | 43.00 |
| 8 | 70561-003730 | 65ARIS075-PP | Continuous air vent, 3/4" MIPT (DG-010) | 178.00 |
| 9 | 77800-023250 | 31FKPUMPE53T6 | MTX5-3 60Hz 220VAC 7.7A Single phase pump, 1.3kW | 1,183.00 |
| | 77800-002996 | 31FKPUMPCM15-2 | CM15-2 60Hz 220VAC 14.8A / 440VAC 7.2A Three phase pump, 4kW | 2,775.00 |
| 10 | 45000-008759 | 31FK3ALMFRMPUMP | Aluminum frame set for pump | 181.00 |
| | - | - | Aluminum frame (not available as a spare part) | 0.00 |
| 12 | 33220-001300 | 31FKNPTSWBDMTRX | Pump switchboard for MTX5-3 | 1,886.00 |
| | 77100-013640 | 31FKLUCBC12B | Pump switchboard contactor for MTX5-3 | 410.00 |
| | 33220-001450 | 31FKNPTSWBDCM15 | Pump switchboard for CM15-2 | 1,759.00 |
| | 77100-013620 | 31FKLUCBC18B | Pump switchboard contactor for CM15-2 | 371.00 |
| 13 | 74340-003580 | 31ECPH4G24ACWL | EC/pH 4G Monitor, 24vAC, Wall Mount, requires EC and pH sensor | 974.00 |
| 14 | 45000-008757 | 31FK3ALMFRMNMCPR0 | Aluminum frame set for NMC Pro controller | 388.00 |
| | 45000-008758 | 31FK3ALMFRMNMCJR | Aluminum frame set for NMC Jr Pro controller | 388.00 |
| 16 | 77300-016010 | 31PLUGDN16 | Plug, DN16 (1/2") BSP | 2.10 |
| 17 | 00110-001810 | 6809020-160 | Pressure gauge, 1/4" MIPT, 0-160 psi | 91.00 |
| 18 | 45000-006701 | 31PHSENSABB | pH sensor, JUMO 12mm, glass, bare wire | 456.00 |
| 19 | 45000-006705 | 31ECSENSABB4G | EC & temperature sensor, JUMO 12mm, bare wire | 638.00 |
| 20 | 33120-008500 | 31SNSUNION | EC/pH sensor union set, 3/4" BSP | 95.00 |
| 21 | 77800-002180 | 31FKPRESSWITCH | Pressure switch, 14 to 45 psi (1 to 3 bar), 1/4" BSP male | 230.00 |
| 22 | 77400-027100 | 31PLUGDN8 | Plug, DN8 (1/4") BSP | 4.40 |

NETAFLEX 3G






NETAFLEX 3G

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|-----------------|---|------------|
| 33400-000012 | 31NF6F150CM15-2 | "NetaFlex 3G: High Flow (up to 80 GPM): includes 6 fertilizer dosing channels at 150 l/h (35 GPH), can be used for diluted acid (see manual for limitations), 220VAC three phase booster pump (CM15-2), electrical control box with disconnect, pump breaker,and Hand-Off-Auto selector switch, metal enclosure | 30,912.00 |
| | | EC/pH Monitoring Kit: includes 4G Monitor (24VAC, panel mount), 1 EC sensor, 1 pH sensor, calibration fluid packets (5 each of pH 7.0, pH 4.0, EC 1.41), PVC unions | |
| | | NMC Pro Irrigation Controller: 115VAC power supply, 250VA 24VAC transformer, includes 16 24VAC outputs (7 used by NetaFlex, 9 free), 8 digital inputs (1 used by NetaFlex, 7 free), 11 analog inputs (2 used by EC/pH Monitoring Kit, 9 free), data plug backup key, 6 expansion slots" | |
| 33400-000013 | 31NF6F50CM10-2 | "NetaFlex 3G: Low Flow (up to 50 GPM): includes 6 fertilizer dosing channels at 50 l/h (13 GPH), can be used for diluted acid (see manual for limitations), 220VAC three phase booster pump (CM10-2), electrical control box with disconnect, pump breaker, and Hand-Off-Auto selector switch, metal enclosure | 30,085.00 |
| | | EC/pH Monitoring Kit: includes 4G Monitor (24VAC, panel mount), 1 EC sensor, 1 pH sensor, calibration fluid packets (5 each of pH 7.0, pH 4.0, EC 1.41), PVC unions | |
| | | NMC Pro Irrigation Controller: 115VAC power supply, 250VA 24VAC transformer, includes 16 24VAC outputs (7 used by NetaFlex, 9 free), 8 digital inputs (1 used by NetaFlex, 7 free), 11 analog inputs (2 used by EC/pH Monitoring Kit, 9 free), data plug backup key, 6 expansion slots" | |

NETAFLEX 3G

NETAFLEX 3G PARTS



NETAFLEX 3G

NETAFLEX 3G SAPRE PARTS

| KEY | ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|------|--------------|--------------------|--|----------------|
| 1 | - | - | Frame for NetafFlex 3g (Not available as a spare part) | - |
| 2 | 77100-013620 | 31FKLUCBC18B | Contactor for CM10-2 & 15-2 pump | 371.00 |
| 3 | 77600-001986 | 31NFTANK200L | WATER TANK 200L-BLUE55CM DIAM.114CM-HIGH | Call for Quote |
| 4 | 33240-006878 | 31NFINLET | NetaFlex Inlet Kit | 578.00 |
| 4.1 | 33240-006660 | 31NFINLET2VLV | System Inlet (part of kit) | 122.00 |
| 4.2 | 71600-035968 | 3161FL323PLN0FL0AT | Float valve (part of kit) | 391.00 |
| 4.4 | 33240-006310 | 31NFINLETVLV2TANK | Float valve to tank adaptor (part of kit) | 191.00 |
| 5 | 33240-006400 | 31NFMANTANKINLET | Lower manifold to tank adaptor | Call for Quote |
| 6 | 33240-006881 | 31NFPUMPINCM10-2 | Tank to Pump Inlet Kit for Grundfos CM10-2 | Call for Quote |
| | 33240-006879 | 31NFPUMPINCM15-2 | Tank to Pump Inlet Kit for Grundfos CM15-2 | Call for Quote |
| 6.1 | 33240-006880 | 31NFPUMPOUTCM10-2 | Pump Outlet for Grundfos CM10-2 | Call for Quote |
| | 33240-006877 | 31NFPUMPOUTCM15-2 | Pump Outlet for Grundfos CM15-2 | Call for Quote |
| 7.3 | 77400-032600 | 31NFOUTLETCHKVLV | Check valve (part of kit) | 163.00 |
| 7.4 | 33240-006875 | 31NFCKVLVDCM10-2 | Check valve for Grundfos CM10-2 | |
| | 33240-006872 | 31NFCKVLVDCM15-2 | Check valve for Grundfos CM15-2 | |
| 7.6 | 77540-007100 | 31NFSCREENFILTER | Screen Filter 100 Mesh | 175.00 |
| | 77540-007110 | 31NFSCRELEMENTPVCU | Screen Filter Element 100 Mesh | 26.00 |
| | 77540-007120 | 31NFSCRELEMENTSS | Screen Filter Element 240 Mesh | 26.00 |
| 8 | 33240-002100 | 31FKIT3GMANIF | Upper / lower manifold | 380.00 |
| 9 | 33240-003200 | 31FK3SVENT13GPH | Venturi PVDF-M50 (13 GPH) | 280.00 |
| | 33240-003250 | 31FK3SVENT13GPHD | Venturi PVDF-M50 (13 GPH) Dual | 290.00 |
| | 33240-002370 | 31FK3SVENT150GPH | Venturi PVC-N600 (158 GPH) | 158.00 |
| | 33240-002375 | 31FK3SVENT150GPHD | Venturi PVC-N600 (158 GPH) Dual | 170.00 |
| 10 | 33230-007500 | 31NF3GDCH13GPHV | NETAFLEX-DOSING CHANNEL-13GPH | 605.00 |
| | 33230-501000 | 31NF3GDCH35GPHV | NETAFLEX-DOSING CHANNEL-35GPH | 574.00 |
| | 33230-001680 | 31FK3GDCH95GPHV | FSA-CH-400L/H-S12-VITON-PP370 | 964.00 |
| 11 | 33240-002251 | 31FK3PVCRED50-05 | Reducer 50mm - 1/2" | 50.00 |
| 12 | 77300-016010 | - | PVC threaded plug 1/2" - male | Call for Quote |
| 13 | 77300-016000 | - | Plug 1/4" | Call for Quote |
| 14 | 76400-003503 | 55P4694804-B | Plastic Male 90° Elbow 8 mm x 1/4" (10/bag) | 59.40 |
| 15 | 00110-001810 | 6809020-160 | Pressure Gauge 0-160 psi, ¼" | 91.00 |
| 16 | 77400-027100 | 31PLUGDN8 | PVC threaded plug 3/4" - male | Call for Quote |
| 17.1 | 33240-003050 | 31ECPHMANIFOLD | EC/pH manifold (single EC & pH) | 187.00 |
| 17.2 | 33120-008500 | 31SNSUNION | Union adapter set for EC/pH sensor | 95.00 |
| 17.3 | 45000-006705 | 31ECSENSABB4G | EC+TEMP SENSOR JUMO 12MM | 638.00 |
| 17.4 | 45000-006692 | 31PHSENS4GBNC | PH SENSOR JUMO 12MM GLASS W/BNC CONNECT | 345.00 |
| 18 | 75080-002900 | 31WLFLOAT.5 | Water level float 1/2" | 42.00 |
| 19 | 77600-014000 | 31NFTANKSEALFERT | Penetration seal for lower manifold to tank adaptor | 28.00 |
| 20 | 77600-006550 | 31NFTANKSEALINOUT | Penetration seal for Tank Inlet/Outlet | 28.00 |
| 21 | 77600-006510 | 31NF0VERFL0WSEAL | Penetration seal for Overflow assembly | 28.00 |
| 22 | 77100-007930 | 31NFLOWSWITCH | Low level switch | 86.00 |
| 23 | 33240-006220 | 31NFFLOWSWITCHCASE | Low level switch casing | 163.00 |
| 24 | 33240-006450 | 31NF0VERFL0W | Overflow assembly | Call for Quote |
| 25 | 77800-027315 | 31FKPUMPCR45-1 | Grundfos CR45-1 Pump, Three Phase 60Hz | 9,444.00 |
| | 77800-003019 | 31FKPUMPCM10-2 | Grundfos CM10-2 Pump, Three Phase 60Hz | 1,923.00 |
| | 77800-002996 | 31FKPUMPCM15-2 | Grundfos CM15-2 Pump, Three Phase 60Hz | 2,775.00 |

NMC PRO IRRIGATION CONTROLLER





NMC PRO IRRIGATION CONTROLLER

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|--------------|---|------------|
| 74340-003095 | 31NMCPR0 | NMC Pro Irrigation Controller, 115VAC power supply, 80VA 24VAC transformer, includes 16 24VAC outputs, 8 digital inputs, data plug backup key, 7 expansion slots, | 7,668.00 |
| | | double door enclosure, and external 115VAC surge suppressor | |

NMC PRO CONTROLLER COMMUNICATION OPTIONS

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|--------------------|---|------------|
| 74340-000020 | 31NMCAIR+KIT-VZ | NMC Air+ Kit for the NMC Pro or Junior controller, includes NMC Air+ Comm-box, Verizon cellular modem, 115VAC power supply, enclosure, and 1-year license. RS485 communication card is required but it is not included. If the NMC Pro does not already have the RS485 communication card, please select either 74340-009200 or 74340-012800. | 4,834.00 |
| 74340-000021 | 31NMCAIR+COMBOX-VZ | NMC Air+ Comm-box with Verizon cellular modem (replacement part) | 4,624.00 |
| 74340-000018 | 31NMCAIR+ANNUALFEE | NMC Air + Annual Subscription for NMC PRO and NMC JR PRO | 1,200.00 |

NMC PRO & CLIMATE CONTROLLER SENSOR OPTIONS

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|----------------|---|------------|
| 74340-004955 | 31NMCWEATHER | Weather Station for NMC Pro controller, includes solar radiation, wind speed, wind direction, temperature, humidity, and tipping rain bucket | 4,677.00 |
| 74340-000002 | 31GHTRH | Greenhouse temperature and relative humidity kit, includes temperature sensor, relative humidity sensor, powered ventilation box | 1,569.00 |
| 74340-004270 | 31GHT | Greenhouse temperature kit, includes temperature sensor and powered ventilation box | 891.00 |
| 74340-008200 | 31TEMP/RH | Temperature and relative humidity sensors with basic shield | 1,535.00 |
| 74340-004300 | 31TEMP | Temperature sensor with basic shield | 286.00 |
| 00107-014020 | 31PT200-4-20MA | Pressure transducer, 200 psi, 4-20mA, 1/4 MIPT, M12 Male connector | 574.00 |
| 00107-014021 | 31PTCABLE2M | Pressure transducer, 2 m (6 ft), M12 Female connector | 33.00 |
| 33000-003315 | 31ECPHKIT4G | EC & pH Kit, includes 24VAC wall mount transmitter, 1 EC sensor, 1 pH sensor, calibration fluid packets (5 each of pH 7.0, pH 4.0, EC 1.41), PVC unions | 2,036.00 |


NMC PRO IRRIGATION CONTROLLER

NMC PRO EXPANSION OPTIONS


| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|--------------------|--|------------|
| 74340-014100 | 31NMCPROXPANBX | NMC Pro Expansion Box (up to 3 per NMC Pro controller), 115VAC power supply, 350VA 24VAC transformer, includes expansion CPU with RS232/RS485 communication, 10 expansion slots, and enclosure. Requires input/output boards | 3,476.00 |
| 74340-008500 | 31NMC640B | Output board, 8 outputs, 24VAC (limit 5 per NMC Pro / NMC Pro expansion box) | 583.00 |
| 74340-008600 | 31NMC640BDC | Output board, 8 outputs, dry contact (limit 8 per NMC Pro / NMC Pro expansion box) | 583.00 |
| 74340-008800 | 31NMC64IBDP | Input board, 8 digital/pulse inputs (limit 4 per NMC Pro / NMC Pro expansion box) | 539.00 |
| 74340-008900 | 31NMC64IBA | Input board, 11 analog inputs (limit 2 per NMC Pro / NMC Pro expansion box) | 626.00 |
| 74340-009530 | 31NMCPROLICENSEKEY | NMC Pro/DC RTU license key, 128 outputs | 1,105.00 |
| 74340-009560 | 31NMCPROLICENSE256 | NMC Pro/DC RTU license key, 256 outputs | 2,007.00 |

NMC PRO INPUT / OUTPUT BOARD OPTIONS

The NMC Pro can accommodate several different input / output cards, but there are restrictions on where these cards plug in and how many are allowed. Use this diagram to determine which cards are needed.



NMC PRO IRRIGATION & CLIMATE CONTROLLER



NMC PRO SPARE PARTS - IRRIGATION CONTROLLER & CLIMATE CONTROLLER

| KEY | ITEM Number | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|-----|----------------|--------------------|---|----------------|
| 1 | 74340-004920 | 31NMCPRODISP | NMC Pro/DC Display with LED Backlight | 1,191.00 |
| 2 | 74340-003300 | 31NMCPROKEY | NMC Pro/DC Keyboard for LED Backlight | 419.00 |
| 3 | 74340-020800 | 31NMCPRORIBBONS | NMC Pro/DC Display and Keyboard Ribbon Cable Set | Call for Quote |
| 4 | 74340-014600 | 31NMCPROCPUCARD | NMC Pro CPU Card, includes SD Card | 2,113.00 |
| | 74340-012700 | 31NMCPROCPUEXP | NMC Pro Expansion CPU Card | 811.00 |
| 5 | 74340-009530 | 31NMCPROLICENSEKEY | NMC Pro/DC RTU license key, 128 outputs | 1,105.00 |
| | 74340-009560 | 31NMCPROLICENSE256 | NMC Pro/DC RTU license key, 256 outputs | 2,007.00 |
| 6 | 74340-014650 | 31NMCSDCARD | NMC Pro/DC/Jr Pro SD Card | 52.00 |
| 7 | 74340-007800 | 31NMC64I0BUSS | NMC Pro I/O Bus Card | 273.00 |
| 8 | 74340-007900 | 31NMC64PS | NMC Pro Power Supply Card, 115VAC | 903.00 |
| | 74340-009300 | 31NMCPROPWR12V | NMC Pro Power Supply Card, 12VDC | 458.00 |
| 9 | 74340-008050 | 31NMCPROTRANS24 | NMC Pro 115/24VAC transformer (requires 74340-007900) | 242.00 |
| 10 | 74340-008500 | 31NMC640B | NMC Pro Output card, 8 outputs, 24VAC (limit 5 per NMC Pro / NMC Pro expansion box) | 583.00 |
| 11 | 74340-008600 | 31NMC640BDC | NMC Pro Output card, 8 outputs, dry contact (limit 8 per NMC Pro / NMC Pro expansion box) | 583.00 |
| 12 | 74340-008800 | 31NMC64IBDP | NMC Pro Input card, 8 digital/pulse inputs (limit 4 per NMC Pro / NMC Pro expansion box) | 539.00 |
| 13 | 74340-008900 | 31NMC64IBA | NMC Pro Input card, 11 analog inputs (limit 2 per NMC Pro / NMC Pro expansion box) | 626.00 |
| 14 | 74340-014500 | 31NMCPRODP | NMC Pro/DC/Jr Pro Data Plug (Gold) | 249.00 |
| 15 | 74340-009100 | 31NMCCR | NMC Pro/DC Communication Card RS232 / RS232 | 1,524.00 |
| | 74340-009200 | 31NMC64CC | NMC Pro/DC Communication Card RS485 / RS232 | 539.00 |
| | 74340-012800 | 31NMCPR02RS485 | NMC Pro/DC Communication Card RS485 / RS485 | 554.00 |
| 16 | 74340-016670 | 31NCMPROBOXDBL | NMC Pro Double Door Enclosure, includes box, metal door, metal back plate, and stickers | 1,027.00 |
| 17 | 74340-001930 | 31NMCLATCHD00R | NMC Pro Double Door Latch | 27.00 |
| 18 | 74340-003760 | 31NMCPLPB0X | NMC Pro/Jr Pro Power Supply Surge Suppressor | 257.00 |
| - | 74340-014700 | 31NMC64UPKIT | NMC 64 Upgrade Kit, includes NMC Pro CPU, SD Card, Digital Input Card V3 Chip, NMC Pro/DC/Jr Pro Data Plug (Gold) | 2,588.00 |

NMC JUNIOR PRO IRRIGATION CONTROLLER





NMC JUNIOR PRO

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|--------------|---|------------|
| 74340-023960 | 31NMCJRPROLC | NMC Junior Pro Irrigation Controller, 115VAC power supply, 50VA 24VAC transformer, includes 15 24VAC outputs, 6 digital inputs, 5 analog inputs (1 EC, 1 pH, 2 Temperature, 1 Humidity sensor), data plug backup key, double door enclosure, and external 115VAC surge suppressor | 3,290.00 |


NMC JUNIOR PRO COMMUNICATIONS OPTIONS

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|--------------------|---|------------|
| 74340-000020 | 31NMCAIR+KIT-VZ | NMC Air+ Kit for the NMC Pro or Junior controller, includes NMC Air+ Comm-box, Verizon cellular modem, 115VAC power supply, enclosure, and 1-year license. RS485 communication card is required but it is not included. If the NMC Junior Pro does not already have the RS485 communication card, please select 74340-006700. | 4,834.00 |
| 74340-000021 | 31NMCAIR+COMBOX-VZ | NMC Air+ Comm-box with Verizon cellular modem (replacement part) | 4,624.00 |
| 74340-000018 | 31NMCAIR+ANNUALFEE | NMC Air + Annual Subscription for NMC PRO and NMC JR PRO | 1,200.00 |

NMC JUNIOR PRO SENSOR OPTIONS

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|--------------|---|------------|
| 74340-000002 | 31GHTRH | Greenhouse temperature and relative humidity kit, includes temperature sensor, relative humidity sensor, powered ventilation box | 1,569.00 |
| 74340-004270 | 31GHT | Greenhouse temperature kit, includes temperature sensor and powered ventilation box | 891.00 |
| 74340-008200 | 31TEMP/RH | Temperature and relative humidity sensors with basic shield | 1,535.00 |
| 74340-004300 | 31TEMP | Temperature sensor with basic shield | 286.00 |
| 33000-003315 | 31ECPHKIT4G | EC & pH Kit, includes 24VAC wall mount transmitter, 1 EC sensor, 1 pH sensor, calibration fluid packets (5 each of pH 7.0, pH 4.0, EC 1.41), PVC unions | 2,036.00 |

NMC JUNIOR PRO IRRIGATION CONTROLLER



NMC JUNIOR PRO SPARE PARTS

| KEY | ITEM Number | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|-----|----------------|-------------------|--|---------------|
| 1 | 74340-004920 | 31NMCPRODISP | NMC Pro/DC/Jr Pro Display with LED Backlight | 1,191.00 |
| 2 | 74340-009980 | 31NMCJRPROLEDCPU | NMC Jr Pro CPU & Keyboard for LED Backlight | 1,053.00 |
| 3 | 74340-014650 | 31NMCSDCARD | NMC Pro/DC/Jr Pro SD Card | 52.00 |
| 4 | 74340-014500 | 31NMCPRODP | NMC Pro/DC/Jr Pro Data Plug (Gold) | 249.00 |
| 5 | 74340-004973 | 31NMCJRDISPCABLE | NMC Jr Pro Ribbon Cable for Display | 28.00 |
| 6 | 74340-004972 | 31NMCJRINOUTCABLE | NMC Jr Pro Ribbon Cable for I/O Card | 28.00 |
| 7 | 74340-004995 | 31NMCJRPSCARD115V | NMC Jr Pro Power Supply Card, 115VAC | 604.00 |
| | 74340-004997 | 31NMCJRPSDC | NMC Jr Pro Power Supply Card, 12VDC | 458.00 |
| 8 | 74340-006500 | 31NMC15I/OCABLE | NMC Jr Pro Power Supply I/O Card Bridge | 46.00 |
| 9 | 74340-005103 | 31NMCJRINOUTCHIP | NMC Jr Pro I/O Control Chip | 28.00 |
| 10 | 74340-009490 | 31NMCJRINOUTCARD | NMC Jr Pro I/O Card, 15 outputs, 6 digital inputs, 5 analog inputs (1 EC, 1 pH, 2 Temperature, 1 Humidity) | 787.00 |
| 11 | 74340-006600 | 31NMC15RS232 | NMC Jr Pro Communication Card, RS232 | 615.00 |
| | 74340-006700 | 31NMCJRRS485 | NMC Jr Pro Communication Card, RS485 | 615.00 |
| 12 | 74340-014750 | 31NMCJRDDB0X | NMC Jr Pro Double Door Enclosure, includes box, metal door, metal backplate (requires 74340-016560) | 281.00 |
| - | 74340-016560 | 31NMCJRSTICKER | NMC Jr Pro Sticker | 52.00 |
| 13 | 74340-006650 | 31NMCJRDCLATCH | NMC DC/Jr Pro Door Latch | 23.00 |
| 14 | 74340-003760 | 31NMCPLPB0X | NMC Power Supply Surge Suppressor | 257.00 |

NMC DC IRRIGATION CONTROLLER



NMC DC

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|--------------|---|------------|
| 74340-013950 | 31NMCDC | NMC DC Irrigation Controller, 12VDC charging regulator, includes 8 12VDC latching outputs, 4 digital inputs, 4 analog inputs, data plug backup key, double door enclosure, requires solar panel or 12VDC power supply | 4,707.00 |


NMC DC SENSOR OPTIONS

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|----------------|---|------------|
| 74340-000002 | 31GHTRH | Greenhouse temperature and relative humidity kit, includes temperature sensor, relative humidity sensor, powered ventilation box | 1,569.00 |
| 74340-004270 | 31GHT | Greenhouse temperature kit, includes temperature sensor and powered ventilation box | 891.00 |
| 74340-008200 | 31TEMP/RH | Temperature and relative humidity sensors with basic shield | 1,535.00 |
| 74340-004300 | 31TEMP | Temperature sensor with basic shield | 286.00 |
| 00107-014020 | 31PT200-4-20MA | Pressure transducer, 200 psi, 4-20mA, 1/4 MIPT, M12 Male connector | 574.00 |
| 00107-014021 | 31PTCABLE2M | Pressure transducer, 2 m (6 ft), M12 Female connector | 33.00 |
| 33000-003315 | 31ECPHKIT4G | EC & pH Kit, includes 24VAC wall mount transmitter, 1 EC sensor, 1 pH sensor, calibration fluid packets (5 each of pH 7.0. pH 4.0. EC 1.41). PVC unions | 2,036.00 |

NMC DC EXPANSION OPTIONS

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|--------------------|---|------------|
| 74340-009530 | 31NMCPROLICENSEKEY | NMC Pro/DC RTU license key, 128 outputs | 1,105.00 |
| 74340-009560 | 31NMCPROLICENSE256 | NMC Pro/DC RTU license key, 256 outputs | 2,007.00 |

NMC DC IRRIGATION CONTROLLER



NMC DC SPARE PARTS

| KEY | ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|-----|----------------|--------------------|--|---------------|
| 1 | 74340-004920 | 31NMCPRODISP | NMC Pro/DC/Jr Pro Display with LED Backlight | 1,191.00 |
| 2 | 74340-003300 | 31NMCPROKEY | NMC Pro/DC Keyboard for LED Backlight | 419.00 |
| 3 | 74340-008300 | 31NMCPROFLATCABL | NMC Pro/DC Display and Keyboard Ribbon Cable Set | 128.00 |
| 4 | 74340-022000 | 31NMCDCCPU | NMC DC CPU Card, without SD Memory Card | 1,881.00 |
| 5 | 74340-009530 | 31NMCPROLICENSEKEY | NMC Pro/DC RTU license key, 128 outputs | 1,105.00 |
| | 74340-009560 | 31NMCPROLICENSE256 | NMC Pro/DC RTU license key, 256 outputs | 2,007.00 |
| 6 | 74340-014650 | 31NMCSDCARD | NMC Pro/DC/Jr Pro SD Card | 52.00 |
| 7 | 74340-022300 | 31NMCDCBUS | NMC DC I/O Bus Card | 96.00 |
| 8 | 74340-022100 | 31NMCDCINP | NMC DC Input Card, 4 digital, 4 analog (Temp, 0-5v, 4-20mA user selectable) | 515.00 |
| 9 | 74340-022400 | 31NMCDCPOWER | NMC DC Power supply and charging regulator card | 291.00 |
| 10 | 00005-009500 | | 9VDC Backup Battery | Call |
| 11 | 74340-022200 | 31NMCLATCHOUT | NMC DC Latching Output Card, 8 outputs (limit 3 per NMC DC controller) | 537.00 |
| 12 | 74340-009100 | 31NMCCR | NMC Pro/DC Communication Card RS232 / RS232 | 1,524.00 |
| | 74340-009200 | 31NMC64CC | NMC Pro/DC Communication Card RS485 / RS232 | 539.00 |
| | 74340-012800 | 31NMCPR02RS485 | NMC Pro/DC Communication Card RS485 / RS485 | 554.00 |
| 13 | 74340-014500 | 31NMCPRODP | NMC Pro/DC/Jr Pro Data Plug (Gold) | 249.00 |
| 14 | 74340-014760 | 31NMCDCB0X | NMC DC Double Door Enclosure, includes box, metal door, metal back plate, and stickers | 635.00 |
| - | 74340-006650 | 31NMCJRDCLATCH | NMC DC/Jr Door Latch | 23.00 |
| 15 | 74340-023500 | 31SOLARPANEL | NMC DC Solar Panel Kit, includes 20VA solar panel, 12VDC 9AH SLA battery, mounting bracket | 1,573.00 |
| - | 74340-022850 | 31BRKTNMCDC | NMC DC Pole mount bracket with battery holder | 363.00 |

COMPONENTS

EC/PH 4G

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|------------------|---|------------|
| 33000-003315 | 31ECPHKIT4G | EC & pH Kit, includes 4G Monitor (24VAC, wall mount), 1 EC sensor, 1 pH sensor, calibration fluid packets (5 each of pH 7.0, pH 4.0, EC 1.41), PVC unions | 2,036.00 |
| 74340-003580 | 31ECPH4G24ACWL | EC & pH 4G Monitor for single EC & pH sensor, 24VAC, wall mount, requires EC & pH sensors | 974.00 |
| 74340-003581 | 31ECPH4GDL24ACPL | EC & pH 4G Monitor for single EC & pH sensor, 24VAC, panel mount, requires EC & pH sensors | 1,124.00 |
| 74340-003582 | - | EC & pH 4G Monitor for dual EC & pH sensors, 24VAC, panel mount, requires 2 EC & 2 pH sensors | 1,881.00 |
| 45000-006705 | 31ECSENSABB4G | EC & temperature sensor, JUMO 12mm, bare wire | 638.00 |
| 45000-006692 | 31PHSENS4GBNC | pH sensor, JUMO 12mm, glass, BNC connector | 345.00 |
| 33120-008500 | 31SNSUNION | EC/pH sensor union set, ¾" MIPT | 95.00 |
| 45000-006480 | 31ECCALIB | EC Calibration fluid, 20mL | 4.60 |
| 45000-006440 | 31PHBUFFER4.0 | pH Calibration fluid, 20mL, pH 4.0 | 4.60 |
| 45000-006460 | 31PHBUFFER7.0 | pH Calibration fluid, 20mL, pH 7.0 | 4.60 |

INPUTS/SENSORS

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|----------------|--|------------|
| 74340-004955 | 31NMCWEATHER | Weather Station for NMC Pro controller, includes solar radiation, wind speed, wind direction, temperature, humidity, and tipping rain bucket | 4,677.00 |
| 74340-000002 | 31GHTRH | Greenhouse temperature and relative humidity kit, includes temperature sensor, relative humidity sensor, powered ventilation box | 1,569.00 |
| 74340-004270 | 31GHT | Greenhouse temperature kit, includes temperature sensor and powered ventilation box | 891.00 |
| 74340-008200 | 31TEMP/RH | Temperature and relative humidity sensors with basic shield | 1,535.00 |
| 74340-004300 | 31TEMP | Temperature sensor with basic shield | 286.00 |
| 74340-010400 | 31RS | Radiation shield for temperature and relative humidity sensor | 615.00 |
| 74340-010300 | 31CTS | Temperature sensor | 179.00 |
| 74340-010100 | 31CB | Climatic box, for housing temperature and relative humidity sensors | 903.00 |
| 74340-010200 | 31CCBF | Climatic box fan, for adding powered ventilation to climatic box | 191.00 |
| 00107-014020 | 31PT200-4-20MA | Pressure transducer, 200 psi, 4-20mA, 1/4 MIPT, M12 Male connector | 574.00 |
| 00107-014021 | 31PTCABLE2M | Pressure transducer, 2 m (6 ft), M12 Female connector | 33.00 |
| 70261-011000 | 36FM.75RG.1 | Fertilizer flow meter, ¾" BSP w/ NPT adapters, 0.1 USG/pulse | 504.00 |

OUTPUTS/CONTROL

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|----------------|---|------------|
| 35500-001300 | 3135500-001300 | Aquative solenoid, 24VAC, with bracket | 104.00 |
| 35500-002000 | 3135500-002000 | Aquative solenoid, 12VDC latching, with bracket | 99.00 |
| 35500-002100 | 61AQTVDCL2 | Aquative solenoid (2), 12VDC latching, with bracket | 243.00 |
| 35500-002200 | 61AQTVDCL3 | Aquative solenoid (3), 12VDC latching, with bracket | 285.00 |
| 35500-002300 | 61AQTVDCL4 | Aquative solenoid (4), 12VDC latching, with bracket | 345.00 |
| 00107-005450 | 28RELAY12VDCL | Output relay DPDT, 12VDC latching, with base | 213.00 |
| 77100-012020 | 31NETACIDCON | Direct pump control box, single phase up to 20 Amp, includes Hand-Off-Auto selector switch, solid state relay | 745.00 |

NUF RUNOFF RECYCLING



NUF® RUNOFF RECYCLING SYSTEM

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|-----------------|---|------------|
| 70180-000100 | 31NUF8GPMUS | NUF 8 GPM US | 46,987.00 |
| 70180-000101 | 31NUF20GPMUS | NUF 20 GPM US | 78,842.00 |
| 72300-001410 | 31VDE63MM2INKIT | TRANS. KIT FOR MIX. VLV. 63 TO 2" GLUE | 109.00 |
| 72300-001250 | 31VDEVK21-63 | MIXING VALVE VDE VK21-63 24V90SEC 90DEG | 4,730.00 |

NUF RUNOFF RECYCLING


NUF 8 GPM REPLACEMENT PARTS

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|--------------------|---|----------------|
| 70180-000215 | 31NUFMEMBRANE | NUF SINGLE REPLACEMENT MEMBRANE | 51.00 |
| 70180-000120 | 31NUF0.75INCHVALVE | NUF Diaphragm valve 3/4" w/o solenoid | Call for Quote |
| 70180-000125 | 31NUF1INCHVALVE | NUF DIAPHRAGM VALVE 1" W/O SOLENOID | 182.00 |
| 70180-000130 | 31NUFAIRVALVE | NUF AIR VALVE | 264.00 |
| 70180-000140 | 31NUF40MEMBRANES | NUF MODULE - 40 MEMBRANES | 0.00 |
| 70180-000235 | | NUF REPLACEMENT DISCS 100 MICRON | 96.00 |
| 70180-000145 | 31NUF25MMPVC | NUF PVC PIPE 25 - BY METER | 22.00 |
| 70180-000150 | 31NUF32MMPVC | NUF PVC PIPE 32 - BY METER | 33.00 |
| 70180-000155 | 31NUF40MMPVC | NUF PVC PIPE 40 - BY METER | 41.00 |
| 70180-000160 | 31NUF25MMSVCKIT | NUF PVC SERVICE KIT 25 | 74.00 |
| 70180-000165 | 31NUF32MMSVCKIT | NUF PVC SERVICE KIT 32 | 92.00 |
| 70180-000170 | 31NUF40MMSVCKIT | NUF PVC SERVICE KIT 40 | 110.00 |
| 70180-000175 | 31NUFSOLENOIDSET | NUF SOLENOID SET | 1,561.00 |
| 70180-000180 | 31NUFCVSLNDACCESS | NUF SOLENOID ACCESSORIES CONTROL VALVE | 320.00 |
| 70180-000185 | 31NUFPGSLNDACCESS | NUF SOLENOID ACCESSORIES PRESSURE GAUGE | 63.00 |
| 70180-000190 | 31NUFAIRCOMPRESS | NUF AIR COMPRESSOR | 718.00 |
| 70180-000228 | | NUF PUMP 8GPM | 762.00 |

NUF 20 GPM REPLACEMENT PARTS

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|--------------------|---|----------------|
| 70180-000215 | 31NUFMEMBRANE | NUF SINGLE REPLACEMENT MEMBRANE | 51.00 |
| 70180-000120 | 31NUF0.75INCHVALVE | NUF Diaphragm valve 3/4" w/o solenoid | Call for Quote |
| 70180-000125 | 31NUF1INCHVALVE | NUF DIAPHRAGM VALVE 1" W/O SOLENOID | 182.00 |
| 70180-000130 | 31NUFAIRVALVE | NUF AIR VALVE | 264.00 |
| 70180-000140 | 31NUF40MEMBRANES | NUF MODULE - 40 MEMBRANES | 0.00 |
| 70180-000235 | | NUF REPLACEMENT DISCS 100 MICRON | 96.00 |
| 70180-000145 | 31NUF25MMPVC | NUF PVC PIPE 25 - BY METER | 22.00 |
| 70180-000150 | 31NUF32MMPVC | NUF PVC PIPE 32 - BY METER | 33.00 |
| 70180-000155 | 31NUF40MMPVC | NUF PVC PIPE 40 - BY METER | 41.00 |
| 70180-000160 | 31NUF25MMSVCKIT | NUF PVC SERVICE KIT 25 | 74.00 |
| 70180-000165 | 31NUF32MMSVCKIT | NUF PVC SERVICE KIT 32 | 92.00 |
| 70180-000170 | 31NUF40MMSVCKIT | NUF PVC SERVICE KIT 40 | 110.00 |
| 70180-000175 | 31NUFSOLENOIDSET | NUF SOLENOID SET | 1,561.00 |
| 70180-000180 | 31NUFCVSLNDACCESS | NUF SOLENOID ACCESSORIES CONTROL VALVE | 320.00 |
| 70180-000185 | 31NUFPGSLNDACCESS | NUF SOLENOID ACCESSORIES PRESSURE GAUGE | 63.00 |
| 70180-000190 | 31NUFAIRCOMPRESS | NUF AIR COMPRESSOR | 718.00 |
| 70180-000195 | 31NUF20GPMPUMP | NUF PUMP 20GPM | 3,487.00 |
| 70180-000200 | 31NUF20GPMSEALKIT | NUF MECHANICAL SEAL KIT FOR PUMP 20GPM | 698.00 |

NUTRISOLVE




DISSOLVING TANK AND VALVE BRIDGE

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|--------------------|--|------------|
| 33800-000001 | 31NSOLVEVALBRIDGE | Nutrisolve Valve Bridge 60Hz 1600L ASTM | 7,870.00 |
| 33800-001052 | 31NSOLVEDISOLVTANK | NTS Dissolving Tank and Accessories ASTM | 10,851.00 |

NUTRISOLVE DISSOLVING TANK SPARE PARTS

| KEY | ITEM Number | MODEL NUMBER | DESCRIPTION | PRICE Each |
|-----|----------------|--------------------|--|---------------|
| 1 | 77600-010350 | 31NSPOLYTANK1600L | Poly Tank, 1600 Liter with Legs, Drain and Level Indicator | 2,961.00 |
| 2 | 45000-040201 | 31NSTANKBASKETSS | Stainless Steel basket for 1600 Liter Tank | 1,971.00 |
| 3 | 33820-002100 | 31NSDISSOLVINGFLT | Dissolving Flute | 60.00 |
| 4 | 33820-002120 | 31NSEDUCTORSET | Eductor Set | 255.00 |
| 5 | 33220-006600 | 31NSLOWSWITCHASY | Low-level Switch Assembly | 116.00 |
| 6 | 33820-003110 | 31NSTANKLOUT1600L | Tank Outlet | 200.00 |
| 7 | 77600-012300 | 31NSTANKCOVER1600L | Cover for Poly Tank 1600 Liter with Door | 752.00 |
| 8 | 33820-003120 | 31NSFILLMANIFOLD | Filling Manifold | 83.00 |
| 9 | 33820-002110 | 31NSREAREDUCTMANIF | Rear Eductor Manifold | 727.00 |

NUTRISOLVE



NUTRISOLVE VALVE BRIDGE SPARE PARTS

| KEY | ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|-----|--------------|--------------------|--|------------|
| 1 | 77800-023260 | 31NSPUMPCDX200-206 | Valve Bridge Pump, Single Phase 220V | 1,193.00 |
| 2 | 33820-001020 | 31NSVLVMANIF0LD | Manifold, Valve bridge | 225.00 |
| 3 | 33820-003140 | 31NSPMP0UTLT200-20 | Pump Outlet CDX 200/20 | 174.00 |
| 4 | 45000-040000 | 31NSFRAMEVLVBRDG | Aluminum Frame for Valve Bridge | 730.00 |
| 5 | 33820-003150 | 31NSPUMPINLET | Pump Inlet CDX 200/20 | 29.00 |
| 6 | 33820-003170 | 31NSFRESHINLET | Pump Fresh Water Inlet | 30.00 |
| 7 | 33820-003160 | 31NSSOLTANKOUTLET | Solution Tank Outlet | 26.00 |
| 8 | 70640-003210 | 31NSSCRNFILTER1.5 | Screen Filter, 1.5", 40 Mesh, Chemical-Resistant | 213.00 |
| 9 | 77120-003010 | 31NSSWB1X220X1.5KW | Nutrisolve Switchboard 1 x 220 v 1.5 Kw | 2,309.00 |
| 10 | 77540-003350 | 31NSPRESSGAUGE | Nutrisolve Pressure gauge 250 glz 8 bar ¼" bsp | 23.00 |

COMMISSIONING FEES

Note: The discount structure for commissioning fees has changed. Contact your Netafim sales rep.

COMMISSIONING FEES

| ITEM NUMBER | MODEL NUMBER | DESCRIPTION | PRICE EACH |
|--------------|------------------|---|------------|
| 79900-006100 | 31AIRTRAVEL | Air Travel, Round Trip | 1,750.00 |
| 79900-006180 | 31VEHICLETRAVEL | Vehicle Travel / Hour | 155.00 |
| 79900-006160 | 31DAILYEXPENSES | Daily Expenses | 725.00 |
| 79900-006120 | 310NSITESERVICE | Commissioning, Service, Training Onsite / Day / Technician | 1,700.00 |
| 79900-006140 | 31HOURLYSERVICE | Commissioning, Service, Training / Hour / Technician, 1-hour increments | 220.00 |
| 79900-006150 | 31PH0NESERVICE | Remote support, phone or via remote web meeting | 188.00 |
| 79900-006125 | 310NSITERETROFIT | Installation, customization / Hour / Technician, 1-hour increments | 328.00 |

NETAFIM USA 5470 E. HOME AVE. FRESNO, CA 93727 CS: 888 638 2346 WWW.NETAFIMUSA.COM



