

# GREENHOUSE & NURSERY PRICE LIST

**EFFECTIVE SEPTEMBER 15, 2022**

\*Updated April 1, 2024



Precision  
Agriculture



# CATEGORY CODES

<b>Netafim Pricing Category Codes</b>	<b>Description</b>
C	Uniram HWD
E	Online Drippers
I	Fittings
L	Landscape
M	Poly Tubing
N	Filters, Sand Media, Valves, Air Vents, Water Meters
V	FlexNet
Z	Greenhouse & Nursery Products

\*All category codes will be denoted near the item price listing as follows:

(C) (E) (I) (L) (M) (N) (V) (Z)

Please Note: We have added a category code (i.e. letter designation) near each product listing in the price list. This letter code identifies the product category. To request your multiplier by category code, please contact your Netafim Sales Representative.



# TABLE OF CONTENTS

Ordering Information .....	4	Pipe and Tubing	
Terms and Conditions .....	5	Black Polyethylene Tubing .....	25
Product Warranty .....	11	Black Polyethylene Pre-Punch Tubing .....	26
Spray Stake Assemblies		Bright White™ Polyethylene Tubing .....	26
PC Spray Stake Assemblies .....	15	Bright White™ Polyethylene Pre-Punch Tubing .....	26
Spray Stakes .....	15	Oval Tube .....	26
Flex Black Polyethylene Tubing .....	15	FlexNet™ Flexible Pipe .....	26
Pre-Cut Flex Black Polyethylene Tubing .....	15	Driplines	
Dripper and Stake Assemblies		Space-It™ Dripline .....	27
SlimLine EZ Close™ Weight Assemblies .....	16	UniRam Dripline .....	27
Dripper Stake Assemblies .....	16	Fittings and Connectors	
Components .....	16	Twist-Lock Fittings for Thinwall .....	28
NetBow™ .....	17	Twist-Lock and Insert Barb Fittings for Heavywall .....	28
Dripper Assemblies		3/4" Fittings and Connectors .....	28
Multi-Outlet Drinker Assemblies .....	18	FlexNet™ Start Connectors .....	28
Multi-Outlet Drinker Assembly Components .....	19	Filters	
Miscellaneous Components .....	19	Manual Disc Filters .....	29
Flex Black Polyethylene and PVC Tubing .....	19	Manual Screen Filters .....	29
Super Flex UV White™ Polyethylene Tubing .....	19	New Screeneguard Vertical Automatic Screen Filter .....	29
Pre-Cut Super Flex UV White™ Polyethylene Tubing .....	19	Automatic Disc-Kleen Filters .....	30
Drippers		Apollo Automatic Disc-Kleen Filters .....	30
WPCJ Drippers - Barbed Outlet .....	20	Scan-Kleen Screen Filters .....	30
WPCJ Drippers - Nipple Outlet .....	20	CentriForce SP Sand Separators .....	31
WPC Drippers - Nipple Outlet .....	20	New HydroCyclone Sand Separator .....	31
Sprinklers		Netafim Backflush Controllers .....	31
MegaNet Rotating Impact Sprinkler .....	21	Alex-Tronix Backflush Controllers .....	31
Vibro-Spray HF Sprinkler .....	21	Pressure Regulators .....	32
Sprinkler Components .....	21	Air Vents and Water Meters	
Sprinkler, Mister and Fogger Assemblies		Air Vents .....	33
Ordering Guidelines .....	22	Fertilizer Meters .....	33
Base Assemblies .....	22	Water Meters .....	33
Head Assemblies .....	23	Valves	
Components		Series 80 Nylon Control 2-Way Valves .....	34
Sprinkler, Mister and Fogger Components .....	24	Series 80 2-Way Valves with Controller .....	34
Assembly Components and Accessories .....	25	Aqua Pro Controller .....	34
		Series 80 Nylon Control 3-Way Valves .....	35
		3-Way Valves .....	35

# ORDERING INFORMATION

Netafim USA appreciates your business, and we maintain a policy of continued product improvement. For any ordering or pricing questions, contact our Customer Service Representatives at:

**NETAFIM USA CUSTOMER SERVICE**  
**888-638-2346 (888-NETAFIM)**  
**ORDERS FAX 800-695-4753    SUPPORT FAX 866-253-2550**  
**INTERNET ORDERS: [netafimorders@process.esker.net](mailto:netafimorders@process.esker.net)**  
**GENERAL CUSTOMER SERVICE E-MAIL: [us.customerservice@netafim.com](mailto:us.customerservice@netafim.com)**  
**5:00 AM - 5:00 PM PST**

PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.

## ORDERING GUIDELINES

The Netafim Dealer Portal is the most convenient way to place orders and obtain order status information. The Checkout page of the Netafim Dealer Portal will guide you to enter all required fields. Using the portal provides a greater chance of order accuracy. An accurate order is generally easier and quicker to process.

Use the following guidelines when placing an order by Fax or E-Mail with Netafim USA to ensure all the necessary information is provided.

1. Company Name and Netafim Account Number
2. Name of Person Placing Order and Phone Number
3. Shipping Information  
Name of Company or Individual Job Name or Reference (optional)  
Address (no PO Boxes) Contact Name and Phone Number (optional for parcels) City, State, Zip Code
4. Purchase Order Number
5. Requested Ship Date

If the required ship date is not known, provide an approximate date. In the absence of a delivery time set forth in the order confirmation, or subsequently provided by Netafim USA, the delivery date will be within ninety (90) days of the order confirmation. If you have requested a ship date, we will make every effort to target that date and time. If a specific date is given, the order will ship automatically, and you will not receive a call prior to pulling/packing/loading. For truck loads, the driver will call for an appointment. Please let us know if we are required to hold the order until we are notified to ship. Any changes to the original ship date must be communicated to Netafim Customer Service 48 hours prior to shipping. NOTE: Held orders are subject to restrictions and/ or may incur extra fees.

6. Ship Method  
If no preferences are specified, the order will ship best method at Netafim's discretion.
7. Netafim Item or Model Number for Products Needed  
Use the correct item or model number and do not use a number with a different description. Consult the Netafim Dealer Portal or your price list for the appropriate number or call Customer Service for assistance.
8. Specials or Price Quotes  
If any specials or price quotes apply to the order, include this information on the purchase order, or in the appropriate field of the shopping cart of the Netafim Dealer Portal. Special requests can also be added to the order comments section of the Netafim Dealer Portal.
9. Ship Order Complete  
Indicate if the order is to ship complete. If not indicated on the order, ship-complete will be the preferred order fulfillment method, but at Netafim's discretion, partial shipments are allowed.
10. Combining Orders  
If order is to be combined with other orders for shipping, indicate the other order numbers.

## ADDITIONAL GUIDELINES FOR TRUCKLOAD ORDERS

1. Ship to Address or Nearest City  
Is a delivery map required? If yes, map is required 24 hours prior to loading.
2. Provide Requested Delivery Date and Time of Arrival for Delivery Site
3. Provide Contact Name and Phone Number

# TERMS AND CONDITIONS

These Terms and Conditions (“Terms”) shall apply to the sale of all products supplied (“Products”) by Netafim Irrigation Inc. (“Netafim USA”) to a purchaser (the “Buyer”). These Terms shall govern such sale of Products and together with the Freight Terms, the product warranty, and Netafim USA’s written order acknowledgement and/or Netafim USA’s invoice (together, the “Commercial Documents”) shall constitute the entire Agreement (“Agreement”) between the Parties for the purpose of such sale. Any additional, different, or conflicting terms are hereby rejected, unless otherwise agreed in a signed contract by Netafim USA.

## PRICING

All prices shown are recommended retail prices. Wholesale prices are net prices discounted from list prices. All prices are subject to change without notice. No prices are firm until Netafim USA sends Buyer an order acknowledgement or invoice. Notwithstanding the preceding sentence, Netafim USA reserves the right to re-price Products to the then-current price when Products ship if any of the following apply: (1) Buyer schedules delivery of the Products more than 90 days from the date the initial order acknowledgement is sent to the Buyer by Netafim USA, (2) Buyer is notified by Netafim USA that the products are available for delivery on or before the originally requested shipping date and does not take delivery of the Products within 15 days of the originally requested shipping date, (3), Buyer does not take delivery within 15 days of the date the Buyer is notified by Netafim USA that the Products are available for delivery, if that date is after the requested shipping date, or (4) a Force Majeure Event substantially increases the cost or decreases the availability of a Product or a material input for that Product. Prices do not include taxes, freight or handling, or other surcharges. If appropriate, such charges will be billed separately on the invoice.

## PRODUCT CLASSIFICATION

Netafim USA’s Greenhouse and Nursery Price List represents our most commonly ordered Products as well as some reference to options, which may be available. If you have a product requirement for something you do not see listed, please call Customer Service for availability, price, and delivery times.

## PAYMENT TERMS

All invoices are payable in United States Dollars at net thirty (30) days from the date of invoice, unless otherwise agreed in writing. All past due balances will be assessed a monthly finance charge of eight-tenths of one percent (0.8%), or the highest amount allowed by law, whichever is less. All Payments made by the Buyer under these Terms shall be made in full without any deduction, set-off or counterclaim whatsoever. Any check or remittance received from or for the account of Buyer may be accepted and applied by Netafim USA against any debt owed by Buyer to Netafim USA without prejudice to or the discharge of the remainder of such indebtedness of any condition, provision, statement, legend, or notation appearing on or referring to or accompanying such check or remittance. Netafim USA will not accept any payment less than the entire debt as accord and satisfaction of such indebtedness except upon Netafim USA’s signed, written agreement.

## ACCOUNT STATUS

All orders are subject to credit review. Order processing and/or shipments may be held until Buyer’s account is current.

## MINIMUM ORDER

The minimum order amount for standard (stocked) products is one hundred dollars (\$100). A twenty-dollar (\$20) per order charge will be assessed on all Product orders less than the one-hundred-dollar (\$100) minimum. Non-standard items such as extruded products with special flows or pricing, or Products with unusual features, may have different minimum order requirements. See the price list for order minimums.

## SPECIAL ORDERS

We will work with you on any Special Order, Make-to-Order, or Custom requests. In the case of Special Orders or Custom requests, prices and delivery will be quoted, and the order will not be eligible for cancellation or return. Also, Special Orders or Custom requested products, manufactured or ordered to “non- standard” specifications, at Netafim USA’s discretion, may be shipped immediately upon availability. If accepted by Netafim USA, an order for Make-to-Order Products will not be produced until Buyer has provided a delivery date and shipping location to Netafim USA. Once the Product is manufactured, Buyer must authorize shipment of the Product within 15 days from the date originally requested for shipment. Returns of Make-to-Order Products are handled as listed below.

# TERMS AND CONDITIONS

## ORDER CANCELLATIONS

Buyer may not cancel an order unless such cancellation is expressly agreed to in writing by Netafim USA. Netafim USA has no obligation to cancel an order for Non-Standard, Make-to-Order, Custom or Special-Order Products after the Products have been manufactured, or received from a vendor, or a non-cancellable purchase commitment has been entered into with a vendor. If Netafim USA, at its sole discretion, agrees to cancel such an order, upon cancellation the Buyer may be charged 50% or more of the order value based on how saleable the Products are.

## PRODUCT CHANGES

Netafim USA reserves the right to redesign, alter, or modify its Products at any time, without notice. Any catalog, design manual, price sheets, and/or other written material are subject to withdrawal or change at any time without prior notice. Possession of the current catalog or price sheets does not constitute an offer to sell.

## PRODUCT INSTALLATION

Unless otherwise agreed by Netafim USA, Netafim USA does not provide advice or assistance in the installation of the Products by the Buyer or any third party.

## BAGGED PRODUCTS

Netafim USA has a number of Products that are packaged and sold in bagged or case quantities. Bagged parts are designated by placing a "-B" at the end of the product number. The quantities have been developed to provide the best value for the most standard quantities ordered and are intended for sale in the quantities listed. Order quantities will be rounded up to the nearest bag or case quantity at Netafim USA's discretion. Buyer can verify part numbers and quantities being ordered by using the Netafim USA Dealer Portal or the Netafim USA price list. Netafim USA shall not be held liable for the impact of Buyer mistakes in order quantities due to incorrect part numbers or quantities not matching bagged or case quantities.

## ACCEPTANCE

The Buyer acknowledges its responsibility for inspecting all Products shipped by Netafim USA to determine whether said Products are in conformity with Buyer's order, including whether all Products listed on the packing list have been shipped and whether the shipment contains any damaged Products. The Buyer agrees that fourteen (14) days from receipt of each shipment is a reasonable time in which to perform the inspection and notify Netafim USA of any nonconformity. If Netafim USA has not received a written notice of nonconformity within fourteen (14) days of the Buyer's receipt of the shipment, the Buyer hereby agrees that the Products shall be deemed to be accepted by the Buyer, as that term is defined by the California Commercial Code. To avoid any doubt, the Buyer's right to reject the shipment will be terminated. Also, if a written notice of nonconformity is not received within fourteen (14) days of the Buyer's receipt of the shipment, Netafim USA will be relieved of any obligation concerning the shipment, other than warranty obligations, and the Buyer will pay for the shipment in full. The Buyer shall bear the complete cost of the inspection in all circumstances. The Buyer agrees that Netafim USA will have an opportunity to cure any nonconforming shipment. The Buyer further agrees that, in the event that a notice of nonconformity is received by Netafim USA, the time for Netafim USA's performance under the Agreement will be extended for a reasonable time to allow Netafim USA to tender conforming Products or make reasonable repairs.

## RETURNS – STANDARD PRODUCTS

No Products may be returned without Netafim USA's written consent and authorization. Requests to return Products must be made within 120 days of receipt of shipment from Netafim USA and reference the Netafim USA invoice number. Any approved return must be accompanied by a return goods authorization (RGA) issued by Netafim USA, clearly marked on the exterior of the parcel, and shipped freight prepaid within 30 days of the RGA issue date. All Products must be new, in original packaging, and in salable condition. All approved returns may be subject to a restocking fee. Buyer will bear the costs of return freight. Any shipment not meeting these criteria will not be accepted. The intent to return Products does not relieve the Buyer of the obligation to pay for the Products per the terms of the original invoice. Credit will be given only after the authorized return is received and accepted at Netafim USA.

# TERMS AND CONDITIONS

## **RETURNS – NON-STANDARD PRODUCTS**

Non-Standard, Make-to-Order, Custom or Special-Order Products may not be eligible for return. Netafim USA may, at its sole discretion, deny the return of such non-standard products. If Netafim USA agrees to the return of such Products, the Products must be new, in original packaging, and in a saleable condition. The repurchase price offered for the return may be discounted 50% or more, based on how saleable the Products are. The intent to return Products does not relieve the Buyer of the obligation to pay for the Products per the terms of the original invoice. Credit will be given after the authorized return is received and accepted by Netafim USA.

## **RETURN OF DEFECTIVE PRODUCTS**

Netafim USA will be responsible for the return shipping of Products that are defective upon arrival, other than Products damaged in transport by the carrier. A Notice of Defect must be received by Netafim USA within fourteen (14) days of Buyer's receipt of said Products. The Buyer agrees that failure to give a Notice of Defect within such time is a waiver of any defect. Prior approval from the Buyer's District Sales Manager and an RGA must accompany all returns. Credit will not be given until the Product has been received by Netafim USA and approved for warranty.

## **PARTIAL SHIPMENTS/COMPLETE SHIPMENTS**

Netafim USA's goal is to ship Buyer orders complete and within the requested delivery time. Netafim USA may ship orders from any available warehouse, to meet requested delivery dates, unless otherwise specified by the Buyer. Partial shipments may be made at the request of the Buyer, at the sole discretion of Netafim USA. On orders where partial shipments are requested by the Buyer, Netafim USA at its discretion may ship and backorder open items on the order. Netafim USA may charge additional shipping and handling costs to Buyer incurred by partial shipments of an order.

## **DELIVERY PERFORMANCE**

Netafim USA will use commercially reasonable efforts to meet the delivery dates, specifications, and quantities set forth in an order acknowledgement. Netafim USA will not be liable for nonconformity, losses, damages, or delays suffered by the Buyer or any third party for any failure to meet the delivery dates, specifications, and quantities. If Netafim USA cannot meet the delivery date, it will notify the Buyer and use reasonable endeavors to make delivery within a reasonable time. Buyer must accept delivery and pay the Price thereof irrespective of such delay. In the absence of a delivery time set forth in the order acknowledgement, or subsequently provided by Netafim USA, the delivery date will be within ninety (90) days of the order acknowledgement.

## **STANDARD FREIGHT TERMS**

FOB Origin, per the Uniform Commercial Code (UCC) definition. Standard shipping method is Netafim USA's choice of carrier, shipped prepaid and added to the Buyer invoice. Shipments will be made within a one hundred fifty (150) mile radius of an authorized Buyer's store.

## **FREIGHT POLICY**

In consideration for the Buyer placing orders that meet minimum thresholds, as defined in the Freight Policy Statements (see FREIGHT CHARGES below), Netafim USA will provide freight allowances that may completely or partially reimburse the cost of freight. Unless otherwise agreed, the allowances will be applied against the cost of Transportation. For the purposes of this policy, "Transportation" is defined as the cost of basic freight plus fuel surcharges, using preferred carriers, with standard trucks (closed box trailer without lift gate), standard loading methods, and no accessorial charges, i.e., Best Method Transportation. Buyer requests for non-standard Transportation that results in additional costs, may be invoiced to the Buyer. Accessorial Services (non-standard services such as Lift Gates, Pallet Jacks, Driver Assist, etc.) may be charged separately on the invoice. If non-standard Transportation or Accessorial Services are billed to the Buyer, "Freight Free" shall mean that Transportation costs only will be fully reimbursed.

## **FREIGHT CHARGES**

Netafim USA's method for charging freight, including freight allowances and order thresholds, will be communicated separately to Buyers in separate Freight Policy Statements.

# TERMS AND CONDITIONS

## **FREIGHT DAMAGES**

The Buyer acknowledges that risk of loss during transport is on the Buyer. Netafim USA is not liable for damage or loss occurring during shipment. Claims for such damages must be filed with the freight carrier directly. Freight damage and obvious box or pallet count shortages must be noted on the bill of lading at the time of goods receipt. Failure to do so will forfeit any remedy for such claims.

## **EXPORT COMPLIANCE**

The "Products" sold or distributed by Netafim USA (i.e., commodities, technology, or software) when exported from the United States are subject to the Export Administration Regulations ("EAR") administered by the U.S. Department of Commerce. Buyer hereby certifies that it understands its obligations to comply with U.S. export controls and trade sanctions. These include the EAR and the laws and regulations implemented by the U.S. Department of the Treasury, Office of Foreign Assets Control ("OFAC"). Buyer agrees to obtain any necessary authorization to transfer the Products outside the U.S. (and to non-U.S. persons within the U.S.) including to any (i) country/territory, (ii) end-user (i.e., individual or entity), or (iii) end-use subject to U.S. trade/economic sanctions under the EAR or by OFAC. Diversion of the Products by foreign persons contrary to U.S. law is prohibited.

## **FORCE MAJEURE**

Except for any obligation of the Buyer to pay any money due to Netafim USA, neither party will be liable for any delay or failure to perform any obligation hereunder caused by a Force Majeure Event. The Party claiming the Force Majeure Event will (A) promptly notify the other Party in writing of the Force Majeure Event and its likely duration, and (B) will take reasonable steps to overcome the delay or stoppage. "Force Majeure Event" means an event, condition, or circumstance beyond a party's reasonable control including, without limitation: industrial disputes, strikes, lockouts, accident, breakdown, import or export restrictions, acts of God, fire, inclement weather, earthquake, epidemic, or pandemic (including COVID-19 or similar), acts or threats of terrorism, war, criminal acts (including but not limited to cybercrimes), failure of public infrastructure, or other similar circumstances.

## **INTELLECTUAL PROPERTY**

The Buyer acknowledges that any and all Intellectual Property associated with the Products is exclusively owned by Netafim USA or its affiliates. The Buyer shall not take any action that will impair the ownership and rights of Netafim USA in and to the Intellectual Property. Buyer undertakes that it will not obliterate, remove, conceal, or modify any Intellectual Property appearing on or in any Products, nor will it append any additional marks thereto. The Buyer shall not copy, modify, publish, transmit, transfer, sell, reproduce, create derivative works from, distribute, perform, display, or in any way exploit any of the Intellectual Property. The Buyer may not use Seller's name, logos or trademarks or any other Intellectual Property on any website. "Intellectual Property" shall mean for the purposes herein any patent, copyright, industrial design, trademark, tradename or other industrial or intellectual property right in respect of the Products and applications for any of the foregoing.

## **CHANGE OF CONTROL OR OWNERSHIP**

Prior to the occurrence of a Change of Control event, the Buyer shall notify Netafim USA in writing at least 14 days prior to the occurrence of such Change of Control. In the event of a Change of Control in Buyer, Netafim USA may, at its sole discretion, terminate the engagement with the Buyer under the Agreement. "Change of Control" means, with respect to the Buyer (i) any merger or consolidation with or into any other entity or any other similar transaction, whether in a single transaction or a series of related transactions, (ii) a transaction or series of related transactions in which 50% or more of Buyer's voting power is transferred to any person or entity, or (iii) the sale or transfer of all or substantial amount of the Buyer's assets.

## **COMPLIANCE WITH LAWS, ANTI-CORRUPTION AND BRIBERY**

Buyer further represents and warrants to Netafim USA that:

- a. It will conduct itself in accordance with all applicable laws and regulations in carrying out his duties under these Terms.
- b. It and its applicable stakeholders, including, inter alia, any owner, shareholder (direct or beneficial), officer, director, employee, agent, third party representative, subcontractor, contractor, or other individual with any direct or indirect beneficial interest, shall comply with Anti-Corruption Laws (defined below) and shall not cause Netafim USA, its subsidiaries or affiliates to be in violation of any Anti-Corruption Law. "Anti-Corruption Laws" mean collectively all applicable foreign and domestic anti-bribery and anti-corruption laws, regulations, orders, judicial decisions, conventions and international financial institution rules regarding domestic or international corruption, bribery, ethical business conduct, money laundering, political contributions, gifts and gratuities, or lawful expenses to public officials and private persons, agency relationships, commissions, lobbying, books and records, and financial controls.



# TERMS AND CONDITIONS

c. Neither it nor any of its affiliates or representatives have, directly or indirectly, taken any action that would cause them to be in violation of any Anti-Corruption Laws.

d. It, its owners, directors, employees and its agents, have not and will not pay, offer, or promise to pay any money, financial benefit or thing of value to any government, or party official, candidate or employee at any level, including employees of state owned or controlled enterprises ("Government Officials") (i) for the purpose of influencing any act or decision of such person or party in order to obtain or retain business, or to direct business to any person; or (ii) with regards to Government Officials and/or private individuals, induce that person to or reward that person not to perform its functions in connection with that person's employment or engagement.

e. The Buyer represents and warrants that no owner, shareholder (direct or beneficial), officer, director, employee, agent, third party representative, subcontractor, contractor, or other individual with any direct or indirect beneficial interest in Buyer (collectively, "Interested Persons"), is a Public Official or Entity. A "Public Official or Entity" means (i) an officer, employee, agent, contractor or representative of any government or military, including, but not limited to, a customs official; (ii) any department, agency, corporate entity, instrumentality or political subdivision of any government or military; (iii) any person or commercial entity acting in an official capacity for or on behalf of any government or military; (iv) any candidate for political office, any political party or any official of a political party. Buyer shall notify Netafim USA immediately if it learns at any time that (i) an Interested Person becomes a Public Official or Entity, or (ii) a Public Official or Entity acquires an ownership, voting, or economic interest in Buyer.

f. It is neither a governmental entity, agency, or instrumentality, nor is it owned by a governmental entity, agency, or instrumentality; and no owner, shareholder (direct or beneficial), officer, director, employee, agent, third party representative, subcontractor, contractor, or other individual with any direct or indirect beneficial interest in Buyer is a foreign Public Official or Entity.

g. In the event of a breach of the obligations contained in this clause, the sale under these Terms is void.

h. The Buyer (a) is not a Sanctioned Person, (b) has not, in the past five (5) years engaged in, has any plan or commitment to engage in, direct or indirect dealings with any Sanctioned Person or in any Sanctioned Country, or (c) has in the past five (5) years violated, or engaged in any conduct sanctionable under, any Sanctions Law, nor been the subject of an investigation or allegation of such a violation or sanctionable conduct. The Buyer shall conduct itself in accordance with Sanction Laws for the performance of its obligations under these Terms.

## i. Definitions

i. "Sanctioned Person" means, at any time, (a) any person listed in any sanctions-related list of designated persons maintained by the Office of Foreign Assets Control of the U.S. Department of the Treasury, the U.S. Department of State, or by the United Nations Security Council, the European Union or any European Union member state, (b) any person operating, organized or resident in a Sanctioned Country or (c) any person owned or controlled by any such person or persons described in the foregoing clauses (a) or (b).

j. "Sanctioned Country" means at any time, a country or territory which is the subject or target of any economic or financial sanctions or trade embargoes.

k. "Sanction Laws" means laws and executive orders of the United States of America, the United Nations Security Council, the European Union the United Kingdom, and the applicable laws of the jurisdictions under which the Buyer operates, imposing economic or financial sanctions or trade embargoes, and regulations implementing such laws and executive orders.

## NOTICES

Notices or other communications provided for in these Terms shall be in writing and shall be delivered, given or otherwise provided (i) by hand, in which case, will be effective upon delivery, (ii) email, in which case, on the date sent if sent during normal business hours of the recipient, and on the next business day if sent after normal business hours of the recipient, or (iii) by overnight delivery by an internationally recognized courier service, prepaid for next day delivery, in which case, it will be effective two (2) business days after being deposited with such courier service.

# TERMS AND CONDITIONS

## **NO WAIVER OF NETAFIM USA'S RIGHTS**

Neither Netafim USA's failure or delay to exercise any power or privilege under these Terms or failure to insist upon strict compliance by the Buyer with any obligation herein, nor any custom or practice of Netafim USA or Buyer shall constitute any waiver of any of Netafim USA's rights hereunder. Waiver by Netafim USA of any default of the Buyer must be in writing and shall not affect or impair Netafim USA's rights in respect of any subsequent or future default.

## **ASSIGNMENT**

Buyer shall not assign any of its rights or obligations hereunder to any other entity, without the Seller's prior written consent. These Terms shall inure to the benefit of the Parties hereto and their permitted successors and assigns.

## **SEVERABILITY**

If anything in these Terms shall be held unenforceable, illegal, or void by a court of competent jurisdiction then it shall be severed, and the rest of these Terms shall remain in full force to the extent possible.

## **GOVERNING LAWS AND JURISDICTION**

These Terms shall be governed by the laws of the State of California. The parties submit to the exclusive venue and jurisdiction of the state and federal courts of Fresno County, California.

# PRODUCT WARRANTY

## NETAFIM USA'S LIMITED WARRANTY/LIMITATION OF BUYER'S REMEDIES

### (A) BASIC MANUFACTURER'S LIMITED WARRANTY

Except as to products described in Subsections (B), (C), (D), (E), (F), (G), (H) and (I), products sold and/or manufactured by Netafim Irrigation, Inc. (Netafim USA) are warranted to be free from original defects in material and workmanship for a period of one (1) year from the date of delivery to the buyer unless (a) otherwise specified by and subject to the terms and conditions of any Warranty Supplements pertaining to specific products or, (b) expressly disclaimed in writing by Netafim USA. Within the warranty period, Netafim USA at its sole discretion shall have the option to repair or replace part or all of a defective product, or refund part or all of the original purchase price, if any part proves to be defective in material or workmanship after return of such product at Buyer's expense and after such return has been authorized in writing by Netafim USA. THIS BASIC MANUFACTURER'S LIMITED WARRANTY IS SUBJECT TO THE TERMS AND PROVISIONS IN SUBSECTION (i), (LIMITATION OF REMEDIES AND DISCLAIMER OF WARRANTIES) SET FORTH BELOW IN THE EVENT OF ANY INCONSISTENCY BETWEEN SUBSECTION (A) AND SUBSECTION (i) OF THIS PRODUCT WARRANTY, THE PROVISIONS OF SUBSECTION (i) SHALL PREVAIL.

### (B) DRIPPERS

Drippers are warranted to be free from original defects in materials and workmanship for a period of five (5) years.

NetBow is warranted to be free from original defects in materials and workmanship for a period of two (2) years.

### (C) HEAVYWALL DRIPLINES AND BLANK POLYETHYLENE TUBING

Heavywall driplines and blank polyethylene tubing are warranted to be free from original defects in materials and workmanship for a period of seven (7) years and ten (10) years for environmental stress cracking. This warranty shall apply only to products with a wall thickness of 35 mil or greater.

### (D) FLEXIBLE PIPE AND OVAL TUBE

FlexNet flexible pipe is warranted for three (3) years. Oval tube: 42 psi (pro-rated) is warranted for seven (7) years and 21 or 29 psi (pro-rated) is warranted for two (2) years.

#### 42 psi

Within 3 Years	Within 4 Years	Within 5 Years	Within 6 Years	Within 7 Years
100%	80%	60%	40%	20%

#### 21 or 29 psi

Within 1 Year	Within 2 Years
100%	50%

### (E) THINWALL DRIPLINES

Warranted to be free from original defects in materials and workmanship as follows:  
 5, 6 and 8 mil dripline - 1 year; 10, 13, 15, 18, 25 mil, 1 1/8 and 1 3/8 dripline - 2 years

### (F) FILTERS

Disc filters are warranted to be free from original defects in materials and workmanship for a period of five (5) years. This warranty specifically excludes gaskets, seals and o-rings, which are subject to the basic one (1) year warranty. Steel screen filters, Sandstorm filters and Screenguard filters are warranted for five (5) years..

# PRODUCT WARRANTY

## (G) VALVES AND WATER METERS

Valve and water meter bodies are warranted to be free from original defects in materials and workmanship for a period of five (5) years. Water meter metering components (register, electrical output, and metering assembly) are warranted for three (3) years. Valve and Hydrometer diaphragms are warranted for a period of two (2) years. This warranty specifically excludes pilots, pilot accessories, relays, solenoids, solenoid components/fittings, which are subject to the basic one (1) year warranty. Octave water meters are warranted to be free from original defects in materials and workmanship for a period up to five (5) years. If the meter encounters a problem, Netafim USA will choose to cover the cost of repair or replacement based on a five (5) year pro-rated schedule as follows:

Year 0 through Year 2: 100%	Year 2 through Year 3: 75%
Year 3 through Year 4: 50%	Year 4 through Year 5: 25%

All Octave water meters must be installed with a Netafim branded Combination Air/Vacuum or Continuous Acting Air Vents to qualify for the five (5) year pro-rated product warranty.

## (H) AIR VENTS

Nylon air vent bodies are warranted to be free from original defects in materials and workmanship for a period of five (5) years. Polypropylene air vent bodies are warranted for two (2) years. This warranty specifically excludes internal seals, gaskets or o-rings which are subject to the basic one (1) year warranty.

## (I) SPRINKLERS

MegaNet Sprinklers are warranted to be free from original defects in material and workmanship for a period of one (1) year. Under a special extended warranty, SuperNet Sprinklers, Spray Jets and NetJet Spray Jets are warranted for a period of five (5) years. Buyer's remedy shall be limited to and pro-rated as follows:

### APPLICABLE REMEDY FROM DATE OF PURCHASE

Within 1 Year	Within 2 Years	Within 3 Years	Within 4 Years	Within 5 Years
100%	80%	60%	40%	20%

## (i) LIMITATION OF REMEDIES AND DISCLAIMER OF WARRANTIES

EXCEPT AS EXPRESSLY PROVIDED HEREIN, ALL WARRANTIES EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR USE, ARE HEREBY EXCLUDED AND DISCLAIMED.

THE REMEDIES PROVIDED HEREIN SHALL BE THE EXCLUSIVE AND SOLE REMEDY OF THE BUYER. NO OTHER EXPRESS WARRANTY IS GIVEN AND NO AFFIRMATION BY NETAFIM USA, BY WORDS OR ACTION, WILL CONSTITUTE A WARRANTY. NO OTHER EXPRESS WARRANTY NOR ANY OTHER REMEDY SHALL BE AVAILABLE TO THE BUYER AND NETAFIM USA SHALL NOT BE RESPONSIBLE OR LIABLE FOR ANY DAMAGES, INCLUDING ANY LOSS OF

PROFIT, LOST SAVINGS, LOSS OF SALES, OR OTHER DIRECT, INDIRECT, INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES, INJURY OR DAMAGES TO ANY PERSON OR PROPERTY ARISING OUT OF THE USE OR INABILITY TO USE THE PRODUCTS OR THE BREACH OF ANY EXPRESS WARRANTY, EVEN IF NETAFIM USA HAS BEEN ADVISED OF THE POSSIBILITY OF THOSE DAMAGES OR CLAIMS. NETAFIM USA SHALL NOT BE RESPONSIBLE FOR THE AFORESAID DAMAGES, CLAIMS OR LOSSES DUE TO LATE DELIVERY OR DELIVERY OR NON-DELIVER, OR OTHERWISE. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION AS SET FORTH HEREIN. IF NETAFIM USA SHALL FURNISH TECHNICAL ADVICE OR ASSISTANCE WITH RESPECT TO THE PRODUCTS SOLD HEREUNDER, IT SHALL BE GIVEN WITHOUT CHARGE TO BUYER AND SHALL BE GIVEN AND ACCEPTED AT BUYER'S SOLE RISK WITHOUT ANY EXPRESS OR IMPLIED WARRANTY AND NETAFIM USA SHALL NOT BE RESPONSIBLE OR LIABLE FOR THE ADVICE OR THE RESULTS THEREOF BUYER ASSUMES ALL RISK AND LIABILITY RESULTING FROM USE OF THE PRODUCT PURCHASED.

# PRODUCT WARRANTY

This warranty is expressly conditioned upon proper storage, installation, application, and normal agriculture use and service as recommended by Netafim USA. Such recommendations may be updated from time to time. Any misuse, neglect, modifications, unauthorized repairs, or replacement or uses of the product and/or any of its components for non-agriculture purposes not recommended by Netafim USA, including but not limited to the following, shall completely void this warranty:

- (I) Irrigation water which has not been filtered or treated to the levels specified for individual components of the product by Netafim.
- (II) Chemical concentrates, used or applied internally or externally to the product, or mechanical abuse which is harmful to the product or its components.
- (III) Operating pressures greater than those specified by Netafim's individual component specifications.
- (IV) Damage or plugging caused by insects, rodents, other animals, improper installation, or other mechanical damage.

THE EXPRESS WARRANTY PROVIDED HEREIN IS EFFECTIVE ONLY IF CLAIM IS MADE BY WRITTEN NOTICE WITHIN THE APPLICABLE WARRANTY PERIOD AND POSTMARKED WITHIN THIRTY (30) DAYS AFTER DISCOVERY OF THE DEFECT ON WHICH THE CLAIM IS BASED. SUCH NOTICE SHALL BE DELIVERED TO NETAFIM USA AT THE FOLLOWING ADDRESS:

**NETAFIM USA ATTN: PRODUCT MANAGEMENT  
5470 EAST HOME AVENUE FRESNO, CA 93727**

The buyer shall, together with its notice of claim, offer Netafim USA in writing prompt opportunity to examine the defective product and correct the defect, if possible. This warranty shall be void unless buyer delivers the defective product to Netafim USA at buyer's sole cost and in accordance with Netafim USA's instructions.

# PRODUCT WARRANTY

## PRODUCT WARRANTIES

Product Description	Warranty Length
<b>AIR VENTS</b>	
Nylon Bodies	5 Years
Polypropylene Bodies	2 Years
Gaskets, Seals, O-Rings	1 Year
<b>DISC FILTERS</b>	5 Years
Gaskets, Seals, O-Rings	1 Year
<b>DRIPPERS</b>	
NetBow	2 Years
<b>WATER METERS</b>	
Metering Component	5 Years
Bodies	5 Years
Octave (Pro-Rated Schedule Applies)	
<b>HEAVYWALL DRIPLINES</b>	
Manufacturer's Defects	7 Years
Uniram, Uniram XRS, Aries, DripNet PC	
Environmental Stress Cracking (35 mil/greater)	10 Years
Uniram, Uniram XRS, Aries, DripNet PC	1 Year
<b>HEAVYWALL FITTINGS</b>	
<b>SPRINKLERS &amp; SPRAY JETS</b>	
(Pro-Rated Schedule Applies)	5 Years
Sprinkler Components	1 Year
MegaNet	5 Years
<b>STEEL SAND MEDIA FILTERS (Body Only)</b>	
Sand Media Filter Component	5 Years
<b>STEEL SCREEN FILTERS (Body Only)</b>	
Screen Filter Component	1 Year
<b>SCAN-KLEEN SCREEN FILTERS</b>	
<b>POLYETHYLENE TUBING</b>	
Manufacturer's Defects	10 Years
Environmental Stress Cracking (35 mil/greater)	3 Years
<b>FLEXNET FLEXIBLE PIPE</b>	
<b>OVAL TUBE</b>	
42 psi pro-rated	2 Years
21 or 29 psi pro-rated	1 Year
<b>PRESSURE REGULATORS</b>	
<b>THINWALL DRIPLINES</b>	
5, 6 or 8 mil Streamline X 630/875	1 Year
8 mil Typhoon Plus (all)	2 Years
10 mil Streamline X 630/875	2 Years
10, 13 or 15 mil Typhoon Plus 630/875	2 Years
13 or 15 mil Aries 638/875	2 Years
13 or 15 mil Aries and Typhoon Plus 990	2 Years
Aries and Typhoon Plus 1 1/8 and 1 3/8	2 Years
DripNet PC	1 Year
Splicer	1 Year
<b>THINWALL FITTINGS</b>	
<b>VALVES</b>	
Bodies	2 Years
Diaphragms	1 Year

# SPRAY STAKE ASSEMBLIES

## PC SPRAY STAKE ASSEMBLIES

Pressure Compensating - Standard with Flex PE Tubing

For complete assembly: Order one (A) Dripper Assembly and one (B) PC Spray Stake (Z)


Item Number	Model Number	Stake	Pattern	Tube Length	Pack Qty	Price Pack	Price Each
<b>3.2 GPH PLUM STAKE</b>							
A 40201-002020	01PSD032-36B	-	-	36"	25	29.75	1.19
A 40201-024700	01PSD032-48B	-	-	48"	25	31.75	1.27
B 22500-002030	01PSDS-PL1-B	Standard	Single	-	50	23.50	0.47
<b>6.6 GPH GREY STAKE</b>							
A 40201-002320	01PSD066-36B	-	-	36"	25	29.75	1.19
A 40201-024800	01PSD066-48B	-	-	48"	25	31.75	1.27
B 22500-002130	01PSDS-GY1-B	Standard	Single	-	50	23.50	0.47
B 22500-002230	01PSDS-GY2-B	Standard	Double	-	50	23.50	0.47
<b>7.9 GPH BROWN STAKE</b>							
A 40201-024950	01PSD079-36B	-	-	36"	25	29.75	1.19
A 40201-024960*	01PSD079-48B	-	-	48"	25	31.75	1.27
B 22500-002740	01PSDS-BR1-B	Standard	Single	-	50	23.50	0.47
B 22500-003100	01PSDS-BR2-B	Standard	Double	-	50	23.50	0.47
<b>10.6 GPH BLUE STAKE</b>							
A 40201-024910	01PSD106-36B	-	-	36"	25	29.75	1.19
A 40201-024900	01PSD106-48B	-	-	48"	25	31.75	1.27
B 22500-002420	01PSDS-BL1-B	Standard	Single	-	50	23.50	0.47
B 22500-002670	01PSDS-BL2-B	Standard	Double	-	50	23.50	0.47

Minimum operating pressure - 22 psi

**NOTE:** Sold in Pack Quantities ONLY.  
12 Gauge metal rod not included.

**EXAMPLE:** To order a 6.6 GPH grey double sided PC spray stake with a 36" lead: **Select (A) 40201-002320 and (B) 22500-002230**

\* Not Stocked Item



## SPRAY STAKES

Non-Pressure Compensating (Z)

Item Number	Model Number	Description	Bag Qty	Price Bag	Price Each
22500-001030	01SSYL-B	Yellow Stake 3.0 GPH	100	34.30	0.34
22500-001120	01SSGN-B	Green Stake 5.0 GPH	100	34.30	0.34
22500-001220	01SSBK-B	Black Stake 7.0 GPH	100	34.30	0.34

**NOTE:** Sold in Bag Quantities ONLY.



## FLEX BLACK POLYETHYLENE (PE) TUBING (5/3 mm) (Z)

Item Number	Model Number	Description	Coil Length	Price Coil (ea)	Price Per 1,000'
40001-002000	15FPE53	Flex Black PE Tubing 5/3 mm	3,000'	270.00	90.00
40001-001980	15FPE53-1000	Flex Black PE Tubing 5/3 mm	1,000'	100.00	100.00

## PRE-CUT FLEX BLACK POLYETHYLENE (PE) TUBING (5/3 mm) (Z)

Item Number	Model Number	Length	Pack Qty	Price Pack	Price Each
40001-001300	15FPE53-36	36"	100	57.00	0.57
40001-001400	15FPE53-48	48"	100	74.00	0.74

**NOTE:** Sold in Pack Quantities ONLY.

# DRIPPER AND STAKE ASSEMBLIES

## SLIMLINE EZ CLOSE™ WEIGHT ASSEMBLIES (0.5 GPH)

Pressure Compensating with Check Valve and Shut-Off Feature  
Standard with Super Flex UV White PE Tubing

(Z)

Item Number	Model Number	Tube Length	Pack Qty	Price Pack	Price Each
40201-015402	01HBA2W-18	18"	25	35.75	1.43
40201-015403	01HBA2W-24	24"	25	38.25	1.53
40201-015405	01HBA2W-36	36"	25	41.25	1.65
40201-015406	01HBA2W-48*	48"	25	53.25	2.13

\*All tube lengths greater than 36" are assembled with a WPC5 dripper. 1.06 and 2.11 GPH also available.

NOTE: Sold in Pack Quantities ONLY.

WPCJ DRIPPER  
.53 GPH  
01WPCJL2-B OR  
21520-001040

SUPER FLEX UV  
WHITE PE TUBE  
15FPEW53-XX

SLIMLINE EZ  
CLOSE WEIGHT  
1107008SC-B OR  
00130-000033



## DRIPPER STAKE ASSEMBLIES (0.5 GPH)

Pressure Compensating with CNL Check Valve Feature  
Standard with Super Flex UV White PE Tubing

(Z)


Item Number	Model Number	Tube Length	Pack Qty	Price Pack	Price Each
40201-020600	01WPCJL2AW-24	24"	25	31.75	1.27
40201-020700	01WPCJL2AW-30	30"	25	33.00	1.32
40201-021000	01WPCJL2AW-36	36"	25	34.25	1.37

1.06 and 2.11 GPH assemblies also available.


NOTE: Sold in Pack Quantities ONLY.

WPCJ DRIPPER  
.53 GPH  
01WPCJL2-B OR  
21520-001040

SUPER FLEX UV  
WHITE PE TUBE  
15FPEW53-XX



ANGLE BARBED STAKE  
1101001-B OR  
32000-001806



## DRIPPER AND SPRAY STAKE ASSEMBLY COMPONENTS

(Z)

Key	Item Number	Model Number	Description	Bag Qty	Price Bag	Price Each
1	32500-001125	1109006-B	5 mm Insert Connector - Barb x Threaded	250	61.25	0.25
2	32000-002525	11002520-B	5 mm Elbow	50	12.50	0.25
3	32000-002030	11WPCON-B	3 mm Flex Tube Adapter (for nipple outlet drippers)	250	53.75	0.22
4	32000-001806	1101001-B	Angle Barbed Stake	250	67.25	0.27
5	32000-002220	1107008C-B	Red Plastic Weight with Shut-off Feature	25	19.25	0.77
6	32500-001335	11090552-B	5 mm Tee Barb x Threaded x Threaded	250	81.75	0.33
7	00130-000033	1107008SC-B	Slimline EZ Close White Weight	25	18.50	0.74

NOTE: Sold in Bag Quantities ONLY.



# DRIPPER AND STAKE ASSEMBLIES

## NETBOW™

Container Irrigation with Multi-Outlet Drinker Arc

(Z)

Item Number	Model Number	Description	Carton, Pk, Coil, Bag Qty	Price Carton, Pk, Coil, Bag	Price Each
77470-000004	NETBOW5F-CART	NetBow 5" 4 Outlets Fldable Legs 120/CAR	120	438.00	3.65
77470-000002	NETBOW10BF-CART	NetBow 10" 8 Outlet BRB FLD LEG 50/CAR	50	273.60	4.56
77470-000108**	NETBOW10-18	NetBow 10" 8 Outlets Barb BKPE 18" 50/BX	50	335.40	5.59
77470-000109**	NETBOW10-18WH	NetBow 10" 8 Outlets Barb WHPE 18" 50/BX	50	336.00	5.60
77470-000110**	NETBOW10-24WH	NetBow 10" 8 Outlets Barb WHPE 24" 50/BX	50	339.00	5.65
77470-000111**	NETBOW10-30WH	NetBow 10" 8 Outlets Barb WHPE 30" 50/BX	50	343.80	5.73
77470-000112**	NETBOW10-36WH	NetBow 10" 8 Outlets Barb WHPE 36" 50/BX	50	349.20	5.82
77470-000120*	NETBOW10-18WH-DRZ	NETBOW 10" 8 Outlets ELB WHPE 18" DR ZIP 50/BOX	50	372.60	6.21

## ASSEMBLIES

(Z)

32000-002525	11002520-B	5 mm elbow	50	12.50	0.25
32000-002030	11WPCON-B	3 mm flex tube adapter (for nipple outlet drippers)	250	53.75	0.22
40005-000256	15FPEW53-18	18" Pre-Cut Super flex uv white pe tubing (5/3 mm)	100	35.00	0.35
40005-000251	15FPEW53-24	24" Pre-Cut Super flex uv white pe tubing (5/3 mm)	100	39.00	0.39
40005-000250	15FPEW53-30	30" Pre-Cut Super flex uv white pe tubing (5/3 mm)	100	48.00	0.48
40005-000253	15FPEW53-36	36" Pre-Cut Super flex uv white pe tubing (5/3 mm)	100	57.00	0.57

## HUB CONNECTIONS (PC, PCJ, DR. ZIP)


(I)

32000-010960	DRZIP-B1000	DR. ZIP	1000	310.00	.31
32000-010961	DRZIP-B50	DR. ZIP 50/BAG	50	17.00	.34
32000-010962	DRZIP-B100	DR. ZIP 100/BAG	100	34.00	.34

\* Not Stocked Item

\*\* Requires Assembly Time

**NOTE:** NetBow sold in carton quantity ONLY.




# DRIPPER ASSEMBLIES

## MULTI-OUTLET DRIPPER ASSEMBLIES

For a complete assembly, order one **A** Manifold Assembly and one **B** Woodpecker Pressure Compensating Junior Dripper.

The flow per arrow dripper is equal to the dripper flow divided by the number of arrow drippers on that assembly. To ensure plants will receive equal water flow, use the same assemblies on each zone.



## FLAT 4-WAY MULTI-OUTLET DRIPPER ASSEMBLIES

Standard with Super Flex UV White PE Tubing

(Z)



Item Number	Model Number	Arrow Dripper	Tube Lengths	Pack Qty	Price Pack
40201-002550	014DM-1818F	Standard	(4) at 18"	25	82.00
40201-002600*	014DM-1818FS	Short	(4) at 18"	25	73.00
40201-003200	014DM-1830F	Standard	(2) at 18" & (2) at 30"	25	90.75
<b>A</b> 40201-003300	014DM-1830FS	Short	(2) at 18" & (2) at 30"	25	82.00
40201-003600	014DM-2424F	Standard	(4) at 24"	25	90.00
40201-003800	014DM-2424FS	Short	(4) at 24"	25	82.00
40201-003900	014DM-2436F	Standard	(2) at 24" & (2) at 36"	25	95.50
40201-004400	014DM-3030F	Standard	(4) at 30"	25	96.25
<b>B</b> 21520-001740	01WPCJL8N-B	WPC Jr. Dripper 2.11 GPH		250	111.00

\* Not Stocked Item

NOTE: Sold in Pack Quantities ONLY.

## FLAT STACKABLE MULTI-OUTLET DRIPPER ASSEMBLIES

Standard with Super Flex UV White PE Tubing

(Z)



Item Number	Model Number	Arrow Dripper	Tube Lengths	Pack Qty	Price Pack
40201-007500*	014DMS-1818F	Standard	(4) at 18"	25	82.00
<b>A</b> 40201-008000*	014DMS-2424F	Standard	(4) at 24"	25	90.00
40201-008200*	014DMS-2436F	Standard	(2) at 24" & (2) at 36"	25	95.50
40201-008400	014DMS-3030F	Standard	(4) at 30"	25	96.25
<b>B</b> 21520-001740	01WPCJL8N-B	WPC Jr. Dripper 2.11 GPH		250	111.00

\* Not Stocked Item

NOTE: Sold in Pack Quantities ONLY.

## FLAT 2-WAY MULTI-OUTLET DRIPPER ASSEMBLIES

Standard with Super Flex UV White PE Tubing


(Z)



Item Number	Model Number	Arrow Dripper	Tube Lengths	Pack Qty	Price Pack
<b>A</b> 40201-001500	012DM-2424F	Standard	(2) at 24"	25	51.50
40201-001700	012DM-3030F	Standard	(2) at 30"	25	54.75
<b>B</b> 21520-001540	01WPCJL4N-B	WPC Jr. Dripper 1.06 GPH		250	111.00

NOTE: Sold in Pack Quantities ONLY.


# COMPONENTS



## MULTI-OUTLET DRIPPER ASSEMBLY COMPONENTS (Z)

Key	Item Number	Model Number	Description	Bag Qty	Price Bag	Price Each
1	32000-002570	01ADP4WPF-B	Flat 4-Way Manifold	100	33.30	0.33
2	32000-002589	01ADP4WPFS-B	Flat 4-Way Stackable Manifold	100	33.30	0.33
3	32000-002538	01ADP2WPF-B	Flat 2-Way Manifold	100	37.60	0.38
4	22000-001320	01MODS-A-ANG-B	Angle Arrow Dripper (6 3/8" length)	100	37.60	0.38
5	22000-000920	01MODS-A-ANGS-B	Short Angle Arrow Dripper (3 3/4" length)	100	31.20	0.31
6	22000-001120	01MODS-ST-BK-B	Straight Arrow Dripper	100	37.60	0.38

**NOTE:** Sold in Bag Quantities ONLY.



## MISCELLANEOUS COMPONENTS (I)

Key	Item Number	Model Number	Description	Bag Qty	Price Bag	Price Each
1	32000-001010	1107737-B	Goof Plug	10	2.50	0.25
2	45000-001200	682901033	3 mm Plastic Punch (for drippers/sprinklers)	1	32.00	32.00
3	45000-001400	6804080	8 mm Metal Punch	1	65.00	65.00
4	45000-001450	PPUNCH8	8 mm Plastic Punch	1	57.00	57.00
5	45000-002270	45000-002270	Hanging Sprinkler Assy Tool for tubes over 48"	1	108.00	108.00

**NOTE:** Sold in Bag Quantities ONLY.

## FLEX BLACK POLYETHYLENE (PE) AND PVC TUBING (5/3 mm) (Z)

Item Number	Model Number	Description	Coil Length	Price Coil (ea)	Price Per 1,000'
40001-002000	15FPE53	Flex Black PE Tubing 5/3 mm	3,000'	270.00	90.00
40001-001980	15FPE53-1000	Flex Black PE Tubing 5/3 mm	1,000'	100.00	100.00
76301-000002	15PVC53	Flex Black PVC Tubing 5/3 mm	1,000'	160.00	160.00

## SUPER FLEX UV WHITE™ POLYETHYLENE (PE) TUBING (5/3 mm) (Z)

Item Number	Model Number	Description	Coil Length	Price Coil (ea)	Price Per 1,000'
40005-000100	15FPEW53-1000	Super Flex UV White PE Tubing 5/3 mm	1,000'	94.00	94.00

## PRE-CUT SUPER FLEX UV WHITE™ POLYETHYLENE (PE) TUBING (5/3 mm) (Z)

Item Number	Model Number	Length	Price Each
40005-000256	15FPEW53-18	18"	0.35
40005-000251	15FPEW53-24	24"	0.39
40005-000250	15FPEW53-30	30"	0.48
40005-000253	15FPEW53-36	36"	0.57



# DRIPPERS

## WOODPECKER PRESSURE COMPENSATING JUNIOR DRIPPERS (WPCJ)

With CNL Check Valve Feature and Barbed Outlet

Minimum Operating Pressure 10.2 psi

Used with SlimLine EZ Close™ Weight, Dripper Stake and PC Spray Stake Assemblies

(E)



Item Number	Model Number	Color-Coded Inlet/Outlet	Nominal Flow (GPH)	Carton Quantity	Bag Quantity	Price Per Carton or Bag	Price Per 1,000
21520-000950	01WPCJL1.2	Brown	0.32	13,000	-	5,057.00	389.00
21520-000930	01WPCJL1.2-B			-	250	111.00	444.00
21520-001051	01WPCJL2	Red	0.53	13,000	-	5,057.00	389.00
21520-001040	01WPCJL2-B			-	250	111.00	444.00
21520-001250	01WPCJL3	Blue	0.7	13,000	-	5,057.00	389.00
21520-001230	01WPCJL3-B			-	250	111.00	444.00
21520-001460	01WPCJL4	Grey	1.06	13,000	-	5,057.00	389.00
21520-001440	01WPCJL4-B			-	250	111.00	444.00
21520-001660	01WPCJL8	Green	2.11	13,000	-	5,057.00	389.00
21520-001640	01WPCJL8-B			-	250	111.00	444.00
21520-001698	01WPCJL12	Plum/Black	3.2	13,000	-	5,057.00	389.00
21520-001690	01WPCJL12-B			-	250	111.00	444.00
21630-001540	01WPCJL25	Orange/Grey	6.6	13,000	-	5,057.00	389.00
21630-001530	01WPCJL25-B			-	250	111.00	444.00
21630-001740	01WPCJL30	Orange/Brown	7.9	13,000	-	5,057.00	389.00
21630-001730	01WPCJL30-B			-	250	111.00	444.00
21630-002140	01WPCJL40	Orange/Blue	10.6	13,000	-	5,057.00	389.00
21630-002135	01WPCJL40-B			-	250	111.00	444.00

NOTE: Drippers Sold in Bag or Carton Quantities ONLY.

## WOODPECKER PRESSURE COMPENSATING JUNIOR DRIPPERS (WPCJ)

With CNL Check Valve Feature and Nipple Outlet

Minimum Operating Pressure 10.2 psi

Used with Multi-Outlet Dripper Assemblies

(E)



Item Number	Model Number	Color-Coded Inlet	Nominal Flow (GPH)	Carton Quantity	Bag Quantity	Price Per Carton or Bag	Price Per 1,000
21520-001155	01WPCJL2N	Red	0.53	12,000	-	4,668.00	389.00
21520-001140	01WPCJL2N-B			-	250	111.00	444.00
21520-001560	01WPCJL4N	Grey	1.06	12,000	-	4,668.00	389.00
21520-001540	01WPCJL4N-B			-	250	111.00	444.00
21520-001760	01WPCJL8N	Green	2.11	12,000	-	4,668.00	389.00
21520-001740	01WPCJL8N-B			-	250	111.00	444.00

NOTE: Drippers Sold in Bag or Carton Quantities ONLY.

## WOODPECKER PRESSURE COMPENSATING DRIPPERS (WPC)

With CNL Check Valve Feature and Nipple Outlet

Minimum Operating Pressure 14.5 psi

Used with SlimLine EZ Close™ Weight Assemblies longer than 36"

(L)



Item Number	Model Number	Nominal Flow (GPH)	Bag Quantity	Price Per Bag	Price Per 1,000
21020-001333	WPC5-250	0.53	250	163.25	653.00

NOTE: Drippers Sold in Bag Quantities ONLY.

### NOTES:

The nominal flow rate in liters per hour is indicated on the cap: 1, 2, 3, 4, and 8.

The barbed outlet fits Super Flex UV White PE Tubing, 15FPEW53 or Super Flex Black PE Tubing, 15FPE53.

# SPRINKLERS

## MEGANET ROTATING IMPACT SPRINKLER

1/2" Male Threaded Connection - Nominal Flow Rate at 33 psi

(E)

Item Number	Model Number	Description	Nominal Flow Rate	Trajectory	Price Each
63600-001700	MGN24D-088HO	Sprinkler Head Only - Yellow Nozzle	0.88 GPM		9.00
63600-001750	MGN24D-110HO	Sprinkler Head Only - Purple Nozzle	1.10 GPM		9.00
63600-001000	MGN24D-154HO	Sprinkler Head Only - Green Nozzle	1.54 GPM		9.00
63600-002000	MGN24D-198HO	Sprinkler Head Only - Blue Nozzle	1.98 GPM	High	9.00
63600-003000	MGN24D-242HO	Sprinkler Head Only - Brown Nozzle	2.42 GPM	24°	9.00
63600-004000	MGN24D-286HO	Sprinkler Head Only - Orange Nozzle	2.86 GPM		9.00
63600-004500	MGN24D-330HO	Sprinkler Head Only - Red Nozzle	3.30 GPM		9.00
63600-004900	MGN15D-088HO	Sprinkler Head Only - Yellow Nozzle	0.88 GPM		9.00
63600-004950	MGN15D-110HO	Sprinkler Head Only - Purple Nozzle	1.10 GPM		9.00
63600-005000	MGN15D-154HO	Sprinkler Head Only - Green Nozzle	1.54 GPM	Low	9.00
63600-006000	MGN15D-198HO	Sprinkler Head Only - Blue Nozzle	1.98 GPM	15°	9.00
63600-007000	MGN15D-242HO	Sprinkler Head Only - Brown Nozzle	2.42 GPM		9.00
63600-008000	MGN15D-286HO	Sprinkler Head Only - Orange Nozzle	2.86 GPM		9.00



## VIBRO-SPRAY HIGH FLOW (HF) SPRINKLER

1/2" Female Threaded Connection. Nominal Flow 1 GPM at 30 psi.

(Z)

Item Number	Model Number	Description	Bag Qty	Price Bag	Price Each
60500-024470	0302210-B	Vibro-Spray HF Sprinkler	25	99.25	3.97
63000-002360	032066208-B	1/2" Male Adapter x Male Micronet - Adapts to Hanging Sprinkler Assembly	25	57.50	2.30



VIBRO-SPRAY HF SPRINKLER



1/2" MALE ADAPTER

NOTE: Sold in Bag Quantities ONLY.



SPRINKLER STAND FEMALE X BARB CONNECTOR, TUBING, 1/2" FIPT, STAKE ADAPTER



MEGANET ROAD GUARD



MEGASTAND ARM

MEGASTAND RISER



MEGASTAND SPRINKLER STAND (COMPLETE)

## SPRINKLER COMPONENTS

(E)

Item Number	Model Number	Description	Bag Qty	Price Bag	Price Each
64520-002305	03N20STAND0948-B	Sprinkler Stand (connects to PE Lateral) includes: connector, 48" 9mm I.D. tubing, PE barb, 1/2" FIPT, 8mm stake adapter (no stake)	25	164.50	6.58
65080-002605	03N265080002610-B	Female x Barb Connector for Sprinkler Stand	100	-	56.00
65080-002880	SSP	Sprinkler Stand Plug	1	-	0.59
63620-004400	MGNFIL	MegaNet Filter	1	-	0.52
63620-007000	MGNRG	MegaNet Road Guard	1	-	1.10
45000-001450	PPUNCH8	8mm Plastic Punch	1	-	57.00
45000-001400	6804080	8mm Metal Punch	1	-	65.00
63501-001210	03175648	6mm Steel Stake, 48" length	1	-	14.00
64520-002480	MGNBASE	MegaStand Base for Riser	1	-	6.60
64520-002485	MGNSUPPORTARM	MegaStand Supporting Arm for Riser	1	-	4.60
64520-002490	MGNRISER-16	MegaStand Riser 1/2" MPT x 16"	1	-	5.30

NOTE: Sold in Bag Quantities ONLY.

# SPRINKLER, MISTER AND FOGGER ASSEMBLIES

## ORDERING GUIDELINES


Ordering Netafim sprinkler, mister and fogger assemblies is a simple two step process:

1. Select a Sprinkler, Mister or Fogger head based on application:
  - Watering: Sprinkler
  - Germinating: Mister
  - Humidifying or Cooling: Fogger
2. Select a Base Assembly based on the type of pipe used to supply water:
  - Polyethylene
  - Threaded pipe
  - Retrofit adapter for other manufacturer's fittings

The assembly is shipped as two parts (Head Assembly and Base Assembly) to be connected by the installer in the greenhouse.

**Sprinklers/Misters:** Use a 35 psi regulator and 120 mesh filter.  
**Foggers:** Use a 65 psi regulator and a 140 mesh filter.

## EXAMPLE OF INSTALLED FINAL ASSEMBLY



## BASE ASSEMBLIES

**BARB X BARB CONNECTOR**  
 031748W-B OR  
 63000-001355

**SUPER FLEX UV WHITE PE  
 (4/7 MM) TUBING**

**STABILIZER WEIGHT**  
 03330C-B OR  
 63000-002915

**BARB X FEMALE CONNECTOR**  
 03220W-B OR  
 63000-001953



## HANGING ASSEMBLY FOR SPRINKLERS, MISTERS OR FOGGERS

For Connection to Polyethylene (PE) Pipe

(Z)

Item Number	Model Number	Tube Length	Pack Qty	Price Pack	Price Each
63000-004070	0300HSAC-12-B	12"	25	63.75	2.55
63000-004460	0300HSAC-18-B	18"	25	66.75	2.67
63000-005870	0300HSAC-24-B	24"	25	69.50	2.78
63000-006460	0300HSAC-30-B	30"	25	72.00	2.88
63000-007170	0300HSAC-36-B	36"	25	74.50	2.98
63000-008361	0300HSAC-48-B	48"	25	80.50	3.22
63000-008461	0300HSAC-48X-B	Extension*	25	44.00	1.76

(Z)

Item Number	Model Number	Tube Length	Carton Qty	Price Pack	Price Each
63000-004060	0300HSAC-12	12"	200	440.00	2.20
63000-004450	0300HSAC-18	18"	200	460.00	2.30
63000-005860	0300HSAC-24	24"	200	480.00	2.40
63000-006450	0300HSAC-30	30"	150	375.00	2.50
63000-007160	0300HSAC-36	36"	150	405.00	2.70
63000-008350	0300HSAC-48	48"	150	435.00	2.90
63000-008450	0300HSAC-48X	Extension*	500	700.00	1.40

**NOTE:** Sold in Pack or Carton Quantities ONLY.

\*For Creating Tube Lengths over 48".

## 1/2" ADAPTER

For Pipe Thread

(Z)

Item Number	Model Number	Bag Qty	Price Bag	Price Each
63000-001210	03206-B	25	47.00	1.88

## RETROFIT ADAPTER

Connect Netafim head assemblies to other manufacturer's fittings


(Z)

Item Number	Model Number	Bag Qty	Price Bag	Price Each
63000-002515	03302C-B	25	17.75	0.71


# SPRINKLER, MISTER AND FOGGER ASSEMBLIES

## HEAD ASSEMBLIES

**SPINNET  
SPRINKLER**



**VIBRONET  
SPRINKLER**




## SPRINKLER HEAD ASSEMBLIES (WATERING)

Code	Item Number	Model Number	Description	Flow (GPH)	Bag Qty	Price Bag	Price Each
VN-BL	64300-001080	0354040L-B	VibroNet Blue Sprinkler	9.2	25	116.00	4.64
VN-GN	64300-005110	0354050L-B	VibroNet Green Sprinkler	11.7	25	116.00	4.64
R-R-BL	64200-032030	0355120070BL-B	SpinNet Red Mist, Red Body, Blue Spinner	18.4	25	116.00	4.64
BR-BR-BL	64200-033030	0355160090BL-B	SpinNet Brown Mist, Brown Body, Blue Spinner	23.4	25	116.00	4.64
R-R-GY	64200-001302	03551200070L-B	SpinNet Red Mist, Red Body, Grey Spinner	18.4	25	116.00	4.64
BR-Y-GY	64200-001805	03552000090L-B	SpinNet Brown Mist, Yellow Body, Grey Spinner	23.4	25	116.00	4.64
R-R-GN	64200-010805	03551200070GL-B	SpinNet Red Mist, Red Body, Green Spinner	18.4	25	116.00	4.64
BR-BR-GN	64200-014005	03551600090GL-B	SpinNet Brown Mist, Brown Body, Green Spinner	23.4	25	116.00	4.64

**NOTE:** All Head Assemblies are standard with Check Valve. Average flow at 32 psi.


**NOTE:** Sold in Bag Quantities ONLY.

## SINGLE BENCH WITH VIBRONET SPRINKLERS



Bench Width	Spacing Between Sprinklers	Height Above Crop 2' - 3'	Height Above Crop 3' - 5'
4 ft.	3 ft.	VN-BL or VN-GN	VN-BL or VN-GN
5 ft.	3 ft.	VN-BL or VN-GN	VN-BL or VN-GN
6 ft.	3 ft.	VN-BL or VN-GN	VN-BL or VN-GN


## ONE LINE FOR SINGLE BAY OR QUONSET WITH SPINNET SPRINKLERS



Bay Width	Spacing Between Sprinklers	Height Above Crop 2' - 3'	Height Above Crop 4' - 5'	Height Above Crop 6' - 7'
10 ft.	3 ft.	R-R-BL	-	-
12 ft.	3 ft.	R-R-BL	R-R-BL	-
14 ft.	3 ft.	BR-BR-BL	BR-BR-BL	R-R-BL
15 ft.	3 ft.	R-R-GY	BR-BR-BL	R-R-BL
16 ft.	3 ft.	R-R-GY	BR-Y-GY	R-R-BL
18 ft.	3 ft.	R-R-GN	BR-Y-GY	BR-Y-GY
20 ft.	3 ft.	-	R-R-GN	BR-BR-GN
22 ft.	3 ft.	-	R-R-GN	BR-BR-GN
24 ft.	3 ft.	-	-	BR-BR-GN

**NOTE:** For total house coverage, use multiple lines 7', 8' or 9' apart and start 3' from wall.

## TWO LINE FOR SINGLE BAY OR QUONSET WITH SPINNET SPRINKLERS




Bay Width	Spacing Between Sprinklers	Spacing Between Sprinkler Lines	Height Above Crop 3'	Height Above Crop 4' - 5'	Height Above Crop 6' - 7'
20 ft.	3 ft.	11 ft.	R-R-BL	-	-
22 ft.	3 ft.	12 ft.	R-R-BL	R-R-BL	-
24 ft.	3 ft.	12 ft.	R-R-BL	R-R-BL	R-R-BL
26 ft.	3 ft.	14 ft.	BR-BR-BL	R-R-BL	R-R-BL
28 ft.	3 ft.	15 ft.	BR-BR-BL	R-R-BL	R-R-BL
30 ft.	3 ft.	16 ft.	R-R-GY	R-R-GY	BR-BR-BL
32 ft.	3 ft.	17 ft.	R-R-GN	R-R-GY	BR-BR-BL
34 ft.	3 ft.	18 ft.	R-R-GN	R-R-GY	BR-BR-BL
36 ft.	3 ft.	19 ft.	R-R-GN	R-R-GY	R-R-GN
38 ft.	3 ft.	20 ft.	BR-BR-GN	R-R-GN	R-R-GN

# SPRINKLER, MISTER AND FOGGER ASSEMBLIES

## MISTING HEAD ASSEMBLIES (GERMINATING) (Z)


Item Number	Model Number	Description	Bag Qty	Price Bag	Price Each
64300-001080	0354040L-B	VibroNet Mister, 9.2 GPH at 32 psi Blue nozzle w/Check Valve	25	116.00	4.64

NOTE: Sold in Bag Quantities ONLY.



## COOLNET PRO FOGGER HEAD ASSEMBLIES (HUMIDIFYING OR COOLING) (Z)

Item Number	Model Number	Description	Bag Qty	Price Bag	Price Each
63100-058397	0303420LL-B (Standard)	CoolNet Pro Fogger, 4 Nozzles w/Check Valve Purple Pin, 8.1 GPH @ 60 psi (opening pressure 28 psi)	25	219.75	8.79
63100-058502**	0303420HL-B (Special Order)	CoolNet Pro Fogger, 4 Nozzles w/Check Valve Orange Pin, 8.1 GPH @ 60 psi (opening pressure 58 psi)	25	219.75	8.79



\*\* Requires Assembly Time

NOTE: Sold in Bag Quantities ONLY.

# COMPONENTS




①




②



③



④



⑤


## SPRINKLER, MISTER AND FOGGER COMPONENTS (Z)

Key	Item Number	Model Number	Description	Bag Qty	Price Bag	Price Each
1	64300-001010	0354040-B	VibroNet Sprinkler/Mister Blue - 9.2 GPH at 32 psi	25	53.50	2.14
	64300-005010	0354050-B	VibroNet Sprinkler Green - 10.7 GPH at 32 psi	25	53.50	2.14
2	63000-002987	0340020-B	Check Valve, Blue Pin (opens 22 psi, closes 10 psi)	25	59.75	2.39
	63000-003005	0340017-B	Check Valve, Purple Pin (opens 28 psi, closes 13 psi)	25	59.75	2.39
	63000-003205	0340037-B	Check Valve, Orange Pin (opens 58 psi, closes 26 psi)	25	59.75	2.39
3	64200-032010	0355120070B-B	SpinNet Assys, Red Mist, Red Body, Blue Spinner	25	53.50	2.14
	64200-033010	0355160090B-B	SpinNet Assys, Brown Mist, Brown Body, Blue Spinner	25	53.50	2.14
	64200-001255	03551200070-B	SpinNet Assys, Red Mist, Red Body, Grey Spinner	25	53.50	2.14
	64200-001785	03552000090-B	SpinNet Assys, Brown Mist, Yellow Body, Grey Spinner	25	53.50	2.14
	64200-010760	03551200070G-B	SpinNet Assys, Red Mist, Red Body, Green Spinner	25	53.50	2.14
	64200-013960	03551600090G-B	SpinNet Assys, Brown Mist, Brown Body, Green Spinner	25	53.50	2.14
4	63100-058305	0303420-B	CoolNet Pro Fogger 4 nozzles - 8.1 GPH at 60 psi	25	164.00	6.56
5	63120-001805	0306600-B	CoolNet Pro Fogger Blocker for 1 nozzle	25	9.50	0.38

NOTE: Sold in Bag Quantities ONLY.



# COMPONENTS



## ASSEMBLY COMPONENTS AND ACCESSORIES

Key	Item Number	Model Number	Description	Bag Qty	Price Bag	Price Each
1	63000-001953	03220W-B	Barb x Female Connector - White	25	8.75	0.35
2	63000-002073	03221W-B	Barb x Male Connector - White	25	8.75	0.35
3	63000-001355	031748W-B	Barb x Barb Connector	25	8.75	0.35
4	63000-002515	03302C-B	Retrofit Adapter - Female (adapts Netafim to other mfgr fittings)	25	17.75	0.71
5	63000-002620	03303-B100	Retrofit Adapter - Male (adapts other mfgr sprinklers to Netafim)	100	30.00	0.30
6	63000-002915	03330C-B	White Stabilizer Weight	25	20.50	0.82
7	63000-001210	03206-B	1/2" Adapter for Pipe Thread	25	47.00	1.88
8	63000-002420	03301-B	Plug (replaces sprinkler or mister head)	100	165.00	1.65
9	63000-001420	03208W-B	Male x Male Connector - White	100	34.30	0.34
10	63000-002103	03228-B	Threaded 3/8" Connector x Female PVC Adapter	25	19.75	0.79
11	78241-002820	58-AI-B	Grommet	25	48.75	1.95
12	45000-001200	682901033	3 mm Plastic Punch (for drippers and sprinklers)	1	32.00	32.00
13	45000-001450	PPUNCH8	8 mm Plastic Punch	1	57.00	57.00
14	45000-001400	6804080	8 mm Metal Punch	1	65.00	65.00
15	45000-002270	45000-002270	Hanging Sprinkler Assembly Tool for tube lengths over 48"	1	111.00	111.00
16	76220-009360	EDTUBEMVLV-B	Manual Valve for Micro-Tubing	10	14.50	1.45

NOTE: Sold in Bag Quantities ONLY.

# PIPE AND TUBING

## BLACK POLYETHYLENE (PE) TUBING

Item Number	Model Number	Inside Diameter	Outside Diameter	Size	Coil Length	Price Per Coil
40510-000003	14052062	.520"	.620"	16 mm	1,000'	
40510-000025	14052062-05	.520"	.620"	16 mm	500'	Call for Quote
40510-000024	14052062-01	.520"	.620"	16 mm	100'	
19951-000014	14060070	.600"	.700"	18 mm	1,000'	
40510-000036	14060070-05	.600"	.700"	18 mm	500'	Call for Quote
40510-000018	14082094	.820"	.940"	3/4"	500'	Call for Quote
40510-000070	14082094-01	.820"	.940"	3/4"	100'	Call for Quote
40510-000020	14106120	1.06"	1.20"	1"	500'	Call for Quote
40510-000085	14106120-01	1.06"	1.20"	1"	100'	Call for Quote



# PIPE AND TUBING

## BLACK POLYETHYLENE (PE) PRE-PUNCH TUBING <sup>(M)</sup>

Item Number	Model Number	Inside Diameter	Outside Diameter	Pre-Punch Spacing	Size	Coil Length	Price Per Coil
40510-000255	84520620-18	.520"	.620"	18"	16 mm	1,000'	Call for Quote
40510-000300	84520620-24	.520"	.620"	24"	16 mm	1,000'	
19953-000024	84820940-36	.820"	.940"	36"	3/4"	500'	Call for Quote
19953-000008	84106120-36	1.06"	1.20"	36"	1"	500'	

**NOTE:** Requires a minimum order of (1) pallet or (20) coils. Please call Netafim USA Customer Service for Quote and Delivery Timelines.

## BRIGHT WHITE™ POLYETHYLENE (PE) TUBING <sup>(M)</sup>

Item Number	Model Number	Inside Diameter	Outside Diameter	Size	Coil Length	Price Per Coil
19953-000118	14BW052062-05	.520"	.620"	16 mm	500'	Call for Quote
19953-000117	14BW052062-01	.520"	.620"	16mm	100'	
19953-000133	14BW082094-01	.820"	.940"	3/4"	100'	Call for Quote
19953-000110	14BW106120-01	1.06"	1.20"	1"	100'	



## BRIGHT WHITE™ POLYETHYLENE (PE) PRE-PUNCH TUBING <sup>(M)</sup>

Item Number	Model Number	Inside Diameter	Outside Diameter	Pre-Punch Spacing	Size	Coil Length	Price Per Coil
19953-000015	84BW820940-36	.820"	.940"	36"	3/4"	500'	Call for Quote
19953-000041	84BW106120-36	1.06"	1.20"	36"	1"	500'	Call for Quote

**NOTE:** Requires a minimum order of (1) pallet or (20) coils. Please call Netafim USA Customer Service for Quote and Delivery Timelines.

## OVAL TUBE <sup>(M)</sup>

Item Number	Model Number	Size	Pressure Rating (psi)	Coil Length	Price Coil (ea)
19953-000175	OT1.25-42-400	1.25"	42	400'	Call for Quote
19953-000177	OT1.50-42-350	1.50"	42	350'	Call for Quote
19953-000179	OT2.00-42-250	2.00"	42	250'	Call for Quote

12 coils per pallet



## FLEXNET™ FLEXIBLE PIPE <sup>(V)</sup>

Item Number	Model Number	Nominal Size	Outlet Spacing	Coil Length	Price Per Coil
43003-005242**	05FX02PIPE50-30		30"		978.00
43003-005342**	05FX02PIPE50-36		36"		934.00
43003-005442**	05FX02PIPE50-40	2"	40"	328'	912.00
43003-005542**	05FX02PIPE50-60		60"		847.00
43003-005642**	05FX02PIPE50-72		72"		825.00
43003-005742**	05FX02PIPE50-80		80"		814.00
43003-005942**	05FX03PIPE50-30		30"		1,238.00
43003-006042**	05FX03PIPE50-36		36"		1,194.00
43003-006242**	05FX03PIPE50-40	3"	40"	328'	1,172.00
43003-006342**	05FX03PIPE50-60		60"		1,107.00
43003-006400**	05FX03PIPE50-72		72"		1,085.00
43003-006442**	05FX03PIPE50-80		80"		1,074.00
43002-000179	05FX02	2"	BLANK	328'	715.00
43002-000199	05FX03	3"	PIPE		975.00

\* Not Stocked Item

\*\* Requires Assembly Time



# DRIPLINES

## FLEXNET™ HIGH PRESSURE FLEXIBLE PIPE

Item Number	Model Number	Nominal Size	Outlet Spacing	Coil Length	Price Per Coil
43001-000110	05FXHP02PIPE50-20		20"		1,406.00
43001-000100	-		32"		958.00
43001-000056	05FXHP02PIPE50-120	2"	120"	328'	1,078.00
43001-000048	05FXHP02PIPE50-192		192"		1,054.00
43001-000150	05FXHP02PIPE50-240		240"		1,077.00
43001-000053	05FXHP03PIPE50-72		72"		1,711.00
43001-000046	05FXHP04PIPE50-22		22"		2,355.00
43001-000041	05FXHP04PIPE50-24		24"		2,326.00
43001-000051	05FXHP04PIPE50-34	3"	34"	328'	2,229.00
43001-001980	05FXHP04PIPE50-40		40"		2,194.00
43001-000045	05FXHP04PIPE50-60		60"		2,129.00
43000-000530	05FNHP02	2"	BLANK	328'	1,012.00
43000-000560	05FNHP03	3"	PIPE		1,601.00



## DRIPLINES FOR WATERING CONTAINERS

### SPACE-IT™ STREAMLINE X DRIPLINE (MOQ Product)

Thinwall Dripline (8 ml .638" diameter) with Dripper Visibly Marked on Tubing

For Use Over Containers

(Z)

Item Number	Model Number	Flow	Spacing	Coil Length	Price Coil (ea)	Price Per 1,000'
16424-000055	06SLX8638.2DM-12	0.2 GPH	12"	9,000'		
16424-000056	06SLX8638.4DM-14	0.4 GPH	14"	9,000'	Call for Quote	
16424-000057	06SLX8638.4DM-16	0.4 GPH	16"	9,000'		
16424-000058	06SLX8638.4DM-18	0.4 GPH	18"	9,000'		
16424-000059	06SLX8638.4DM-20	0.4 GPH	20"	9,000'	Call for Quote	
16424-000060	06SLX8638.4DM-24	0.4 GPH	24"	9,000'		

**NOTE:** Requires a minimum order of (2) pallets. Please call Netafim USA Customer Service for Quote and Delivery Timelines.



## DRIPLINES FOR FIELD PRODUCTION

### UNIRAM DRIPLINE (Non-Stock Product)

Heavywall Pressure Compensating Dripline (18 mm)

(C)

Item Number	Model Number	Flow	Spacing	Coil Length	Price Coil (ea)	Price Per 1,000'
14201-000002	08UR18.6-12	0.6 GPH	12"	1,000'	Call for Quote	
14201-000037	08UR18.6-18	0.6 GPH	18"	1,000'		
14201-000003	08UR18.6-24	0.6 GPH	24"	1,000'	Call for Quote	
14201-000005	08UR18.6-36	0.6 GPH	36"	1,000'		

**NOTE:** Requires a minimum order of (2) pallets or (40) coils. Additional wall thicknesses, spacings and flow rates are available. Please call Netafim USA Customer Service for Quote and Delivery Timelines.




# FITTINGS AND CONNECTORS



## TWIST-LOCK FITTINGS

Fits Thinwall Dripline 0.636" I.D.

Key	Item Number	Model Number	Description	Bag Qty	Price Bag	Price Each
1	32500-016012	T630TLC-B	Coupler	50	35.50	0.71
2	00115-006450	T63036600170-B	Line End	100	64.00	0.64
3	00115-004750	T6303620017C-B	1/2" Male Threaded Adapter	100	82.00	0.82
4	00115-005150	T63036450170-B	Connector with Grommet	100	99.00	0.99
5	00115-006251	T63042440170-B25	Start Connector with Valve	25	56.50	2.26



## TWIST-LOCK AND INSERT BARB FITTINGS

Fits Heavywall Dripline 16mm and 18mm

Key	Item Number	Model Number	Description	Bag Qty	Price Bag	Price Each
1	32500-010720	H520IC-B	16mm Insert Barb Coupling	50	29.50	0.59
2	32500-000701	H620TLC-B	18mm Twist-Lock Coupling	50	47.50	0.95
3	32500-011330	H520IT3-B	16mm Insert Barb Tee	100	115.00	1.15
4	32500-012530	H520IE-B	16mm Insert Barb Elbow	100	99.00	0.99
5	32500-011020	H520IMA075-B	16mm Insert Barb 3/4" Male Adapter	50	66.00	1.32
6	32500-013030	H620FIG8-B	18mm Figure 8 Line End	100	33.00	0.33
	32500-014430	H800FIG8-B	20mm Figure 8 Line End	100	70.00	0.70
7	00005-008960	58ISV520	13mm Inline Shut-off Valve	1	3.70	3.70
	00005-008970	58ISV600	16mm Inline Shut-off Valve	1	4.40	4.40

## FITTINGS AND CONNECTORS

Fits 3/4" Dripline and Polyethylene Tubing

Key	Item Number	Model Number	Description	Bag Qty	Price Bag	Price Each
1	32500-021530	H820IC-B	3/4" Insert Coupling with Rings	100	143.00	1.43
4	32500-014827	H820IMA075-B	0.820" x 3/4" MPT Insert Adapter	50	84.50	1.69
5	78241-002500	58AP800	3/4" Figure 8 Line End	1	2.20	2.20
6	00005-008990	58ISV820	3/4" Inline Shut-off Valve	1	7.50	7.50

## FLEXNET™ START CONNECTORS

Key	Item Number	Model Number	Description	Bag Qty	Price Bag	Price Each
1	32500-011371	05FX050MTEX636TL-B	Space-It and DripNet PC Dripline Tee	100	180.00	1.80
-	32500-011381	05FX050MELX636TL-B	Space-It and DripNet PC Dripline Elbow	100	155.00	1.55



# FILTERS

## FILTRATION RECOMMENDATIONS

Water Source	Filtration Method
Well*	Screen or Disc Filters
Surface (pond, lake, canal)	Disc Filters
Recirculated	Disc Filters

\*A Hydrocyclone (sand separator) is recommended for well water with more than 3 PPM sand.

## MESH/MICRON

Mesh	Micron	Color
40	400	Blue
80	200	Yellow
120	130	Red
140	115	Black



3/4"

1"



1 1/2" SUPER

2" DUAL HP

2" DUAL LITE



3" TWIN LITE

## MANUAL DISC FILTERS

(N)

Item Number	Model Number	Filter Size	Mesh	Flow Range (GPM)	Max. Pressure	Price Each
70640-001200	25A45-120	3/4"	120	1-12	140 psi	43.00
70640-001300	25A45-140	3/4"	140	1-12	140 psi	43.00
70641-001920	25A47V-120	1"	120	5-26	140 psi	123.00
70641-001930	25A47V-140	1"	140	5-26	140 psi	123.00
70641-003320	25A17V-120	1 1/2" Super	120	10-52	140 psi	251.00
70641-003330	25A17V-140	1 1/2" Super	140	10-52	140 psi	251.00
70640-004521	25A2DL-120	2" Dual HP	120	40-120	174 psi	380.00
70641-003640**	25A30-120	2" Dual HP	120	40-120	174 psi	621.00
70641-003660**	25A30-140	2" Dual HP	140	40-120	174 psi	621.00
70640-006783	25A3TL-120F	3" Twin Lite	120	80-220	115 psi	725.00
70640-006786	25A3TL-140F	3" Twin Lite	140	80-220	115 psi	725.00

**NOTE:** 120 mesh recommended for Drippers, Spray Stakes, Mistlers and Sprinklers. 140 mesh recommended for Fogger applications. Other mesh options available.

## MANUAL SCREEN FILTERS

(L)

Item Number	Model Number	Filter Size	Mesh	Flow Range (GPM)	Max. Pressure	Price Each
76240-001800	SF075-155	3/4"	155	1-13	140 psi	23.00
76240-001810	SF100-155	1"	155	1-22	140 psi	23.00
76240-001820	SF150-155	1 1/2"	155	1-66	140 psi	128.00
76240-001830	SF200-155	2"	155	1-89	140 psi	140.00

**NOTE:** For use with city water only.



3/4" SCREEN

2" COMPACT LP DISC-KLEEN

## SCRENGUARD™ VERTICAL AUTOMATIC SCREEN FILTERS

Item Number	Model Number	Size	Max Flow (GPM)	Mesh	Price Each
71960-000103	2SGAV2T-120ADCL	2" Thrd	110	120	4,058.00
71960-000173	2SGAV3T-120ADCL	3" Thrd	220	120	4,587.00
71960-000176	2SGAV3FL-120ADCL	3" Flg	220	120	4,704.00
71960-000223	2SGAV4FL-120ADCL	4" Flg	330	120	4,772.00



**New**

# FILTERS

## AUTOMATIC DISC-KLEEN FILTERS

Item Number	Model Number	Description	Flow Range (GPM)	Price Each
70641-007220**	26LP2A1-120DCLAX*	2" Compact LP Disc-Kleen - 120 mesh, DC	1-80	7,260.00
70641-007223**	26LP2A1LF120DCLAX*	2" Compact LP Disc-Kleen Low Flow - 120 mesh, DC	1-40	7,260.00
70610-022000**	26LP2PP2120AC	2" LP Disc-Kleen - 2 Filters, 120 mesh AC Solenoid	50-160	9,090.00
70610-022002**	26LP2PP2120DC	2" LP Disc-Kleen - 2 Filters, 120 mesh DC Solenoid		9,090.00
70610-022100**	26LP2PP3120AC	2" LP Disc-Kleen - 3 Filters, 120 mesh AC Solenoid	100-240	12,357.00
70610-022105**	26LP2PP3120DC	2" LP Disc-Kleen - 3 Filters, 120 mesh DC Solenoid		12,357.00
70610-022200**	26LP2PP4120AC	2" LP Disc-Kleen - 4 Filters, 120 mesh AC Solenoid	150-320	16,013.00
70610-022212**	26LP2PP4120DC	2" LP Disc-Kleen - 4 Filters, 120 mesh DC Solenoid		16,013.00
70605-021550**	26LP3PPB3120AC	3" LP Disc-Kleen - 3 Filters, 120 mesh AC Solenoid	150-450	18,466.00
70661-004450**	26LP3PPB3120DC	3" LP Disc-Kleen - 3 Filters, 120 mesh DC Solenoid		18,466.00
70605-022660**	26LP3PPB4120AC	3" LP Disc-Kleen - 4 Filters, 120 mesh AC Solenoid	250-600	23,498.00
70661-004520**	26LP3PPB4120DC	3" LP Disc-Kleen - 4 Filters, 120 mesh DC Solenoid		23,498.00
70605-023560**	26LP3PPB5120AC	3" LP Disc-Kleen - 5 Filters, 120 mesh AC Solenoid	350-750	28,920.00
-	26LP3PPB5120DC	3" LP Disc-Kleen - 5 Filters, 120 mesh DC Solenoid		28,920.00

(N)



2" LP DISC-KLEEN



3" LP DISC-KLEEN

\*Backflush controller included. Requires (2) D batteries. AC model also available. 2" and 3" batteries are standard with polypropylene manifolds, plastic backflush valves and installed drain manifold - requires separate purchase of backflush controller. Minimum pressure for backflush is 30 psi downstream. Other mesh options available. Maximum Pressure: 90 psi. For 91-140 psi, a High Pressure Model is recommended.

\*\* Requires Assembly Time

## APOLLO AUTOMATIC DISC-KLEEN FILTERS - MODULAR

Standard Model with Plastic Backflush Valve - Maximum Operating Pressure 90 psi

Item Number	Model Number	Description	Flow Range (GPM)	Price Each
70605-006860**	26ASK3APP4120AC	Apollo Disc-Kleen, Angle, 4 Filters, 120 mesh AC Solenoid	300-800	33,995.00
70661-015502**	26ASK3APP4120DC	Apollo Disc-Kleen, Angle, 4 Filters, 120 mesh DC Solenoid		33,995.00
70661-018100**	26ASK4PB3120AC	Apollo Disc-Kleen, Twin, 3 Filters, 120 mesh AC Solenoid	500-1,200	33,090.00
70661-018301**	26ASK4PB3120DC	Apollo Disc-Kleen, Twin, 3 Filters, 120 mesh DC Solenoid		33,090.00
70661-018120**	26ASK4PB4120AC	Apollo Disc-Kleen, Twin, 4 Filters, 120 mesh AC Solenoid	700-1,600	49,618.00
70661-018401**	26ASK4PB4120DC	Apollo Disc-Kleen, Twin, 4 Filters, 120 mesh DC Solenoid		49,618.00
70661-018501**	26ASK4PB5120AC	Apollo Disc-Kleen, Twin, 5 Filters, 120 mesh AC Solenoid	850-2,000	61,861.00
70661-018503**	26ASK4PB5120DC	Apollo Disc-Kleen, Twin, 5 Filters, 120 mesh DC Solenoid		61,861.00

(N)



Requires separate purchase of backflush controller. Standard with installed drain manifold. Minimum pressure for backflush is 30 psi downstream. Maximum Pressure: 90 psi. For pressures of 91-140 psi, a High Pressure Model is recommended. Large battery sizes with flow ranges to 3,200 GPM and other mesh options available, please contact Netafim USA Customer Service for details.

\*\* Requires Assembly Time

## SCAN-KLEEN SCREEN FILTERS

(N)

Item Number	Model Number	Filter Size	Mesh	Max. Flow (GPM)	Price Each
70640-013200	27ASCAN3-120	3" Angle	120	250	2,378.00
70640-013180	27ASCAN3-150		150		2,378.00
70640-013250	27ASCAN4-120	4" Angle	120	300	2,808.00
70640-013260	27ASCAN4-150		150		2,808.00
70640-013300	27ASCAN4T-120	4" Twin	120	500	5,254.00
70640-013321	27ASCAN4T-150		150		5,254.00
70640-013350	27ASCAN6T-120	6" Twin	120	600	5,529.00
70640-013370	27ASCAN6T-150		150		5,529.00



SCAN-KLEEN ANGLE



SCAN-KLEEN TWIN

# FILTERS

## CENTRIFORCE SP SAND SEPARATOR <sup>(N)</sup>

Item Number	Model Number	Description	Flow Range (GPM)	Price Each
71995-000206	CSSILB-0075	CentriForce Separator .75"	10-20	\$1,347.00
71995-000200	CSSILB-0100	CentriForce Separator 1"	19-32	\$1,463.00
71995-000201	CSSILB-0125	CentriForce Separator 1.25"	28-48	\$1,559.00
71995-000202	CSSILB-0150	CentriForce Separator 1.50"	45-70	\$1,739.00
71995-000203	CSSILB-0200	CentriForce Separator 2"	65-108	\$2,142.00
71995-000204	CSSILB-0250	CentriForce Separator 2.50"	95-155	\$2,661.00
71995-000205	CSSILB-0300	CentriForce Separator 3"	148-290	\$4,187.00
71995-000207	CSLGS-0400	CentriForce Separator 4"	225-500	\$11,014.00



2" SEPARATOR



4" SEPARATOR



## HYDROCYCLONE™ SAND SEPARATOR

Item Number	Model Number	Min Flow (GPM)	Max Flow (GPM)	Connection Type		Sedimentation Tank		Size (Gal)	Price Each
				Inlet (In)	Outlet (In)	Inlet (In)	Outlet (In)		
71990-000300	NHC8-2GR-WT	55	88	2" GR	2" GR	3" GR	2"	3.2	\$1,250.00
71990-000310	NHC8-3GR-WT	86	132	3" GR	3" GR	3" GR	2"	3.2	\$1,325.00
71990-000312	NHC8S-3GR-WT	119	185	3" GR	3" GR	3" GR	2"	15.9	\$1,900.00
71990-000320	NHC12-4GR-WT	154	269	4" GR	4" GR	4" FL	2"	15.9	\$2,825.00
71990-000321	NHC16-4GR-WT	260	418	4" GR	4" GR	4" FL	2"	15.9	\$3,325.00
71990-000201	NHC20-6FL-WT	387	647	6" FL	6" FL	8" FL	2"	31.7	\$4,725.00
71990-000221	NHC24-6FL-WT	555	903	6" FL	6" FL	8" FL	2"	31.7	\$5,125.00
71990-000241	NHC30-8FL-WT	903	1761	8" FL	8" FL	8" FL	2"	63.4	\$7,400.00



## NETAFIM BACKFLUSH CONTROLLERS <sup>(N)</sup>

Item Number	Model Number	Description	Voltage	Price Each
00105-006200	31NBCAC2	2 Outputs with DP Sensor		1,660.00
00105-006210	31NBCAC4	4 Outputs with DP Sensor	24VAC	1,790.00
00105-006220	31NBCAC6	6 Outputs with DP Sensor		1,919.00
00105-006250	31NBCDCL2	2 Outputs with DP Sensor		1,660.00
00105-006260	31NBCDCL4	4 Outputs with DP Sensor	12VDCL	1,790.00
00105-006270	31NBCDCL6	6 Outputs with DP Sensor		1,919.00
73240-003195	31NBCACCARD	2 Output Expansion Card	24VAC	143.00
73240-003177	31NBCDCCARD	2 Output Expansion Card	12VDCL	143.00



All Controllers are standard with a mounting bracket.

**NOTE:** Controllers can be pre-installed on automatic disc filters for an additional fee. Call Netafim USA Customer Service for Pricing and Availability.

## ALEX-TRONIX BACKFLUSH CONTROLLERS <sup>(N)</sup>

Item Number	Model Number	Description	Price Each
00105-001400	23AXF2ACDC-D	2 Station 24VAC/12VDC Controller	1,916.00
00105-002300	23AXF4ACDC-D	4 Station 24VAC/12VDC/12VDCL Controller	2,612.00
00105-004950	23AXF8ACDC-D	8 Station 24VAC/12VDC/12VDCL Controller	2,953.00



# PRESSURE REGULATORS

## 3/4" LOW FLOW PRESSURE REGULATORS (N)

Item Number	Model Number	Flow Range (GPM)	Nominal Output Pressure (psi)	Regulating Units	Price Each
31000-001000	32PRV.75-LF15V2	.25 - 4.4	15	-	16.00
31000-001120	32PRV.75-LF20V2	.25 - 4.4	20	-	16.00
31000-001200	32PRV.75-LF35V2	.25 - 4.4	35	-	16.00



## 3/4" PRESSURE REGULATORS (N)

Item Number	Model Number	Flow Range (GPM)	Nominal Output Pressure (psi)	Regulating Units	Price Each
30500-001100	32PRV.75-12V2K	4.5 - 17.6	12	1	27.00
30500-001300	32PRV.75-20V2K	4.5 - 17.6	20	1	27.00
30500-001600	32PRV.75-35V2K	4.5 - 17.6	35	1	27.00
30500-002000	32PRV.75-65V2K	4.5 - 17.6	65	1	27.00



## 1 1/2" PRESSURE REGULATORS (N)

Item Number	Model Number	Flow Range (GPM)	Nominal Output Pressure (psi)	Regulating Units	Price Each
30520-001100	32PRV1.5-12V2K	11 - 35	12	2	65.00
30520-001300	32PRV1.5-20V2K	11 - 35	20	2	65.00
30520-001600	32PRV1.5-35V2K	11 - 35	35	2	65.00
30520-002000	32PRV1.5-65V2K	11 - 35	65	2	65.00



## 2" PRESSURE REGULATORS (N)

Item Number	Model Number	Flow Range (GPM)	Nominal Output Pressure (psi)	Regulating Units	Price Each
30540-000951	32PRV2-412V2KPL	22 - 70	12	4	149.00
30540-000953	32PRV2-420V2KPL	22 - 70	20	4	149.00
30540-000956	32PRV2-435V2KPL	22 - 70	35	4	149.00



## PRESSURE REGULATING UNITS (N)

Item Number	Model Number	Nominal Output (psi)	Price Each
31500-001100	32PRVU-12V2K	12	21.00
31500-001300	32PRVU-20V2K	20	21.00
31500-001600	32PRVU-35V2K	35	21.00
31500-002000	32PRVU-65V2K	65	21.00



### NOTES:

- 12 psi recommended for Thinwall Driplines.
  - 20 psi recommended for Non-Compensating Drippers and Spray Stakes.
  - 35 psi recommended for Sprinklers, Misters, Pressure Compensating Drippers and PC Spray Stakes.
  - 65 psi recommended for Foggers.
- Additional pressure options available.  
Maximum operating pressure 145 psi.



# AIR VENTS AND WATER METERS



## AIR VENTS

Item Number	Model Number	Size	Description	Connection	Max. Pressure	Body	Price Each
70561-001240	65ARIB1	1"	Combination Air/Vacuum Relief, Continuous Acting	MPT	240 psi	Nylon	206.00
70561-001660	65ARIB2PP	2"	Combination Air/Vacuum Relief, Continuous Acting	MPT	150 psi	Polypropylene	256.00
70561-001735	65ARIDY2	2"	Dynamic	MPT	150 psi	Nylon	402.00
70561-002950	65ARIA075	3/4"	Guardian Air/Vacuum Relief	MPT	150 psi	Nylon	56.00
70561-002610	65ARIA100	1"	Guardian Air/Vacuum Relief	MPT	150 psi	Nylon	56.00
70561-004820	65ARIA100S	1"	Guardian Air/Vacuum Relief with Shrader Valve	MPT	150 psi	Nylon	69.00
70561-002710	65ARIA2	2"	Guardian Air/Vacuum Relief	FPT	150 psi	Nylon	74.00

Price discounts available for case quantity purchases, please contact Netafim USA Customer Service for details.

MPT = Male Pipe Thread  
FPT = Female Pipe Thread

## FERTILIZER METERS

Item Number	Model Number	Size and Body	Max. Flow (GPM)	Pulse (Gallons)	Connection	Price Each
70261-011000	36FM.75RG.1	3/4" Plastic	2.2	0.1	MPT	504.00
70261-011030	36FM.75RG1	3/4" Plastic	2.2	1.0	MPT	504.00
70261-011300	36FM1RG1	1" PVC	44	1.0	MPT	1,281.00



MPT = Male Pipe Thread

## WATER METERS

Standard with Gallon Totalizer Register. Includes Pulse Reed Switch for pulsed output.

Item Number	Model Number	Size	Flow Range (GPM)*	Pulse (Gallons)	Maximum Pressure (psi)	Connection	Price Each
70261-002720	36M1RG1	1"	1.2 - 20	0.1	145		441.00
70261-003230	36M1.5RG1	1 1/2"	3.5 - 55	0.1	145	MPT	879.00
70261-005060	36WMR2RG10	2"	8.8 - 110	10.0	230		860.00
70261-010220	36WST3RG10	3"	2.0 - 660	10.0	230		1,447.00
70261-009200	36IRT3RG10	3"	45 - 500	10.0	230	Flanged	1,266.00
70261-009500	36IRT4R10G	4"	50 - 688	10.0	230		1,645.00
70220-005300	36RSGREY	Pulse Reed Switch	-	-	-	-	98.00

\*Flow accuracy  $\pm$  2%. Acre foot totalizer is available as a non-standard option.

MPT = Male Pipe Thread

Also available with Electronic (ER) Digital Register. Call Netafim USA Customer Service for details.



2" WMR



4" IRT

# VALVES

## SERIES 80 NYLON CONTROL 2-WAY VALVES <sup>(N)</sup>

Item Number	Model Number	Size	Voltage	Price Each	Max Flow Rates (GPM)
71640-007355**	61ET.75GH2		24VAC	65.00	50
71610-013956**	61ET.75GH2-24DC	3/4"	24VDC	65.00	50
71640-007357**	61ET.75GH2-12DC	Globe	12VDC	80.00	50
71640-007356**	61ET.75GH2-L		12VDCL	80.00	50
71640-007358**	61ET.75GH2-120		120VAC	111.00	50
71640-007406**	61ET1GH2		24VAC	65.00	50
71610-013966**	61ET1GH2-24DC	1"	24VDC	65.00	50
71610-014523**	61ET1GH2-12DC	Globe	12VDC	80.00	50
71610-013967**	61ET1GH2-L		12VDCL	80.00	50
71610-013968**	61ET1GH2-120		120VAC	111.00	50
71640-007425**	61ET1.5GH2		24VAC	155.00	90
71610-014064**	61ET1.5GH2-24DC	1 1/2"	24VDC	198.00	90
71610-014067**	61ET1.5GH2-12DC	Globe	12VDC	214.00	90
71610-014061**	61ET1.5GH2-L		12VDCL	214.00	90
71610-014063**	61ET1.5GH2-120		120VAC	245.00	90
71640-007426*	61ET1.5GH2-AN		24VAC	208.00	90
-	61ET1.5GH2-AN-24DC	1 1/2"	24VDC	250.00	90
-	61ET1.5GH2-AN-12DC	Angle	12VDC	267.00	90
71610-014066**	61ET1.5GH2-AN-L		12VDCL	267.00	90
-	61ET1.5GH2-AN-120		120VAC	296.00	90
71610-014528**	61ET2GH2		24VAC	208.00	175
71610-014518**	61ET2GH2-24DC	2"	24VDC	250.00	175
71610-014524**	61ET2GH2-12DC	Globe	12VDC	267.00	175
71610-014525**	61ET2GH2-L		12VDCL	267.00	175
71610-013971**	61ET2GH2-120		120VAC	296.00	175
71640-007667*	61ET2GH2-AN		24VAC	229.00	175
71610-014517**	61ET2GH2-AN-24DC	2"	24VDC	272.00	175
-	61ET2GH2-AN-12DC	Angle	12VDC	288.00	175
-	61ET2GH2-AN-L		12VDCL	288.00	175
-	61ET2GH2-AN-120		120VAC	317.00	175



3/4" OR 1" GLOBE



1 1/2" OR 2" ANGLE



1 1/2" OR 2" GLOBE

\* Not Stocked Item

\*\* Requires Assembly Time

## SERIES 80 2-WAY VALVES WITH CONTROLLER <sup>(N)</sup>

Includes Battery Operated Aqua Pro Single Valve Controller

Item Number	Model Number	Size	Voltage	Price Each
71610-013955**	61ET.75GH2-L-CONT	3/4" Globe	12VDCL	235.00
71610-013969**	61ET1GH2-L-CONT	1" Globe	12VDCL	235.00
71610-014062**	61ET1.5GH2-L-CONT	1 1/2" Globe	12VDCL	368.00
-	61ET1.5GH2-AN-L-CONT	1 1/2" Angle	12VDCL	420.00
71610-014526**	61ET2GH2-L-CONT	2" Globe	12VDCL	420.00
71610-014519**	61ET2GH2-AN-L-CONT	2" Angle	12VDCL	443.00



SERIES 80 WITH  
AQUA PRO CONTROLLER



AQUA PRO  
CONTROLLER

\*\* Requires Assembly Time

## AQUA PRO CONTROLLER <sup>(N)</sup>

Item Number	Model Number	Price Each
37000-002000	AP-CONTROLLER-P3	112.00

# VALVES

## SERIES 80 NYLON CONTROL 3-WAY VALVES <sup>(N)</sup>

Model Number	Size	Function	Price Each
**61ELTH1.5GH3		EL	112.00
**61PRTH1.5GH3-*	1 1/2"	PR	341.00
**61PRELTH1.5GH3-*	Globe	PREL	439.00
61PSTH1.5GH3-*		PS	515.00
61PSELTH1.5GH3-*		PSEL	494.00
61ELTH1.5GH3AN		EL	585.00
**61PRTH1.5GH3AN-*	1 1/2"	PR	341.00
61PRELTH1.5GH3AN-*	Angle	PREL	439.00
**61PSTH1.5GH3AN-*		PS	515.00
61PSELTH1.5GH3AN-*		PSEL	494.00
**61ELTH2GH3		EL	585.00
**61PRTH2GH3-*	2"	PR	361.00
**61PRELTH2GH3-*	Globe	PREL	458.00
**61PSTH2GH3-*		PS	576.00
61PSELTH2GH3-*		PSEL	515.00
**61ELTH2GH3AN		EL	603.00
**61PRTH2GH3AN-*	2"	PR	361.00
**61PRELTH2GH3AN-*	Angle	PREL	458.00
**61PSTH2GH3AN-*		PS	576.00
61PSELTH2GH3AN-*		PSEL	515.00



PS ANGLE



PREL GLOBE

Substitute \* with proper Spring Color:

Y = Yellow (7-30 psi)

G = Green (14-65 psi)

R = Red (30-90 psi)

Function Code identification:

EL = Electric (standard with 24VAC - other voltages available)

PR = Pressure Reducing

PREL = Pressure Reducing Electric

PS = Pressure Sustaining

PSEL = Pressure Sustaining Electric

\*\* Requires Assembly Time



NYLON ELECTRIC



NYLON PRESSURE REDUCING

## 3-WAY VALVES <sup>(N)</sup>

Item Number	Model Number	Function	Size	Body	Connection	Price Each
71610-014470**	61EL2PLADL	Electric AQTV DCL	2"	Nylon	Threaded FPT	361.00
71610-017036**	61EL3PLTADL	Electric AQTV DCL	3"	PVC	Threaded FPT	768.00
71610-015235**	61EL3PLSADL	Electric AQTV DCL	3"	PVC	Slip	728.00
71610-015310**	61EL4PLADL	Electric AQTV DCL	4"	PVC	Slip	934.00
71610-015522**	61EL6PLADL	Electric AQTV DCL	6"	PVC	Slip	2,451.00
**	61PREL2PL*ADL	Pressure Reducing AQTV ADL	2"	Nylon	Threaded FPT	547.00
**	61PREL3PLT*ADL	Pressure Reducing ADL	3"	PVC	Slip	963.00
35500-001320	61AQTVAC1	Aquative 24VAC Solenoid	-	-	-	-

Pressure Reducing Valves have a Green Pilot Spring for 14-65 psi.

**NETAFIM USA**  
5470 E. HOME AVE.  
FRESNO, CA 93727  
CS: 888 638 2346  
[WWW.NETAFIMUSA.COM](http://WWW.NETAFIMUSA.COM)



Precision  
Agriculture



GPL001 04/24