


MIL DBL 20	0304 S A08 B	FC DC SC	JE DC NGR			
SKU No.	71910	)-006004		PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF NETAFIM. ANY REPRODUCTION IN PART		
Maximum Flow Rate	: 30 m^3/h				OLE WITHOUT OF NETAFIM IS	THE WRITTEN
Inlet Pressure:	8 Bar			Drawn By Checked By	Barga	06 Feb 2018
Sheet Size:	Scale:			Спескеа ву		
A4	1:15	TO HIGH PRESSURE D.P	TO LOW PRESSURE	QA Sheet: 1	Of: 3	Rev



SAP DESCRIPTIC		BFC DC SOL DC	NGR	<b>_</b> ≜ N	ETA	FIM™
SKU No.	71910	0-006004			INED IN THIS	
Maximum Flow Ra	ate: 30 m^3/h			OR AS A WH	OLE WITHOUT OF NETAFIM IS	THE WRITTEN
Inlet Pressure:	8 Bar			Drawn By	Barga	06 Feb 2018
Sheet Size:	Scale:			Checked By		
A4	1:15	TO HIGH PRESSURE TO LC PRESS		QA		
		D.P / D.P		<sup>Sheet:</sup> 2	<sup>Of:</sup> 3	Rev

ITEM NO.	SAP Description	SAP Cat. No.	QTY.
1	METAL DBL.CHA. 20"*2" VIC PHENOL PN10	71910-001509	2
2	METAL MAN 4"*2 OUT*2" VIC F/20" TANK	71910-001706	2
3	METAL BF MAN 3"*2 OUT*2" VIC F/20" TANK	71910-001705	1
4	METAL TRANSITION 4" ANSI FLANGE*VIC	71910-002006	2
5	METAL TRANSITION 3" ANSI FLANGE*VIC	71910-002003	1
6	MET CUP 4"VIC W/2 OUT 2"NPT+1 OUT 1"NPT	71910-001800	2
7	METAL CUP 3" VIC	71910-001791	1
8	METAL NIPPLE 3"*200MM VIC/VIC+(3/4" NPT)	71910-008981	1
9	NET METAL B.F VALVE 2X2 ANGLE VIC	71600-006656	2
10	D 100 CI G 3" FRV VIC PP 3W-29310(082)	71600-052300	1
11	VICTAULIC COUPLING 2" ONE BOLT	71910-002500	6
12	VICTAULIC COUPLING 3" ONE BOLT	71910-002501	4
13	VICTAULIC COUPLING 4" ONE BOLT	71910-002502	4
14	Control stand + controller + Aquative bracket		1
15	CONTROL KIT FOR MEDIA FILTER - NPT	37090-009610	1
16	L.P. Check point (part of control kit)		1
17	NAVC 10 1" COMBINATION AV PN10 NPT	32600-002750	1
18	SUPPORT LEG 4''-1000MM	71910-001906	1
19	SUPPORT LEG 3"-800MM	71910-001890	1
20	SUPPORT LEG 4''-100MM	71910-001899	2

