





ITEM NO.	. SAP Description	SAP Cat. No.	QTY.
1	METAL DBL.CHA. 20"*2" VIC PHENOL PN10	71910-001509	3
2	METAL MAN 4"*3 OUT*2" VIC F/20" TANK	71910-001715	2
3	METAL BF MAN 3"*3 OUT*2" VIC F/20" TANK	71910-001714	1
4	METAL TRANSITION 4" ANSI FLANGE*VIC	71910-002006	2
5	METAL TRANSITION 3" ANSI FLANGE*VIC	71910-002003	1
6	MET CUP 4"VIC W/2 OUT 2"NPT+1 OUT 1"NPT	71910-001800	2
7	METAL CUP 3" VIC	71910-001791	1
8	METAL NIPPLE 3"*200MM VIC/VIC+(3/4" NPT)	71910-008981	1
9	D 52 B.F. VALVE PLASTIC 2*2 ANGLE BSP	71600-006515	3
10	D 100 CI G 3" FRV VIC PP 3W-29310(082)	71600-052300	1
11	GALVA. SHORT NIPPLE 2	78200-016500	3
12	VICTAULIC COUPLING 2" ONE BOLT	71910-002500	9
13	VICTAULIC COUPLING 3" ONE BOLT	71910-002501	4
14	VICTAULIC COUPLING 4" ONE BOLT	71910-002502	4
15	Control stand + controller + Aquative bracket		1
16	CONTROL KIT FOR MEDIA FILTER - NPT	37090-009610	1
17	L.P. Check point (part of control kit)		1
18	NAVC 10 1" COMBINATION AV PN10 NPT	32600-002750	1
19	SUPPORT LEG 4"-100MM	71910-001899	2
20	SUPPORT LEG 4"-1000MM	71910-001906	1
21	SUPPORT LEG 3"-800MM	71910-001890	1

SAP DESCRIPTION MTL DBL 20	▲ NETAFIM [™]					
SKU No.	71910	-006104	PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF NETAFIM, ANY REPRODUCTION IN PART			
Maximum Flow Rate	45 m^3/h			OR AS A WHO PERMISSION O Designed By	OLE WITHOUT	THE WRITTEN
Inlet Pressure:	8 Bar	Pa		Drawn By Checked By	Barga	06 Feb 2018
Sheet Size:	Scale:			CHECKED By		
A4	1:20	TO HIGH PRESSURE D.P	TO LOW PRESSURE D.P	QA Sheet: 3	^{Of:} 3	Rev