







TO HIGH PRESSURE D.P

TO LOW PRESSURE D.P

Maximum Flow Rate: 200 m^3/h 8 Bar Inlet Pressure: Scale: Sheet Size: A4 1:30

TROTRIEIRAY AND CONTIQUENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
NETAFIM. ANY REPRODUCTION IN PART
OR AS A WHOLE WITHOUT THE WRITTEN
PERMISSION OF NETAFIM IS PROHIBITED

| TERMISSION OF MEDICINATION ROTHER | | | |
|-----------------------------------|--------|-------------|--|
| Designed By | t21734 | 08 Nov 2017 | |
| Drawn By | Barga | 20 Nov 2017 | |
| Checked By | | | |
| QA | | | |
| Sheet: 2 | Of: 3 | Rev | |

| 1751 / 110 | 0.10.0 | 0.000 | D (11/OT) |
|------------|---|--------------|--------------|
| ITEM NO. | SAP Description | SAP Cat. No. | Default/QTY. |
| 1 | METAL SNG.CHA. 36"*3" VIC PHENOL PN8 | 71910-001603 | 4 |
| 2 | METAL MAN 6"*2 OUT*3" VIC F/30-36" TANK | 71910-001710 | 4 |
| 3 | METAL BF MAN 3"*2 OUT*2" VIC F/30-36" T | 71910-001709 | 2 |
| 4 | METAL TRANSITION 6" ANSI FLANGE*VIC | 71910-002009 | 2 |
| 5 | METAL TRANSITION 3" ANSI FLANGE*VIC | 71910-002003 | 1 |
| 6 | MET CUP 6"VIC W/2 OUT 2"NPT+1 OUT 1"NPT | 71910-001802 | 2 |
| 7 | METAL CUP 3" VIC | 71910-001791 | 1 |
| 8 | METAL NIPPLE 3"*200MM VIC/VIC+(3/4" NPT) | 71910-008981 | 1 |
| 9 | NET METAL B.F VALVE 3X2 STRAIGHT VIC | 71600-006670 | 4 |
| 10 | D 100 CI G 3" FRV VIC PP 3W-29310(082) | 71600-052300 | 1 |
| 11 | VICTAULIC COUPLING 2" ONE BOLT | 71910-002500 | 4 |
| 12 | VICTAULIC COUPLING 3" ONE BOLT | 71910-002501 | 17 |
| 13 | VICTAULIC COUPLING 6" ONE BOLT | 71910-002503 | 6 |
| 14 | Control stand + controller + Aquative bracket | | 1 |
| 15 | CONTROL KIT FOR MEDIA FILTER - NPT | 37090-009610 | 1 |
| 16 | L.P. Check point (part of control kit) | | 1 |
| 17 | BARAK PLASTIC BASE 2 GD-010(NPT) | 70561-001500 | 1 |
| 18 | SUPPORT LEG 6"-1700MM | 71910-001965 | 1 |
| 19 | SUPPORT LEG 6"-150MM | 71910-001908 | 3 |
| 20 | SUPPORT LEG 3"-1400MM | 71910-001892 | 1 |



