




SAP DESCRIPTION	۱:		
MTL SNG 480206	3		▲ • NETAFIM [™]
SKU No.			PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF
Maximum Flow Rate	e: 748 GPM		NETAFIM. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF NETAFIM IS PROHIBITED
Recommended Flow Rate: 616 GPM			Designed By
Inlet Pressure:	115 PSI		Drawn By KEREM 25/12/2019
Sheet Size:	Scale:		Checked By
A4	1:20	TO HIGH PRESSURE TO LOW PRESSURE	QA
		D.P D.P	Sheet: 1 Of: 3 Rev



SAP DESCRIPTION	:		4 84		
MTL SNG 480206 S			4 ° N	ETA	'' I M
SKU No.			THE INFORMA DRAWING IS	AND CONFIE	INED IN THIS PERTY OF
Maximum Flow Rate: 748 GPM		NETAFIN. ANY REPRODUCTIC OR AS A WHOLE WITHOUT TH PERMISSION OF NETAFIM IS P			THE WRITTEN
Recommended Flow Rate: 616 GPM			Designed By		
Inlet Pressure:	115 PSI		Drawn By	KEREM	25/12/2019
Sheet Size:	Scale:		Checked By		
A4	1:25	TO HIGH PRESSURE TO LOW PRESSURE	QA		
		D.P / D.P	Sheet: 2	^{Of:} 3	Rev

ITEM NO. SAP Description SAP Cat. No. 1 METAL SNG.CHA.PLUS 48"*4" VIC PN08 LONG 71910-001626 2 METAL MAN 6"*2 OUT*4" VIC F/48" TANK 71910-001691 3 METAL BF MAN 4"*2 OUT*3" VIC F/48" TANK 71910-001712 4 MET CUP 6"VIC W/2 OUT 2"NPT +1 OUT 1"NPT 71910-001802 5 METAL CUP 4" VIC 71910-001792 6 NET METAL B.F VALVE 4X3 STRAIGHT VIC 71600-006660 7 VICTAULIC COUPLING 3" ONE BOLT 71910-002501 8 VICTAULIC COUPLING 4" ONE BOLT 71910-002502 9 VICTAULIC COUPLING 6" TWO BOLT 71910-002503 10 Control stand + controller + Aquative bracket 11 11 I" CONTROL KIT FOR MEDIA FILTER - NPT 37090-009610 12 L.P. Check point (part of control kit) 13 BARAK PLASTIC BASE 2 GD-010(NPT) 70561-001500 14 SUPPORT LEG 6"-200MM 71910-001909 14			1
2 METAL MAN 6"*2 OUT*4" VIC F/48" TANK 71910-001691 3 METAL BF MAN 4"*2 OUT*3" VIC F/48" TANK 71910-001712 4 MET CUP 6"VIC W/2 OUT 2"NPT +1 OUT 1"NPT 71910-001802 5 METAL CUP 4" VIC 71910-001792 6 NET METAL B.F VALVE 4X3 STRAIGHT VIC 71600-006660 7 VICTAULIC COUPLING 3" ONE BOLT 71910-002501 8 VICTAULIC COUPLING 4" ONE BOLT 71910-002502 9 VICTAULIC COUPLING 6" TWO BOLT 71910-002503 10 Control stand + controller + Aquative bracket 11 11 I" CONTROL KIT FOR MEDIA FILTER - NPT 37090-009610 12 L.P. Check point (part of control kit) 70561-001500	SAP Description	SAP Cat. No.	QTY.
3 METAL BF MAN 4"*2 OUT*3" VIC F/48" TANK 71910-001712 4 MET CUP 6"VIC W/2 OUT 2"NPT +1 OUT 1"NPT 71910-001802 5 METAL CUP 4" VIC 71910-001792 6 NET METAL B.F VALVE 4X3 STRAIGHT VIC 71600-006660 7 VICTAULIC COUPLING 3" ONE BOLT 71910-002501 8 VICTAULIC COUPLING 4" ONE BOLT 71910-002502 9 VICTAULIC COUPLING 6" TWO BOLT 71910-002503 10 Control stand + controller + Aquative bracket 11 11 1" CONTROL KIT FOR MEDIA FILTER - NPT 37090-009610 12 L.P. Check point (part of control kit) 13 13 BARAK PLASTIC BASE 2 GD-010(NPT) 70561-001500	METAL SNG.CHA.PLUS 48"*4" VIC PN08 LONG	71910-001626	2
4 MET CUP 6"VIC W/2 OUT 2"NPT +1 OUT 1"NPT 71910-001802 5 METAL CUP 4" VIC 71910-001792 6 NET METAL B.F VALVE 4X3 STRAIGHT VIC 71600-006660 7 VICTAULIC COUPLING 3" ONE BOLT 71910-002501 8 VICTAULIC COUPLING 4" ONE BOLT 71910-002502 9 VICTAULIC COUPLING 6" TWO BOLT 71910-002503 10 Control stand + controller + Aquative bracket 11 11 I" CONTROL KIT FOR MEDIA FILTER - NPT 37090-009610 12 L.P. Check point (part of control kit) 70561-001500	METAL MAN 6"*2 OUT*4" VIC F/48" TANK	71910-001691	2
5 METAL CUP 4" VIC 71910-001792 6 NET METAL B.F VALVE 4X3 STRAIGHT VIC 71600-006660 7 VICTAULIC COUPLING 3" ONE BOLT 71910-002501 8 VICTAULIC COUPLING 4" ONE BOLT 71910-002502 9 VICTAULIC COUPLING 6" TWO BOLT 71910-002503 10 Control stand + controller + Aquative bracket 71910-002503 11 1" CONTROL KIT FOR MEDIA FILTER - NPT 37090-009610 12 L.P. Check point (part of control kit) 70561-001500	METAL BF MAN 4"*2 OUT*3" VIC F/48" TANK	71910-001712	1
6NET METAL B.F VALVE 4X3 STRAIGHT VIC71600-0066607VICTAULIC COUPLING 3" ONE BOLT71910-0025018VICTAULIC COUPLING 4" ONE BOLT71910-0025029VICTAULIC COUPLING 6" TWO BOLT71910-00250310Control stand + controller + Aquative bracket11111" CONTROL KIT FOR MEDIA FILTER - NPT37090-00961012L.P. Check point (part of control kit)13BARAK PLASTIC BASE 2 GD-010(NPT)70561-001500	MET CUP 6"VIC W/2 OUT 2"NPT +1 OUT 1"NPT	71910-001802	2
7VICTAULIC COUPLING 3" ONE BOLT71910-0025018VICTAULIC COUPLING 4" ONE BOLT71910-0025029VICTAULIC COUPLING 6" TWO BOLT71910-00250310Control stand + controller + Aquative bracket71910-002503111" CONTROL KIT FOR MEDIA FILTER - NPT37090-00961012L.P. Check point (part of control kit)70561-001500	METAL CUP 4" VIC	71910-001792	1
8VICTAULIC COUPLING 4" ONE BOLT71910-0025029VICTAULIC COUPLING 6" TWO BOLT71910-00250310Control stand + controller + Aquative bracket11111" CONTROL KIT FOR MEDIA FILTER - NPT37090-00961012L.P. Check point (part of control kit)13BARAK PLASTIC BASE 2 GD-010(NPT)70561-001500	NET METAL B.F VALVE 4X3 STRAIGHT VIC	71600-006660	2
9VICTAULIC COUPLING 6" TWO BOLT71910-00250310Control stand + controller + Aquative bracket11111" CONTROL KIT FOR MEDIA FILTER - NPT37090-00961012L.P. Check point (part of control kit)1313BARAK PLASTIC BASE 2 GD-010(NPT)70561-001500	VICTAULIC COUPLING 3" ONE BOLT	71910-002501	2
10Control stand + controller + Aquative bracket111" CONTROL KIT FOR MEDIA FILTER - NPT37090-00961012L.P. Check point (part of control kit)1313BARAK PLASTIC BASE 2 GD-010(NPT)70561-001500	VICTAULIC COUPLING 4" ONE BOLT	71910-002502	7
11 1" CONTROL KIT FOR MEDIA FILTER - NPT 37090-009610 12 L.P. Check point (part of control kit) 13 BARAK PLASTIC BASE 2 GD-010(NPT) 70561-001500	VICTAULIC COUPLING 6" TWO BOLT	71910-002503	2
12 L.P. Check point (part of control kit) 13 BARAK PLASTIC BASE 2 GD-010(NPT)	Control stand + controller + Aquative bracket		1
13 BARAK PLASTIC BASE 2 GD-010(NPT) 70561-001500	1" CONTROL KIT FOR MEDIA FILTER - NPT	37090-009610	1
	L.P. Check point (part of control kit)		1
14 SUPPORT LEG 6"-200MM 71910-001909	BARAK PLASTIC BASE 2 GD-010(NPT)	70561-001500	1
	SUPPORT LEG 6"-200MM	71910-001909	2
15 SUPPORT LEG 4"-1400MM 71910-001952	SUPPORT LEG 4"-1400MM	71910-001952	1
15		METAL SNG.CHA.PLUS 48"*4" VIC PN08 LONG METAL MAN 6"*2 OUT*4" VIC F/48" TANK METAL BF MAN 4"*2 OUT*3" VIC F/48" TANK MET CUP 6"VIC W/2 OUT 2"NPT +1 OUT 1"NPT METAL CUP 4" VIC NET METAL B.F VALVE 4X3 STRAIGHT VIC VICTAULIC COUPLING 3" ONE BOLT VICTAULIC COUPLING 4" ONE BOLT VICTAULIC COUPLING 6" TWO BOLT VICTAULIC COUPLING 6" TWO BOLT Control stand + controller + Aquative bracket 1" CONTROL KIT FOR MEDIA FILTER - NPT L.P. Check point (part of control kit) BARAK PLASTIC BASE 2 GD-010(NPT) SUPPORT LEG 6"-200MM	METAL SNG.CHA.PLUS 48"*4" VIC PN08 LONG 71910-001626 METAL MAN 6"*2 OUT*4" VIC F/48" TANK 71910-001691 METAL BF MAN 4"*2 OUT*3" VIC F/48" TANK 71910-001712 METAL DF MAN 4"*2 OUT*3" VIC F/48" TANK 71910-001702 METAL CUP 6"VIC W/2 OUT 2"NPT +1 OUT 1"NPT 71910-001802 METAL CUP 4" VIC 71910-001792 NET METAL B.F VALVE 4X3 STRAIGHT VIC 71600-006660 VICTAULIC COUPLING 3" ONE BOLT 71910-002501 VICTAULIC COUPLING 4" ONE BOLT 71910-002502 VICTAULIC COUPLING 6" TWO BOLT 71910-002503 Control stand + controller + Aquative bracket 1" CONTROL KIT FOR MEDIA FILTER - NPT J.P. Check point (part of control kit) 70561-001500 SUPPORT LEG 6"-200MM 71910-001909





SAP DESCRIPTION	:				ETA.	
MTL SNG 480206 S				V. M	EIA	FIM"
SKU No.				PROPRIETARY THE INFORMADRAWING IS	ATION CONTA THE SOLE PRO	NINED IN THIS
Maximum Flow Rate	: 748 GPM			NETAFIM. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF NETAFIM IS PROHIBITED		
Recommended Flow Rate: 616 GPM				Designed By		
Inlet Pressure:	115 PSI		$\boldsymbol{\gamma}$	Drawn By	KEREM	25/12/2019
Sheet Size:	Scale:		/	Checked By		
A4	1:40	TO HIGH TO LOW PRESSURE PRESSURE		QA		
		D.P / TRESSORE / D.P		Sheet: 3	^{Of:} 3	Rev