


SAP DESCRIPTIC MTL SNG	^{DN:} 300206 S A08	bfc dc s	OL DC NGR	≜ ≜ N	ETA	FIM™
SKU No.				THE INFORM	ATION CONTA THE SOLE PRO	NINED IN THIS
Maximum Flow Ra	_{ite:} 70 m^3/h			OR AS A WH PERMISSION	Y REPRODUC OLE WITHOUT OF NETAFIM I	THE WRITTEN
				Designed By	t21734	28 May 2017
Inlet Pressure:	8 Bar			Drawn By	Barga	08 Feb 2018
Sheet Size:	Scale:			Checked By		
A4	1:20	TO HIGH PRESSURE	TO LOW PRESSURE	QA		
		D.P	D.P	Sheet:]	^{Of:} 3	Rev



SAP DESCRIPTION	1: 800206 S A08 I	BFC DC SC	OL DC NGR	∧ ≜ N	ETA	FIM™
SKU No.				THE INFORM DRAWING IS	Y AND CONFI ATION CONT THE SOLE PRO	AINED IN THIS OPERTY OF
Maximum Flow Rate: 70 m $^3/h$			NETAFIM. ANY REPRODUCTION IN P. OR AS A WHOLE WITHOUT THE WRITH PERMISSION OF NETAFIM IS PROHIBIT Designed By t21734 28 May 2			
Inlet Pressure:	8 Bar			Drawn By Checked By	Barga	08 Feb 2018
Sheet Size:	Scale:			Checked by		
A4	1:25	TO HIGH PRESSURE D.P	TO LOW PRESSURE D.P	QA Sheet: 2	^{Of:} 3	Rev

ITEM NO.	SAP Description	SAP Cat. No.	QTY.
1	METAL SNG.CHA. 30"*3" VIC PHENOL PN10	71910-001602	2
2	METAL MAN 6"*2 OUT*3" VIC F/30-36" TANK	71910-001710	2
3	METAL BF MAN 3"*2 OUT*2" VIC F/30-36" T	71910-001709	1
4	METAL TRANSITION 6" ANSI FLANGE*VIC	71910-002009	2
5	METAL TRANSITION 3" ANSI FLANGE*VIC	71910-002003	1
6	MET CUP 6"VIC W/2 OUT 2"NPT+1 OUT 1"NPT	71910-001802	2
7	METAL CUP 3" VIC	71910-001791	1
8	METAL NIPPLE 3"*200MM VIC/VIC+(3/4" NPT)	71910-008981	1
9	NET METAL B.F VALVE 3X2 STRAIGHT VIC	71600-006670	2
10	D 100 CI G 3" FRV VIC PP 3W-29310(082)	71600-052300	1
11	VICTAULIC COUPLING 2" ONE BOLT	71910-002500	2
12	VICTAULIC COUPLING 3" ONE BOLT	71910-002501	10
13	VICTAULIC COUPLING 6" ONE BOLT	71910-002503	4
14	Control stand + controller + Aquative bracket		1
15	CONTROL KIT FOR MEDIA FILTER - NPT	37090-009610	1
16	L.P. Check point (part of control kit)		1
17	BARAK PLASTIC BASE 2 GD-010(NPT)	70561-001500	1
18	SUPPORT LEG 6"-1700MM	71910-001965	1
19	SUPPORT LEG 6"-150MM	71910-001908	2
20	SUPPORT LEG 3"-1400MM	71910-001892	1

