



sap description MTL SNG 3	: 00306 S A08	BFC DC SC	DL DC NGR	^ N	ETA	FIM™
SKU No.				THE INFORMA DRAWING IS	ATION CONFIL ATION CONTA THE SOLE PRO Y REPRODUC	NINED IN THIS
Maximum Flow Rate: m^3/h		C			OLE WITHOUT OF NETAFIM IS	THE WRITTEN
Inlet Pressure:	8 Bar			Drawn By Checked By	Barga	20 Nov 2017
Sheet Size:	Scale:			Спескеа ву		
A4	1:30	TO HIGH PRESSURE D.P	TO LOW PRESSURE D.P	QA Sheet:]	^{Of:} 3	Rev



MTL SNG 3	00306 S A08	BFC DC S	OL DC NGR	_^ ♦ N	ETA	FIM™
SKU No.				THE INFORM DRAWING IS	ATION CONTA THE SOLE PRO	INED IN THIS OPERTY OF
Maximum Flow Rate	: m^3/h		NETAFIM. ANY REPRODUCTION IN PA OR AS A WHOLE WITHOUT THE WRITT PERMISSION OF NETAFIM IS PROHIBIT Designed By 121734 28 May 2			
Inlet Pressure: 8 Bar				Drawn By	Barga	20 Nov 2017
Sheet Size:	Scale:		TO LOW	Checked By QA		
/ \ \ \	1:30	PRESSURE/ D.P	PRESSURE /	^{Sheet:} 2	^{Of:} 3	Rev

	-		·
ITEM NO.	SAP Description	SAP Cat. No.	QTY.
1	METAL SNG.CHA. 30"*3" VIC PHENOL PN10	71910-001602	3
2	METAL MAN 6"*2 OUT*3" VIC F/30-36" TANK	71910-001710	2
3	METAL MAN 6"*1 OUT*3" VIC F/30-36" TANK	71910-001701	2
4	METAL BF MAN 3"*2 OUT*2" VIC F/30-36" T	71910-001709	1
5	METAL BF MAN 3"*1 OUT*2" VIC F/30-36" T	71910-001700	1
6	METAL TRANSITION 6" ANSI FLANGE*VIC	71910-002009	2
7	METAL TRANSITION 3" ANSI FLANGE*VIC	71910-002003	1
8	MET CUP 6"VIC W/2 OUT 2"NPT+1 OUT 1"NPT	71910-001802	2
9	METAL CUP 3" VIC	71910-001791	1
10	METAL NIPPLE 3"*200MM VIC/VIC+(3/4" NPT)	71910-008981	1
11	NET METAL B.F VALVE 3X2 STRAIGHT VIC	71600-006670	3
12	D 100 CI G 3" FRV VIC PP 3W-29310(082)	71600-052300	1
13	VICTAULIC COUPLING 2" ONE BOLT	71910-002500	3
14	VICTAULIC COUPLING 3" ONE BOLT	71910-002501	14
15	VICTAULIC COUPLING 6" ONE BOLT	71910-002503	6
16	Control stand + controller + Aquative bracket		1
17	CONTROL KIT FOR MEDIA FILTER - NPT	37090-009610	1
18	L.P. Check point (part of control kit)		1
19	BARAK PLASTIC BASE 2 GD-010(NPT)	70561-001500	1
20	SUPPORT LEG 6"-1700MM	71910-001965	1
21	SUPPORT LEG 6"-150MM	71910-001908	3
22	SUPPORT LEG 3"-1400MM	71910-001892	1



SAP DESCRIPTION	™ 300306 S A08	BFC DC SC	DL DC NGR	▲ • N	ETA	FIM™
SKU No.				DRAWING IS	ATION CONTA THE SOLE PRO	AINED IN THIS
Maximum Flow Rate: m^3/h				OR AS A WH PERMISSION Designed By	OLE WITHOUT OF NETAFIM I	THE WRITTEN S PROHIBITED
Inlet Pressure:	8 Bar			Drawn By Checked By	Barga	20 Nov 2017
Sheet Size:	Scale:			Checked by		
A4	1:20		TO LOW PRESSURE	QA		
		D.P /	D.P	Sheet: 3	^{Of:} 3	Rev